Deaconess Gibson Hospital Community Health Needs Assessment

Prepared by the Indiana Rural Health Association in conjunction with Deaconess Gibson Hospital & Tulip Tree Family Health Care

Table of Contents

| Table of Contents | . 1 |
|------------------------------------|------|
| Purpose | . 2 |
| Process | 3 |
| Community Served | . 4 |
| Description of Community | . 4 |
| Physical | . 4 |
| Demographics | . 5 |
| Underserved Populations | . 5 |
| Social Determinants of Health | . 7 |
| Health Report Summaries | . 8 |
| Clinical Health Indicators | . 10 |
| Existing Healthcare Resources | . 14 |
| Identifying Health & Service Needs | . 15 |
| Summary of Findings | . 20 |
| Conclusion | 23 |

Appendix A – Resources & Reference Materials

Appendix B – Focus Group Materials

Appendix C – Survey

Appendix D – Existing Facilities

Purpose

The purpose of this Community Health Needs Assessment (CHNA) is to provide a comprehensive and data-driven understanding of the health needs within Deaconess Gibson Hospital's service area. This assessment is conducted with the primary aim of improving the health and well-being of individuals within the community by identifying and addressing the most pressing health issues.

Specifically, this CHNA has these goals:

- 1. Identify Health Disparities: To analyze and document the disparities and inequities in access to and outcomes of health services within the community. Factors, such as race, ethnicity, age, gender, socioeconomic status, and geographic location all impact health outcomes and will be considered within the report.
- 2. Assess Existing Services: Evaluate the scope and effectiveness of the health services currently offered within Gibson County, including the adequacy of resources, staffing, and infrastructure.
- 3. Engage Stakeholders: Engage with a diverse group of community stakeholders, including patients, families, community organizations, local government, and other healthcare providers to gather their insights, experiences, and perspectives on the health needs and challenges faced by the community.
- 4. Identify Priorities: Determine the most critical health issues and unmet needs within the community. This includes understanding prevalent health conditions and health challenges that impact the Gibson County population.
- 5. Develop an Action Plan: Create a clear and evidence-based action plan to address the identified health needs and disparities. This plan will be used to guide the hospital's future strategies, services, and programs to better serve the community.
- 6. Foster Collaboration: Promote collaboration among local agencies, healthcare providers, community organizations, and policymakers to create a coordinated approach to addressing health issues in the service area.
- 7. Comply with Regulatory Requirements: Ensure compliance with regulatory requirements and reporting obligations as stipulated by relevant authorities, including federal and state regulations that govern non-profit hospitals.

By conducting this Community Health Needs Assessment, the hospital aims to enhance its ability to deliver high-quality, patient-centered healthcare services that are responsive to the unique needs of our community. This assessment will also facilitate transparency, accountability, and continuous improvement in the efforts to promote health and well-being while reducing health disparities within the hospital's service area.

Process

Deaconess Gibson Hospital (DGH), in conjunction with Tulip Tree Family Health Care (TTFHC), contracted with the Indiana Rural Health Association (IRHA) to conduct the Community Health Needs Assessment (CHNA).

IRHA first identified the community served by DGH through conversations with hospital staff. Based on a review of patient zip codes, hospital staff defined the community served as all postal codes within the geographic area of Gibson County.

To quantifiably describe the community, census reports were pulled from the United States Census Bureau. Quantifiable statistics and reports for health-related community data were obtained from the U.S. Census Bureau, Indiana Business Research Center, Indiana University, Robert Wood Johnson County Health Rankings & Roadmaps, Indiana Department of Transportation, U.S. Bureau of Economic Analysis, and Indiana Family and Social Services Administration. The data tables and citations for these reports can be viewed in Appendix A. Additional reports on chronic disease were pulled from the Centers for Disease Control and the Indiana State Cancer Registry. Excerpts from these reports can also be found in Appendix A.

Next, an in-person focus group of Gibson County representatives were organized with the help of the Deaconess Gibson Hospital Director of Marketing and Communication, Pam Hight, and Tulip Tree Family Health Care's Executive Director, Kristine Georges. Community leaders, county health department representatives, business owners, local officials, healthcare providers, minority leaders, clergy, student representatives, and any other interested parties were invited to attend the meetings to discuss the health-related needs of the county with the intent to identify areas of greatest concern. The list of all meeting attendees, along with the organizations they represent, is in Appendix B.

From the information obtained in the focus groups, a 46-question survey was developed to gain the perspective of the inhabitants of the community (see Appendix C). Questions included queries about the effect of various factors (such as substance use, transportation, housing, and mental health), as well as probes into the perceived need for various services and facilities in the county. The survey was widely disseminated to the residents of Gibson County through inclusion on the Deaconess Gibson Hospital's website, newsletters, and social media where it was made publicly available on REDCap.com. Hard copies of the survey were made available in various waiting rooms around the county, and two IRHA staff members conducted in-person polling at the Gibson County Fair to reach people who were unaware of the survey or did not have Internet access to complete it.

To identify all healthcare facilities and resources that are currently responding to the healthcare needs of the community, IRHA contacted DGH and Tulip Tree. The two healthcare entities were able to provide a listing of the facilities and resources, including but not limited to clinics, family practices, and nursing facilities that are currently available within Gibson County. See Appendix D for existing community resources.

The completed CHNA was then publicly posted on both the Deaconess Gibson Hospital and Tulip Tree Family Health Care websites. Hard copies of the report are available upon request.


Community Served

The community served by Deaconess Gibson Hospital is defined as follows: All people living within Gibson County, Indiana, at any time during the year. To be determined as living within the service area of Gibson County, a person must reside within one of these postal zip codes: 47613, 47639, 47640, 47647, 47648, 47649, 47654, 47660, 47665, 47666, 47670, or 47683.

Description of Community

Physical

Gibson County is located in the southwestern part of Indiana. Princeton is the largest town and is the county seat. The county is dominantly rural and is the 13th largest county in Indiana by area at approximately 487.4 square miles. Gibson County, Indiana, is bordered by White County and Wabash County in Illinois and by Warrick County, Knox County, Vanderburgh County, Posey County, and Pike County in Indiana (U.S. Census Bureau, 2022). The northwestern edge of the county is defined by the Wabash River. The county is crossed by several major roadways, including Interstates 69 & 64, U.S. Highway 41, and several state highways.



Demographics


The United States Census Bureau estimates the 2023 population of Gibson County at 32,904. Females comprise 49.1% of the population. The median age of the county is 40.3 years old. The median household income for Gibson County is \$64,153; and approximately 9.7% of the population is living in poverty. The unemployment rate for Gibson County is 2.5% as of April 2024.



U.S. Census Bureau, 2022 estimates

Underserved Populations

Gibson County has a relatively homogenous racial and ethnic profile. Minority populations make up approximately 6.4% of the total inhabitants of Gibson County according to 2022 census data estimates. The second largest population after White is the Black population, representing approximately only 2.6% of the overall residents. Unfortunately, data regarding languages spoken in the communities was suppressed due to population threshold requirements. However, reports from the Indiana Department of Transportation does show that the percentage of residents for each county who speak English "less than very well" is at only 0.92% in Gibson. While this is a low percentage, it does represent just under 300 people who may need language services to effectively communicate and receive informed care.



Graph based on data from the U.S. Census Bureau 2023

Beyond the ethnic and racial demographics, the Indiana Prevention Resource Center through Indiana University estimates that there are approximately 1,960 veterans in Gibson County. According to the U.S. Department of Veteran Affairs, veteran populations are at higher risk of substance use and mental health issues, such as PTSD.

According to data from the Williams Institute at UCLA, approximately 4.5% of Indiana residents identify as part of the LGBTQ+ community. While county-level and youth population data is not yet available, this percentage can provide a starting point for identifying a proportion within the target PSS service area. The LCBTQ+ youth population is at particular risk of mental health issues, including suicidal ideation and suicide attempts. A 2022 report by the Trevor Project states that 45% of LGBTQ youth seriously considered suicide in the previous year and that 60% of LGBTQ youth who wanted mental healthcare in the past year were unable to get it.

Also, the U.S. Census Bureau reports that approximately 15.7% of Gibson County residents are classified as disabled at any age. The disabled population under the age of 65 is reported at 11.8%. Some of the reported disabilities include hearing difficulty (5.0%), vision difficulty (3.2%), cognitive difficulty (7.5%), ambulatory difficulty (8.1%), self-care difficulty (2.4%), and independent living difficulty (5.6%). These populations have a wide variety of disabilities that must all be considered, along with the appropriate interventions and adaptations to best serve each individual need.

Finally, the January 2024 Point-in-Time count for homeless and unhoused populations includes Gibson County in the Region 12 cohort. The count was taken on January 24, 2024. Unfortunately, the data for Gibson County was either too low to meet population thresholds or not included in the 2024 data for the region. Ideally, this could mean that no unhoused persons

were found to be counted in January. However, this should not serve as proof or indication that unhoused persons do not exist in Gibson County.

Social Determinants of Health

Economic Factors

Gibson County experiences a poverty rate and an unemployment rate below state averages. The poverty rate in Gibson County is only 10.0%, compared to Indiana's rate of 12.6%. Per the Indiana Department of Workforce Development from June 2024, the unemployment rate is only 3.4, compared to Indiana's rate of 4.4. 2022 per capita income is reported at \$54,959, which falls only slightly behind Indiana's reported average of \$58,323.

Housing

The median value of housing units in Gibson County is \$159,700, with a median monthly rent of \$580. Only 32.8% of houses are valued at \$200,000 or higher; and 27.6% are valued under \$100,000, leaving a significant gap for affordable housing. 2020 data from the U.S. Census Bureau showed a total of 14,539 available housing units in the county, with 1,268 unoccupied at the time of the census. Promisingly, there were 163 residential building permits filed in 2023, with 97 being for single-family homes and 66 being for five families or greater.


| Gibson County Housing Values | |
|------------------------------|-------|
| Under \$50,000 | 8.7% |
| \$50,000-99,999 | 18.9% |
| \$100,000-199,999 | 39.6% |
| \$200,000-299,999 | 19.6% |
| \$300,000-499,999 | 10.5% |
| \$500,000 or higher | 2.7% |

2023 U.S. Census Bureau

Education

According to 2023 data from the Indiana Family Social Services Administration and Indiana Department of Education aggregated by StatsIndiana, the percent of adults aged 25 or older with a high school diploma or higher was 90.6%, which is only slightly higher than the state percent of 90%. However, adults aged 25 or older with a bachelor's degree or higher in Gibson

County was only 18%, which is significantly lower than the state's percent of 28.2%. Over one-third of students (34.5%) enrolled in Gibson County receive free or reduced lunches, which is considerably lower than the state's rate or 45.5%.



Graph based on data from U.S. Census Bureau

Health Report Summaries

County Health Rankings and Roadmaps

The Robert Wood Johnson Foundation's County Health Rankings and Roadmaps shows Gibson County performing in the top third of the 92 counties in Indiana for Health Outcomes and outperforming both the state and national averages. The county is also outperforming state and national averages in the Health Factors category, as well.




Data visualization from the RWJF 2024 County Health Rankings

As noted, Gibson County's Health Outcomes are better than all state and national averages. Most notably, Gibson County has a low rate of premature deaths, at only 7,400, compared to the statewide rate of 9,300 and national rate of 8,000. A low prevalence of HIV in the county—58, compared to Indiana's 217 and the national rate of 382—also contributed significantly to the high score in Health Outcomes.

The county ranked slightly lower in Health Factors, though still outperforming state and national averages. The data highlights a couple significant issues. Provider-to-patient ratios are substantially higher in Gibson County for primary care physicians and mental health providers than Indiana or the nation as a whole. Additionally, rates of adult smoking and obesity meet or exceed state and national rates. 20% of Gibson County adults smoke, compared to Indiana's 18% and 15% in the United States as a whole. The obesity rate in the county is 37%, which is on par with Indiana but higher than the national rate at 34%. In other categories, Gibson County is performing better than state and national averages. The percent of uninsured individuals is only 7% in the county, compared to 9% in Indiana and 10% in the U.S.

Continuing the positive performance in Health Factors, the county scores well in food environment and access. The Gibson County Food Environment Index is 8.5, compared to Indiana at 6.8 and the nation at 7.7. Only 2% of the Gibson County population report limited access to healthy foods, compared to 11% of Indiana residents and 10% nationally. The average cost of meals in Gibson County is also more affordable—if only slightly—at \$3.49 per meal, compared to \$3.54 in Indiana and \$3.99 across the entire U.S. However, the total estimated annual food budget shortfall in the county is roughly \$2,874,000. According to Feeding America, the annual budget shortfall is the additional dollar amount that food-insecure people report needing to purchase just enough food to meet their needs and is adjusted to reflect local prices and taxes.





Data visualization from Feeding America's Map the Meal Gap 2022

Clinical Health Indicators

Clinical Care

As noted above, Gibson County has higher patient-to-provider ratios for primary care, dentists, and mental health providers than does Indiana as a whole per the County Health Rankings & Roadmaps 2024. Gibson County is identified as a Health Professional Shortage Area (HPSA) by the HRSA.gov website in the areas of Primary Care, Dental Health, and Mental Health. This influences access to healthcare and health indicators. The largest disparities come from the Primary Care Providers and the Mental Health Providers. Gibson County has patient to Primary Care Provider ratio of 2530:1, whereas Indiana's ratio is 1520:1 and the U.S. is at 1330:1. The Mental Health Provider ratio is even more stark at 2540:1 in Gibson, 500:1 in Indiana, and 320:1 in the U.S.

On a positive note, Mammography screening is significantly better in the county at 54%, compared to only 45% in Indiana and 43% nationally.

Maternal, Infant, and Child Health

Gibson County is on par with state and national numbers of low-birth-weight infants, uninsured minors, and child mortality rates.


However, teen birth rates for ages 15-19 for Gibson County are currently at 24, compared to 20 in Indiana and only 17 nationally. Additionally, according to the Indiana State Department of Health and the CDC, the rates of smoking while pregnant in Gibson County are currently at 9.8%. This is better than the Indiana rate of 10.9% but considerably worse than the national rate of 6.0%.

Mental and Behavioral Health

Data collected from 2022 Behavioral Risk Factor Surveillance System (BRFSS) at the CDC shows that Gibson County reported 5.5 mentally unhealthy days, compared to 5.2 in Indiana. However, the suicide rate for Gibson County is significantly higher than state or national rates. The county reported 10 deaths due to intentional self-harm in 2022 for a rate of 30.3 per 100,000. This is a stark contrast to Indiana's rate of 16.1 and the national rate of 14.2.

Substance Use

The CDC's National Center for Health Statistics report on drug overdose deaths in the United States shows that there were 2,124 deaths from all drug overdoses in Indiana from February 2023 to February 2024. According to the Drug Overdose Dashboard from the Indiana Department of Health, the 2023 count of overdoses from all drugs in Indiana was 2,089. According to 2022 data, the age-adjusted rate of deaths per 100,000 due to any drug in Gibson County was only 8.8, compared to the statewide rate of 40.8.



Data visualization from Indiana Department of Health's Drug Overdose Dashboard, 2022

Chronic Disease

Gibson County has a significantly higher rate of death from heart disease at 377 per 100,000, compared to Indiana's 357 and 325.7 across the nation. Further, the stroke-related death rate, while tied with Indiana at 81 per 100,000, is considerably higher than the national rate of 75.7.

Regarding diabetes rates in Gibson County, 2022 data from the CDC's National Center for Chronic Disease Prevention and Health Promotion (NCCDPHP) shows that the county has only 7.7% of adults over 18 years of age that have been diagnosed with diabetes. This is in contrast to the state percentage of 10.4 and the national percentage of 8.4. However, adult obesity is slightly higher in Gibson County at 30.4% than the state (30.3%) and the nation (28.2%).

Cancer

The National Cancer Institute reports that age-adjusted cancer incidence rate in Gibson County for the 5-year period from 2014-2018 is 437.4, which is slightly lower than the state's rate 457.9. Overall, Gibson County comes in 29th out of Indiana's 92 counties in incidences of all cancers across both sexes.

Age-adjusted rates for specific cancers (2014-2018) from the Indiana State Cancer Registry follow. Cancers with higher rates in Gibson, compared to Indiana are marked in red. The most striking disparities come from the colorectal cancer rates, which are 11 points higher than the state average.

| | Gibson India County | na |
|-------------------|------------------------|-------|
| Colon and Rectum | 52.7 | 41.7 |
| Lung and Bronchus | 66.8 | 69.9 |
| Breast (female) | 120.1 | 124.5 |
| Prostate (male) | 100.7 | 96.5 |

Deaconess Gibson Hospital Discharge and Payer Mix Data

Deaconess Gibson Hospital generated a report of the Most Common Diagnosis for discharges from January 1, 2023, through December 31, 2023. From this report, the top ten most common diagnoses for their service area were identified. A further examination of the payer mix for each diagnosis resulted in an additional report to identify the issues that were most often seen in low-income, disabled, and/or older populations. (*Note: It is important to understand the key characteristics of the Gibson County population. This includes identifying the low-income, disabled, and/or elderly population. The population trends help provide an indication of patterns within the residents of the community and assist in identifying the needs around this populace.)

The following table contains the most common diagnoses and the percentage of Medicare and Medicaid patients for each diagnosis:

| | Diagnosis | Cases | Medicare and Medicaid Payer Mix |
|------|---|-------|------------------------------------|
| 1 | R53.81 - Other malaise | 168 | 92.26% |
| 2 | Z47.1 - Aftercare following joint replacement surgery | 15 | 86.67% |
| 3-4 | I11.0 - Hypertensive heart disease with heart failure | 8 | 87.5% |
| | N17.9 - Acute kidney failure unspecified | 8 | 87.5% |
| 5-6 | J18.9 - Pneumonia unspecified organism | 7 | 71.43% |
| | J44.1 - Chronic obstructive pulmonary disease with (acute) exacerbation | 7 | 85.71% |
| 7 | K76.82 - Hepatic encephalopathy | 6 | 100% |
| 8-11 | J15.9 - Unspecified bacterial pneumonia | 5 | 100% |
| | N39.0 - Urinary tract infection site not specified | 5 | 100% |
| | U07.1 - COVID-19 | 5 | 100% |
| | E10.10 - Type 1 diabetes mellitus with ketoacidosis without coma | 5 | 60% |

See Appendix A for the full discharge diagnoses and payer mix reports for the top twenty diagnoses.

Existing Healthcare Resources

Deaconess Gibson Hospital and Tulip Tree Family Health Care collaborated to provide a complete listing of the currently available healthcare facilities and services in Gibson County. This list includes the Critical Access Hospital, physician's offices and clinics, multiple specialty clinics, the county health department, optometrists, dentists, nursing facilities, and more. DGH will be able to use this listing when creating their action plan to fully incorporate all available resources.

Access Medical Clinic

Addiction Solutions Corporation

Deaconess Clinic - Ft. Branch

CVS Pharmacy

Deaconess Clinic - Gibson Ft. Branch

Deaconess Clinic - Gibson Hospital

Deaconess Clinic - Gibson Main Street

Deaconess Clinic - Oakland City

Deaconess Clinic - Princeton

Deaconess Clinic Pediatrics

Deaconess Clinic Urgent Care

Deaconess COMP Center

Deaconess Gibson Anti-Coagulation Services

Deaconess Gibson Cardiology

Deaconess Gibson Cardiopulmonary Services

Deaconess Gibson Comprehensive Pain Center

Deaconess Gibson ENT

Deaconess Gibson Gastroenterology

Deaconess Gibson Home Health Services

Deaconess Gibson Hospital Surgery / Wound Center

Deaconess Gibson Infusion Therapy Services

Deaconess Gibson Oncology/Hematology Services

Deaconess Gibson Podiatry Services

Deaconess Gibson Radiology Services

Deaconess Gibson Sleep Center

Deaconess Gibson Swing Bed Program

Deaconess Gibson Urology

Deaconess Heart Group

Fast Pace Health Urgent Care

Gibson County EMS

Gibson County Health Department

Good Samaritan Home & Rehabilitation Center

Haubstadt Family Dentistry

Hipp Dentistry

IGA Pharmacy

Ingler Family EyeCare

Kirkwood Family Dentistry

Lawlor Family Dentistry

New Image Family Fitness Center

Owensville Convalescent Center

Princeton Fitness

Progressive Rehab

ProRehab Physical & Occupational Therapy

Rachel S. Harvey, DDS

River Oaks Health Campus

South Gibson Medical Clinic

Southwestern Behavioral Healthcare

St. Vincent Medical Group

Stratton Family Dental

The Eye Center

The Waters of Princeton

Thomas M. Murray, DDS

Touchstone Therapy, LLC

Transcendent Healthcare

Tulip Tree Family Health Care

Walgreen's Pharmacy

Walmart Pharmacy

Williams Bros. Health Care Pharmacy

See Appendix D for a complete listing of the facilities.

Identifying Health & Service Needs

A focus group of Gibson County representatives was organized with the help of the Deaconess Gibson Hospital Director of Marketing and Communication, Pam Hight, and Tulip Tree Family Health Care's Executive Director, Kristine Georges. Community leaders, county health department representatives, business owners, local officials, healthcare providers, minority leaders, clergy, student representatives, and any other interested parties were invited to attend

the meetings to discuss the health-related needs of the county with the intent to identify areas of greatest concern. The list of all meeting attendees, along with the organizations they represent, is in Appendix B.

The focus group was encouraged to brainstorm in three health-focused categories for Gibson County: strengths, challenges/concerns, and values. Once a master list was agreed upon, attendees were asked to list what they perceived to be the greatest strengths and values in their county. Then, they were asked to identify the highest priorities from the master list of challenges/concerns.

By analyzing all three prioritized lists from the three focus groups, IRHA identified the items that appeared most frequently indicating the community's perception of areas of greatest concern. The list follows:

Specialty services

Childcare

Coordination across organizations

Substance use/abuse

Vaping – THC/nicotine/tobacco

Cost of living

Homelessness

Transportation

Mental health

See Appendix B for the master list, each group's priority list, and the list of areas that were determined to be of the greatest need.

The identified areas of greatest need were used to create a 46-question survey, addressing demographics, county issues, and community needs. The survey can be found in Appendix C. The survey was posted on REDCap.com and widely publicized by the local newspaper and inclusion on Deaconess Gibson Hospital's website, newsletters, and social media. Hard copies were placed in waiting rooms and were collected by Deaconess staff. Additionally, two IRHA staff members attended the Gibson County Fair to conduct in-person polling to try to reach populations that may not have had Internet access or had not yet been aware of the survey. At the end of polling, there was a total of 132 responses. The largest number (81%) of respondents are from zip code 47670; 77.3% were female; and nearly all were white (91.6%).

Respondents were first asked to assess the effect of various factors on the health of their community by selecting "very negative impact, some negative impact, no impact, some positive impact, or very positive impact." The second portion of the survey required respondents to

assess the need for various services and facilities in their community by selecting "no need, slight need, no opinion either way, definite need, or extreme need."

When asked "How do the following issues/items impact the health of your community?" the factors that received the most negative rankings by all respondents were (results on a 5-point scale with 1 being a very negative impact and 5 being a very positive impact):

- 1. Substance Use/Abuse weighted average of 1.78
- 2. Availability of public transportation weighted average of 1.9
- 3. Vaping nicotine/tobacco weighted average of 1.94
- 4. Cost of Mental Health services weighted average of 2.00
- 5. Vaping THC/marijuana weighted average of 2.01

It is worth noting that the next three responses were very close, and all three dealt with Mental Health: Availability of Mental Health services (2.02); Mental Health of the population (2.05); and Stigma associated with Mental Health (2.07). The close link between the three, as well as the fact that Substance Use/Abuse—which is related to Mental and Behavioral Health—and another Mental Health question (cost) did make the top five priorities should not be missed.

When asked "do you see a need for the following in your community," the standout responses were (results on a 5-point scale with 1 being no need and 5 being extreme need):

- 1. Affordable, quality housing weighted average of 4.22
- 2-3. Substance Use/Abuse education weighted average of 4.13
 Suicide prevention programs/education weighted average of 4.13
- 4. Additional Mental Health services weighted average of 4.12
- 5. Affordable/low-cost Mental Health services weighted average of 4.11

The respondents were then asked whether there were any other specialties needed in the county. The most common responses to this question included transportation, children's services, Mental Health, vision services, women's services, and increased providers of all kinds that accept Medicaid. A sampling of the comments, which have been left unedited except for length in some cases, is below. See Appendix C for the complete results of the survey.

Open comments regarding transportation:

"Gibson county really needs public transportation options. There is a Medicaid cab that can take people to the Dr but they are not reliable. They might show up to pick you up to your appointment or they might not. This makes it very hard to get the care people need. With the lack of public transportation some people can only get grocery items at the store closest to them."

"transportation"

"We need everything. It's a long drive both north and south to get services and many people don't have resources to leave the county."

Open comments regarding Mental Health:

"There needs to be more resources for Mental Health. There are only 2 places for people to go locally."

"more mental health and help for meth addicts."

"very few resources for mental health issues"

"adolescent mental health"

Open comments regarding children's services:

"more programs for children"

"childcare"

"Early Learning Intervention for Kids"

"pediatrics"

"A dentist and orthodontist that accepts Medicaid and Hoosier Healthwise which is children's Medicaid."

Open comments regarding vision services:

"Ophthalmology for diabetic retinopathy."

"Affordable vision services would be greatly appreciated."

"...opthalmologists that have openings for Medicaid/ Medicare patients..."

Open comments regarding women's services:

"...more selection of OBGYNs"

"...OBGYN... No access to women's services, such as access pelvic floor rehab, IUD's, ablations, and birth control. No birth control for girls unless parents take them to PCP" "women's health/peds/ortho"

Open comments regarding Medicaid acceptance:

- "...No psychiatrist for Medicaid patients. One year wait for therapist/counselor and most don't take Medicaid/Medicare..."
- "...There is very Dental Practices that will take Medicaid..."
- "A dentist and orthodontist that accepts Medicaid and Hoosier Healthwise which is children's Medicaid. A better option for counseling services, especially for children/teens that accepts children's Medicaid."

Finally, there was an open comment section which encouraged respondents to share any additional through/comments about the health of Gibson County. The responses to this section

had significant overlap with the previous question regarding needed specialties. The most common topics were transportation, Mental Health, affordability, and availability of local services/providers. A sampling of the comments, which have been left unedited except for length in some cases, is below. See Appendix C for the complete results of the survey.

Open comments regarding transportation:

"No public transportation makes it impossible to live without a car, but many cannot afford one."

"SWIRCA transports me for medical visits, but this county needs BUSES. Not everyone has a car or license, cars are a privilege..."

"Shelter for homeless, buses/transportation"

"limited transportation in this county, large divide between living conditions, No sidewalks"

"sorely lacking in resources close by for those whom have no transport."

Open comments regarding Mental Health:

"The foundational concern for young adults to middle age in the area is illicit substance abuse. It is concerning for the future."

"I would love to see more services available for teens, such as drug prevention, mental health assistance, and suicide prevention."

"A lot of problems people have brought on themselves in my opinion due to lack of resources to quality mental healthcare. There has always been a stigma to mental health related issues. The real problem is our current mental health facilities are very short handed and it takes weeks..."

Open comments regarding affordability:

"Gibson county doesn't want to recognize the homelessness problem that they have. They don't want to recognize the lack of resources for people experiencing a hard time. There is a big population of people that are on Medicaid and have limited access to which Dr office they can be seen at..."

"rural area needs for low income services are substantial"

"Gibson County is still growing in terms of population and employment. However, the rising cost of living is outpacing the general increases in wages. Affordable health care is essential to the well-being of Gibson County and its citizens."

"Healthcare needs to be more available for those without/under insured."

"Without Tulip Tree, I would have no where to go for care. I'm thankful for them and how they care for me and my family."

Open comments regarding availability of local services/providers:

"I do not like that many women have to drive all the way to Evansville/Newburgh to see an OBGYN. These services should be available to our county, other than one OB with St. Vincent..."

"Gibson county is becoming more populated with Toyota increasing jobs, but the amount of HCP's and health services isn't enough to support the population." "Very few services here."

"There is great need in all aspects for the impoverished in Gibson County. There aren't many places to go for help, other than food banks and trustees. I wouldn't have medical care outside of hospital visits if I couldn't walk to Tulip Tree"

Summary of Findings

Based on the information gathered as part of the Community Health Needs Assessment, the Indiana Rural Health Association has identified the areas of greatest need in Gibson County. Through the collection of health data and community input on the county's strengths, challenges, and values, IRHA has identified four areas as being of the highest importance. While these four areas have been identified as the highest county priorities, it is important to note that the root issue for many of these, and indeed the sentiment of county residents, comes back to cost and affordability.

Identified Priorities

- Transportation availability and affordability
- Mental Health Services availability, affordability, suicidality, stigma
- Substance Use/Misuse services, education, vaping (nicotine and THC)
- Access & Availability especially specialists and those that accept Medicaid

Opportunities

Based on the findings of this assessment, IRHA presents the following opportunities:

Transportation

- Transportation Services for Seniors & the Disabled:
 https://www.careindiana.org/a2t indiana transportation services.htm
- CICOA: Aging and In-Home Solutions: https://cicoa.org/services/transportation/
- Utilize IRHAHelp! (https://www.indianaruralhealth.org/resources/irhahelp-connecting-people-and-programs/?back=resources) for transportation resources.
- Collaborate with regional hospital Foundations for shared joint projects.

- Consider local fundraising event to acquire a vehicle for non-emergency transportation.
- Partner with local businesses, offer advertising on the vehicle, let them sponsor rides.
- Collaborate with local clergy or other organizations who serve the elderly.
- Organize neighborhood "Ride Share" programs to organize localized solutions to assist with transportation needs for non-emergency medical appointments.
- Partner with non-profit organizations like LifeLine Pilots who provide cost-free nonemergency transportation for longer distance medical care needs (https://lifelinepilots.org/).

Mental Health

- Collaborate with regional behavioral and mental health providers to enable telehealth treatment options.
- LifeSprings: https://www.lifespringhealthsystems.org/
- Bloomington Meadows: https://www.bloomingtonmeadows.com/
- Mental Health America https://mhanwi.org/
- IN Medicaid: https://www.in.gov/fssa/dmha/apply-for-services/mental-health-services/
- Collaborate with IU and its IN Behavioral Health Access Plan for Youth at their website: https://is.gd/behappy_registration.
- Utilize IRHAHelp! (https://www.indianaruralhealth.org/resources/irhahelp-connecting-people-and-programs/?back=resources).
- Organize support groups for peers, including recovering patients, encouraging them to include their families and friends.
- Pursue National Health Service Corp designation, or leverage existing designation, to recruit mental health providers.
- Work with local employers to encourage employee insurance plans coverage for mental health services.
- Evaluate insurance coverage with state programs for the indigent with mental health issues. Contact IHRA for navigation services or ClaimAid at http://claimaid.com, among others.
- Explore use of telehealth options for mental health providers, including Access Telehealth (https://accesstelecare.com).
- Collaborate with various suicide prevention organizations (American Federation of Suicide Prevention, etc.). Topics may include:
 - How to identify individuals who are thinking about suicide
 - How to provide support to survivors
- Host events to provide education with parents, educators, clergy, etc. Focus on how to identify signs of possible suicide ideation.

Substance Use/Misuse

- Create extensive education and awareness teams:
 - Educational classes for families
 - Educational classes for people with OUD/SUD
- Coordinate with service groups and faith-based community to publicize, create, and host recovery, support, and family groups such as Narcotics Anonymous, Al-Anon, etc.
- Contact successful treatment facilities and recovery houses in similar communities to partner and learn best practices.
- Collaborate with other regional rural hospitals to share providers in a network of educational meetings. Create and host educational meetings in various communities to provide education to identify those at risk, treatment options, and other resources.
- Collaborate with local agencies, police, EMS, and other public service organizations to discuss and provide education, prevention, and discussion. Convey the idea that community problems require community response and resources.
- Bring activity-focused organizations together to expand and promote activities for all ages; expand the list of alternative activities.
- Explore online educational services, telehealth, etc. to bring professional counselors to local provider offices, schools, wherever patients and families to an appropriate setting.
- Collaborate with local providers to host mental health and educational events.
- Work with local organizations, such as a YMCA, Boys and Girls Clubs, etc. to expand and promote activities for all ages, expand the list of alternative activities.
- Include hospital providers to present on the impact and effects of Substance Use Disorder, the causes, as well as the long-term impact on health.
- Collaborate with local agencies to explore deeper means of solutions and recovery as a collective team, including, but not limited to: local law enforcement, local judicial system representatives, local employers, EMS providers, local clergy, and healthcare providers.
- Explore strategies to draw users of illegal drugs into recovery and back to an engaged participant in their community.
- Engage recovering patients into presentations--share stories, experiences.
- Work with various organizations, service groups, and faith-based community to market, create, and host recovery, support, and family groups, such as Narcotics Anonymous, Al-Anon, etc.
- Offer specific drug education classes:
 - Methamphetamine
 - Opioids
 - Over-the-counter medications

- Fentanyl and Xylazine
- Contact successful treatment facilities and recovery houses in similar communities to partner and learn best practices (Ruth House, Sullivan, IN; Mockingbird Hill Recovery Center, Anderson, IN).
- Collaborate with community organizations to create safe activities for all ages and help avoid boredom.

Access & Availability

- Evaluate schedules and availability of Deaconess specialists to rotate into the Princeton campus.
- Consider implementing increased transportation options for Gibson County residents to be taken to specialists in nearby communities.
- Explore any and all public aid options for financial resource including business entities
 who secure insurance for those not covered, such as ClaimAid
 https://www.claimaid.com/.
- Utilize organizations with "insurance navigators" who help the uninsured explore
 options including public assistance such as Connecting Kids to Coverage Indiana,
 https://www.indianaruralhealth.org/services/connecting-kids-to-coverage-indiana/
 (Federal grant funded by HRSA).
- Collaborate with local employers on programs to provide basic healthcare services at acceptable rates.
- Discuss options with the medical staff and financial executives to explore discounted fee models.
- Identify the organizations that employ the underinsured and explore mutually beneficial pricing models that help the patients but do not financially harm any of the parties.
- Host informational sessions on healthcare insurance options for the community. Utilize
 your PFS & HR teams, as well as local Employee Health Benefit brokers to lead these
 events to share options and information with community residents.
- Explore relationships with local employers and collaborate on direct contracting options for their employees.

Conclusion

The team from IRHA is pleased to serve Deaconess Gibson Hospitals. IRHA has worked with the team at DGH in various capacities for many years and highly respects its accomplishments that greatly contribute to the health needs of the residents in Gibson County and beyond. Growth and improvement in any area of need begins with education and collaboration. Communities of all sizes must join together and align the resources of their organizations and members to address areas of need and explore opportunities.

Deaconess Gibson Hospital has a unique opportunity to strengthen its commitment to meet the healthcare needs of Gibson County residents by focusing efforts on the data presented in this document. By identifying priorities and focusing community efforts to mitigate barriers and enhance opportunities, Deaconess Gibson Hospital can create strong partnerships through efforts to increase health and physical activity, decrease the prevalence of chronic disease, increase mental health services, and help families and residents increase their quality of life. These efforts can become more successful by directing and marketing to the community DGH is trying to touch and evaluating different methods to reach them.

Deaconess Gibson Hospital has earned the trust and respect of many local residents. Through a focused effort involving collaboration hospital leadership and other community stakeholders to improve health outcomes, lives will be changed. This can be leveraged by providers, local businesses, and community service organizations to explore the suggestions and other ideas to enhance the quality of life for Gibson County residents.

Appendix A

Resources & Reference Materials



QuickFacts

Gibson County, Indiana; Indiana; United States

QuickFacts provides statistics for all states and counties. Also for cities and towns with a population of 5,000 or more.

| All Topics | Gibson County, Indiana | Indiana | United States |
|--|---------------------------|--------------------|----------------------|
| Population estimates, July 1, 2023, (V2023) | ⚠ 32,904 | ₾ 6,862,199 | △ 334,914,899 |
| PEOPLE | | | |
| Population | | | |
| Population estimates, July 1, 2023, (V2023) | △ 32,904 | △ 6,862,199 | △ 334,914,895 |
| Population estimates base, April 1, 2020, (V2023) | △ 33,008 | △ 6,785,442 | △ 331,464,948 |
| Population, percent change - April 1, 2020 (estimates base) to July 1, 2023, (V2023) | △ -0.3% | △ 1.1% | △ 1.0% |
| Population, Census, April 1, 2020 | 33,011 | 6,785,528 | 331,449,28 |
| Population, Census, April 1, 2010 | 33,503 | 6,483,802 | 308,745,53 |
| Age and Sex | | | |
| Persons under 5 years, percent | ₾ 5.8% | ₾ 5.9% | △ 5.5% |
| Persons under 18 years, percent | △ 23.4% | △ 23.1% | △ 21.7% |
| Persons 65 years and over, percent | △ 18.7% | △ 17.2% | △ 17.79 |
| Female persons, percent | △ 49.1% | ₾ 50.4% | △ 50.5% |
| • • | 49.170 | 30.476 | 2 30.37 |
| Race and Hispanic Origin | A 22 524 | A 02 50/ | Δ == 20 |
| White alone, percent | ₾ 93.6% | ▲ 83.7% | △ 75.3% |
| Black or African American alone, percent (a) | ▲ 2.6% | ▲ 10.4% | △ 13.7% |
| American Indian and Alaska Native alone, percent (a) | ₾ 0.4% | ▲ 0.5% | △ 1.3% |
| Asian alone, percent (a) | ▲ 0.7% | ▲ 2.9% | ▲ 6.4% |
| Native Hawaiian and Other Pacific Islander alone, percent (a) | ▲ 0.1% | ▲ 0.1% | ₾ 0.3% |
| Two or More Races, percent | △ 2.5% | ▲ 2.5% | ▲ 3.19 |
| Hispanic or Latino, percent (b) | ▲ 2.5% | ▲ 8.8% | △ 19.5% |
| White alone, not Hispanic or Latino, percent | ▲ 91.7% | ▲ 76.0% | ▲ 58.49 |
| Population Characteristics | | | |
| Veterans, 2018-2022 | 1,960 | 352,716 | 17,038,80 |
| Foreign born persons, percent, 2018-2022 | 1.6% | 5.6% | 13.7% |
| Housing | | | |
| Housing Units, July 1, 2023, (V2023) | 15,082 | 3,002,605 | 145,344,63 |
| Owner-occupied housing unit rate, 2018-2022 | 76.1% | 70.1% | 64.8% |
| Median value of owner-occupied housing units, 2018-2022 | \$159,700 | \$183,600 | \$281,90 |
| Median selected monthly owner costs -with a mortgage, 2018-2022 | \$1,203 | \$1,301 | \$1,82 |
| Median selected monthly owner costs -without a mortgage, 2018-2022 | \$459 | \$477 | \$58 |
| Median gross rent, 2018-2022 | \$818 | \$967 | \$1,26 |
| Building Permits, 2023 | 163 | 27,055 | 1,511,10 |
| Families & Living Arrangements | | | |
| Households, 2018-2022 | 12,978 | 2,653,596 | 125,736,35 |
| Persons per household, 2018-2022 | 2.48 | 2.49 | 2.5 |
| Living in same house 1 year ago, percent of persons age 1 year+, 2018-2022 | 88.6% | 86.3% | 86.9% |
| Language other than English spoken at home, percent of persons age 5 years+, 2018-2022 | 2.4% | 9.2% | 21.79 |
| Computer and Internet Use | | | |
| Households with a computer, percent, 2018-2022 | 92.5% | 92.7% | 94.0% |
| Households with a broadband Internet subscription, percent, 2018-2022 | 85.6% | 86.7% | 88.3% |
| Education | | | |
| High school graduate or higher, percent of persons age 25 years+, 2018-2022 | 90.6% | 90.0% | 89.1% |
| Bachelor's degree or higher, percent of persons age 25 years+, 2018-2022 | 18.0% | 28.2% | 34.3% |
| Health | | | |
| With a disability, under age 65 years, percent, 2018-2022 | 11.8% | 9.9% | 8.9% |
| , | 11.570 | 2.270 | 0.57 |

| Economy | | | |
|---|-----------|-------------|----------------|
| In civilian labor force, total, percent of population age 16 years+, 2018-2022 | 62.5% | 63.8% | 63.0% |
| In civilian labor force, female, percent of population age 16 years+, 2018-2022 | 54.0% | 59.1% | 58.5% |
| Total accommodation and food services sales, 2017 (\$1,000) (c) | 52,643 | 15,249,994 | 938,237,077 |
| Total health care and social assistance receipts/revenue, 2017 (\$1,000) (c) | 99,932 | 51,837,274 | 2,527,903,275 |
| Total transportation and warehousing receipts/revenue, 2017 (\$1,000) (c) | 143,045 | 20,385,955 | 895,225,411 |
| Total retail sales, 2017 (\$1,000) (c) | 501,698 | 102,106,020 | 4,949,601,481 |
| Total retail sales per capita, 2017 (c) | \$14,874 | \$15,326 | \$15,224 |
| Transportation | | | |
| Mean travel time to work (minutes), workers age 16 years+, 2018-2022 | 20.6 | 24.0 | 26.7 |
| Income & Poverty | | | |
| Median household income (in 2022 dollars), 2018-2022 | \$64,153 | \$67,173 | \$75,149 |
| Per capita income in past 12 months (in 2022 dollars), 2018-2022 | \$31,602 | \$35,578 | \$41,261 |
| Persons in poverty, percent | ▲ 9.7% | ▲ 12.6% | △ 11.5% |
| BUSINESSES | | | |
| Businesses | | | |
| Total employer establishments, 2022 | 706 | 153,748 | 8,298,562 |
| Total employment, 2022 | 20,025 | 2,875,908 | 135,748,407 |
| Total annual payroll, 2022 (\$1,000) | 1,170,938 | 158,017,872 | 8,965,035,263 |
| Total employment, percent change, 2021-2022 | 14.1% | 4.4% | 5.8% |
| Total nonemployer establishments, 2021 | 1,705 | 460,720 | 28,477,518 |
| All employer firms, Reference year 2017 | 547 | 102,435 | 5,744,643 |
| Men-owned employer firms, Reference year 2017 | 355 | 61,140 | 3,480,438 |
| Women-owned employer firms, Reference year 2017 | S | 17,721 | 1,134,549 |
| Minority-owned employer firms, Reference year 2017 | 43 | 7,979 | 1,014,958 |
| Nonminority-owned employer firms, Reference year 2017 | S | 85,873 | 4,371,152 |
| Veteran-owned employer firms, Reference year 2017 | 63 | 6,326 | 351,237 |
| Nonveteran-owned employer firms, Reference year 2017 | 367 | 85,314 | 4,968,606 |
| ⊕ GEOGRAPHY | | | |
| Geography | | | |
| Population per square mile, 2020 | 67.7 | 189.4 | 93.8 |
| Population per square mile, 2010 | 68.7 | 181.0 | 87.4 |
| Land area in square miles, 2020 | 487.38 | 35,826.03 | 3,533,038.28 |
| Land area in square miles, 2010 | 487.49 | 35,826.11 | 3,531,905.43 |
| FIPS Code | 18051 | 18 | 1 |

About datasets used in this table

Value Notes

⚠ Methodology differences may exist between data sources, and so estimates from different sources are not comparable.

Some estimates presented here come from sample data, and thus have sampling errors that may render some apparent differences between geographies statistically indistinguishable. Click the Quick Info 🐧 icon to the left of each row in TAI learn about sampling error.

The vintage year (e.g., V2023) refers to the final year of the series (2020 thru 2023). Different vintage years of estimates are not comparable.

Users should exercise caution when comparing 2018-2022 ACS 5-year estimates to other ACS estimates. For more information, please visit the 2022 5-year ACS Comparison Guidance page.

Fact Notes

- (a) Includes persons reporting only one race
- Hispanics may be of any race, so also are included in applicable race categories
- Economic Census Puerto Rico data are not comparable to U.S. Economic Census data

Value Flags

- Suppressed to avoid disclosure of confidential information D
- Fewer than 25 firms
- FN Footnote on this item in place of data
- NA Not available
- Suppressed; does not meet publication standards
- Not applicable
- \mathbf{z} Value greater than zero but less than half unit of measure shown
- Either no or too few sample observations were available to compute an estimate, or a ratio of medians cannot be calculated because one or both of the median estimates falls in the lowest or upper interval of an open ende
- Data for this geographic area cannot be displayed because the number of sample cases is too small.

QuickFacts data are derived from: Population Estimates, American Community Survey, Census of Population and Housing, Current Population Survey, Small Area Health Insurance Estimates, Small Area Income and Poverty Estimates, Stat Housing Unit Estimates, County Business Patterns, Nonemployer Statistics, Economic Census, Survey of Business Owners, Building Permits.

STATSINDIANA

Indiana's Public Data Utility



Choose one of the following geographies and click go to view its profile:

| County: | Gibson | ~ | Go | | |
|---------|--------|---|----|----------|----|
| Region: | EGR 1 | | | ~ | GO |



Gibson County, Indiana

Named in 1813 for General John Gibson, second in command to George Rogers Clark

County Seat: Princeton

Largest City: Princeton (2023 population: 8,401)

Population per Square Mile: 67.50

Square Miles: 487.50 Go to county's in.gov site

| Population over Time | Number | Rank in State | Percent of State | Indiana |
|------------------------------|--------|---------------|------------------|-----------|
| Yesterday (2020) | 33,011 | 51 | 0.5% | 6,484,050 |
| Today (2023) | 32,904 | 51 | 0.5% | 6,862,199 |
| Tomorrow (2030 projection)* | 32,505 | 51 | 0.5% | 7,013,509 |
| Percent Change 2020 to Today | -0.3% | 62 | | 1.1% |

^{*}Projection based on 2020 Census population estimates.

Sources: <u>U.S. Census Bureau</u>; <u>Indiana Business Research Center</u>

| Components of Population Change, 2022-2023 | Number | Rank in State | Percent of State | Indiana |
|--|--------|---------------|------------------|---------|
| Net Domestic Migration | -106 | 80 | | 4,599 |

| Net International Migration | 19 | 49 | 17,869 | 1 |
|--|-----|----|-------------|---|
| Natural Increase (births minus deaths) | -12 | 31 | -0.2% 7,508 | ; |

Source: <u>U.S. Census Bureau</u>

| Population Estimates by Age, 2023 | Number | Rank in State | Pct Dist. in County | Pct Dist. in State |
|-----------------------------------|--------|---------------|------------------------|-----------------------|
| Preschool (0 to 4) | 1,901 | 47 | 5.8% | 5.9% |
| School Age (5 to 17) | 5,806 | 46 | 17.6% | 17.2% |
| College Age (18 to 24) | 2,755 | 50 | 8.4% | 9.6% |
| Young Adult (25 to 44) | 7,955 | 49 | 24.2% | 25.8% |
| Older Adult (45 to 64) | 8,326 | 50 | 25.3% | 24.2% |
| Seniors (65 and older) | 6,161 | 50 | 18.7% | 17.2% |
| Median Age | 40.3 | | | Median Age = 38.2 |

Sources: <u>U.S. Census Bureau</u>; <u>Indiana Business Research Center</u>

| Population Estimates by Race and Hispanic Origin, 2023 | Number | Rank of | Pct Dist. in County | Pct Dist. in State |
|--|--------|---------|------------------------|-----------------------|
| American Indian or Alaska Native Alone | 147 | 49 | 0.4% | 0.5% |
| Asian Alone | 234 | 46 | 0.7% | 2.9% |
| Black Alone | 863 | 34 | 2.6% | 10.4% |
| Native Hawaiian and Other Pac. Isl. Alone | 35 | 36 | 0.1% | 0.1% |
| White | 30,808 | 52 | 93.6% | 83.7% |
| Two or More Race Groups | 817 | 29 | 2.5% | 2.5% |
| Hispanic or Latino Origin (can be of any race) | | | | |
| Non-Hispanic | 32,080 | 47 | 97.5% | 91.2% |
| Hispanic | 824 | 62 | 2.5% | 8.8% |

Source: <u>U.S. Census Bureau</u>

| Household Types | Number | Rank in State | Pct Dist. in County | Pct Dist. in State |
|--|--------|---------------|------------------------|-----------------------|
| Households in 2022 (Includes detail not shown below) | 12,978 | 46 | 100.0% | 100.0% |
| Married With Children | 2,444 | 47 | 18.8% | 18.1% |
| Married Without Children | 4,333 | 49 | 33.4% | 29.6% |
| Single Parents | 917 | 54 | 7.1% | 9.0% |
| Living Alone | 3,445 | 49 | 26.5% | 29.4% |

Source: <u>U.S. Census Bureau</u>, <u>American Community Survey 5-year estimates</u>.

| Housing | Number | Rank in State | | Pct Dist. in State |
|---|-----------|---------------|--------|-----------------------|
| Total Housing Units in 2023 (estimate) | 15,082 | 46 | 100.0% | 100.0% |
| Total Housing Units in 2022 (includes vacant units) | 14,658 | 47 | 100.0% | 100.0% |
| Owner Occupied (Pct. distribution based on all housing units) | 9,871 | 48 | 67.3% | 63.5% |
| Median Value (2022) | \$159,700 | 46 | | |
| Renter Occupied (Pct. distribution based on all housing units) | 3,107 | 46 | 21.2% | 27.1% |
| Median Rent (2022) | \$580 | 55 | | |

Source: <u>U.S. Census Bureau</u>, <u>American Community Survey 5-year estimates</u>.

| Education | Number | Rank in State | Percent of State | Indiana |
|--|--------|---------------|------------------|-----------|
| School Enrollment (2022/2023 Total Reported) | 5,431 | 47 | 0.5% | 1,124,094 |
| Public | 4,731 | 52 | 0.5% | 1,035,718 |
| Adults (25+ in 2022 ACS) | 22,417 | 49 | 0.5% | 4,532,091 |
| with High School diploma or higher | 90.6% | 36 | | 90% |
| with B.A. or higher degree | 18% | 56 | | 28.2% |

Sources: <u>Indiana Department of Education</u>; <u>U.S. Census Bureau</u>, <u>American Community Survey 5-year estimates.</u>

| Income and Poverty | Number | Rank in State | Percent of State | Indiana |
|--|----------|---------------|------------------|----------|
| Per Capita Personal Income (annual) in 2022 | \$54,959 | 27 | 94.2% | 58,323 |
| Median Household Income in 2022 | 66,247 | 34 | 99.2% | \$66,768 |
| Poverty Rate in 2022 | 9.7% | 67 | 77.6% | 12.5% |
| Poverty Rate among Children under 18 | 12.1% | 74 | 78.6% | 15.4% |
| Welfare (TANF) Monthly Average Families in 2022 | 18 | 42 | 0.5% | 3,933 |
| Food Stamp Recipients in 2022 | 2,262 | 51 | 0.4% | 611,203 |
| Free and Reduced Fee Lunch Recipients in 2022/2023 | 1,879 | 62 | 0.4% | 511,735 |

Sources: <u>U.S. Bureau of Economic Analysis</u>; <u>U.S. Census Bureau</u>; <u>Indiana Family Social Services Administration</u>; <u>Indiana Department of Education</u>

| Health and Vital Statistics | Number | Rank of | Percent of State | Indiana |
|-----------------------------|--------|---------|------------------|---------|
| Births, 2021 | 370 | 47 | 0.5% | 79,946 |
| Births to Teens, 2021 | 15 | 57 | 0.4% | 3,845 |
| Deaths, 2019 | 334 | 52 | 0.5% | 66,005 |

Source: Indiana State Department of Health

| Labor Force, 2023 | Number | Rank in State | Percent of State | Indiana |
|-----------------------------|--------|---------------|------------------|-----------|
| Total Resident Labor Force | 19,625 | 40 | 0.6% | 3,401,387 |
| Employed | 19,152 | 40 | 0.6% | 3,288,017 |
| Unemployed | 473 | 49 | 0.4% | 113,370 |
| Annual Unemployment Rate | 2.4 | 91 | 72.7% | 3.3 |
| June 2024 Unemployment Rate | 3.4 | 91 | 77.3% | 4.4 |

Source: <u>STATS Indiana</u>, using data from the Indiana Department of Workforce Development

| 2022 Employment County (\$000) County Jointy Total by place of work 25,694 100.0% \$1,822,073 100.0% \$70,91 Wage and Salary 22,437 87.3% \$1,371,406 75.3% \$61,12 Farm Proprietors 469 1.8% \$43,573 2.4% \$92,90 Nonfarm Proprietors 2,788 10.9% \$102,453 5.6% \$36,74 Farm 625 2.4% \$53,112 2.9% \$84,97 Nonfarm 25,069 97.6% \$1,768,961 97.1% \$70,56 Private 23,615 91.9% \$1,687,604 92.6% \$71,46 Accommodation, Food Serv. 1,112 4.3% \$29,241 1.6% \$26,29 Arts, Ent., Recreation 119 0.5% \$932 0.1% \$7,83 Construction 599 2.3% \$33,706 1.8% \$56,27 Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information 52 | | | | | | |
|--|---------------------------|-----------------|------------|-----------------|--------------|-------------------|
| Total by place of work 25,694 100.0% \$1,822,073 100.0% \$70,91 Wage and Salary 22,437 87.3% \$1,371,406 75.3% \$61,12 Farm Proprietors 469 1.8% \$43,573 2.4% \$92,90 Nonfarm Proprietors 2,788 10.9% \$102,453 5.6% \$36,74 Farm 625 2.4% \$53,112 2.9% \$84,97 Nonfarm 25,069 97.6% \$1,768,961 97.1% \$70,56 Private 23,615 91.9% \$1,687,604 92.6% \$71,46 Accommodation, Food Serv. 1,112 4.3% \$29,241 1.6% \$26,29 Arts, Ent., Recreation 119 0.5% \$932 0.1% \$7,83 Construction 599 2.3% \$33,706 1.8% \$56,27 Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information 52 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 | | | | Earnings | | Avg. Earnings Per |
| Wage and Salary 22,437 87.3% \$1,371,406 75.3% \$61,12 Farm Proprietors 469 1.8% \$43,573 2.4% \$92,90 Nonfarm Proprietors 2,788 10.9% \$102,453 5.6% \$36,74 Farm 625 2.4% \$53,112 2.9% \$84,97 Nonfarm 25,069 97.6% \$1,768,961 97.1% \$70,56 Private 23,615 91.9% \$1,687,604 92.6% \$71,46 Accommodation, Food Serv. 1,112 4.3% \$29,241 1.6% \$26,29 Arts, Ent., Recreation 119 0.5% \$932 0.1% \$7,83 Construction 599 2.3% \$33,706 1.8% \$56,27 Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information 52 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. | 2022 | Employment | County | (\$000) | County | Job |
| Farm Proprietors 469 1.8% \$43,573 2.4% \$92,90 Nonfarm Proprietors 2,788 10.9% \$102,453 5.6% \$36,74 Farm 625 2.4% \$53,112 2.9% \$84,97 Nonfarm 25,069 97.6% \$1,768,961 97.1% \$70,56 Private 23,615 91.9% \$1,687,604 92.6% \$71,46 Accommodation, Food Serv. 1,112 4.3% \$29,241 1.6% \$26,29 Arts, Ent., Recreation 119 0.5% \$932 0.1% \$7,83 Construction 599 2.3% \$33,706 1.8% \$56,27 Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information 52 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. \$35,91 Trans., Warehousing 1,363 5.3% | Total by place of work | 25,694 | 100.0% | \$1,822,073 | 100.0% | \$70,914 |
| Nonfarm Proprietors 2,788 10.9% \$102,453 5.6% \$36,74 Farm 625 2.4% \$53,112 2.9% \$84,97 Nonfarm 25,069 97.6% \$1,768,961 97.1% \$70,56 Private 23,615 91.9% \$1,687,604 92.6% \$71,46 Accommodation, Food Serv. 1,112 4.3% \$29,241 1.6% \$26,29 Arts, Ent., Recreation 119 0.5% \$932 0.1% \$7,83 Construction 599 2.3% \$33,706 1.8% \$56,27 Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information \$2 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% | Wage and Salary | 22,437 | 87.3% | \$1,371,406 | 75.3% | \$61,123 |
| Farm 625 2.4% \$53,112 2.9% \$84,97 Nonfarm 25,069 97.6% \$1,768,961 97.1% \$70,56 Private 23,615 91.9% \$1,687,604 92.6% \$71,46 Accommodation, Food Serv. 1,112 4.3% \$29,241 1.6% \$26,29 Arts, Ent., Recreation 119 0.5% \$932 0.1% \$7,83 Construction 599 2.3% \$33,706 1.8% \$56,27 Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information 52 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,60 | Farm Proprietors | 469 | 1.8% | \$43,573 | 2.4% | \$92,906 |
| Nonfarm 25,069 97.6% \$1,768,961 97.1% \$70,56 Private 23,615 91.9% \$1,687,604 92.6% \$71,46 Accommodation, Food Serv. 1,112 4.3% \$29,241 1.6% \$26,29 Arts, Ent., Recreation 119 0.5% \$932 0.1% \$7,83 Construction 599 2.3% \$33,706 1.8% \$56,27 Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information 52 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,600 2.2% \$72,11 | Nonfarm Proprietors | 2,788 | 10.9% | \$102,453 | 5.6% | \$36,748 |
| Private 23,615 91.9% \$1,687,604 92.6% \$71,46 Accommodation, Food Serv. 1,112 4.3% \$29,241 1.6% \$26,29 Arts, Ent., Recreation 119 0.5% \$932 0.1% \$7,83 Construction 599 2.3% \$33,706 1.8% \$56,27 Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information 52 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,600 2.2% \$72,11 | Farm | 625 | 2.4% | \$53,112 | 2.9% | \$84,979 |
| Accommodation, Food Serv. 1,112 4.3% \$29,241 1.6% \$26,29 Arts, Ent., Recreation 119 0.5% \$932 0.1% \$7,83 Construction 599 2.3% \$33,706 1.8% \$56,27 Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information 52 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,600 2.2% \$72,11 | Nonfarm | 25,069 | 97.6% | \$1,768,961 | 97.1% | \$70,564 |
| Arts, Ent., Recreation 119 0.5% \$932 0.1% \$7,83 Construction 599 2.3% \$33,706 1.8% \$56,27 Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information 52 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,600 2.2% \$72,11 | Private | 23,615 | 91.9% | \$1,687,604 | 92.6% | \$71,463 |
| Construction 599 2.3% \$33,706 1.8% \$56,276 Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information 52 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,600 2.2% \$72,11 | Accommodation, Food Serv. | 1,112 | 4.3% | \$29,241 | 1.6% | \$26,296 |
| Health Care, Social Serv. Data not available due to BEA non-disclosure requirements. Information 52 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,600 2.2% \$72,11 | Arts, Ent., Recreation | 119 | 0.5% | \$932 | 0.1% | \$7,832 |
| Information 52 0.2% \$2,388 0.1% \$45,92 Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,600 2.2% \$72,11 | Construction | 599 | 2.3% | \$33,706 | 1.8% | \$56,270 |
| Manufacturing 10,657 41.5% \$991,503 54.4% \$93,03 Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,600 2.2% \$72,11 | Health Care, Social Serv. | Data not availa | ble due to | BEA non-disclos | ure requirer | ments. |
| Professional, Tech. Serv. Data not available due to BEA non-disclosure requirements. Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,600 2.2% \$72,11 | Information | 52 | 0.2% | \$2,388 | 0.1% | \$45,923 |
| Retail Trade 1,869 7.3% \$67,128 3.7% \$35,91 Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,600 2.2% \$72,11 | Manufacturing | 10,657 | 41.5% | \$991,503 | 54.4% | \$93,038 |
| Trans., Warehousing 1,363 5.3% \$105,349 5.8% \$77,29 Wholesale Trade 563 2.2% \$40,600 2.2% \$72,11 | Professional, Tech. Serv. | Data not availa | ble due to | BEA non-disclos | ure requirer | ments. |
| Wholesale Trade 563 2.2% \$40,600 2.2% \$72,114 | Retail Trade | 1,869 | 7.3% | \$67,128 | 3.7% | \$35,917 |
| | Trans., Warehousing | 1,363 | 5.3% | \$105,349 | 5.8% | \$77,292 |
| Other Private (not above) 4,852* 18.9%* \$283,006* 15.5%* \$58,328 | Wholesale Trade | 563 | 2.2% | \$40,600 | 2.2% | \$72,114 |
| | Other Private (not above) | 4,852* | 18.9%* | \$283,006* | 15.5%* | \$58,328* |
| Government 1,454 5.7% \$81,357 4.5% \$55,95 | Government | 1,454 | 5.7% | \$81,357 | 4.5% | \$55,954 |

Source: <u>U.S. Bureau of Economic Analysis</u>

^{*} These totals do not include county data that are not available due to BEA non-disclosure requirements.

| Residential Building Permits, 2023 | | | Pct Dist. | | |
|------------------------------------|-------|-----------|-----------|--------------|--------------------|
| Residential building Fermits, 2023 | Units | in County | in State | Cost (\$000) | State Cost (\$000) |

| Total Permits Filed | 163 | 100.0% | 100.0% | \$24,371 | \$7,695,489 |
|---------------------|-----|--------|--------|----------|-------------|
| Single-Family | 97 | 59.5% | 63.0% | \$16,854 | \$5,961,199 |
| 2-Family | 0 | 0.0% | 2.0% | 0 | \$99,053 |
| 3- and 4-Family | 0 | 0.0% | 0.9% | \$0 | \$40,460 |
| 5+ Family | 66 | 40.5% | 34.2% | \$7,517 | \$1,594,777 |


Notes: Detail cost may not sum to total due to rounding. Greene County does not currently issue building permits, so it is excluded.

Source: <u>U.S. Census Bureau</u>

Largest Cities and Towns in Gibson County

| Name | Population in 2023 | Percent of County |
|--------------|--------------------|-------------------|
| Fort Branch | 2,931 | 8.9% |
| Francisco | 534 | 1.6% |
| Haubstadt | 1,622 | 4.9% |
| Hazleton | 186 | 0.6% |
| Mackey | 127 | 0.4% |
| Oakland City | 2,260 | 6.9% |
| Owensville | 1,336 | 4.1% |
| Patoka | 707 | 2.1% |
| Princeton | 8,401 | 25.5% |
| Somerville | 249 | 0.8% |

Source: U.S. Census Bureau annual population estimates



STATS Indiana is the statistical data utility for the State of Indiana, developed and maintained since 1985 by the <u>Indiana Business Research Center</u> at Indiana University's <u>Kelley School of Business</u>. Support is or has been provided by the State of Indiana and the Lilly Endowment, the Indiana Department of Workforce Development and Indiana University.

LEP Persons by County

↑ INDOT > Accessibility & Non-Discrimination > Nondiscrimination at INDOT > LEP Persons by County

| | | Estimated Population that Speaks | Percentage Who Speak English | Languages Spoken in 5%- |
|-----------------------------|----------------------|----------------------------------|------------------------------|-------------------------|
| | Estimated Population | English Less than Very Well | Less than Very Well | Areas |
| | | | | |
| Adams County, Indiana | 31,300 | | | |
| Trailer to | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | German 5.93%, Spanish |
| | | 2225 | 7.11% | 0.67%, Other West |
| Allen County, Indiana | 334,603 | | | |
| | | | | |
| | | 14627 | 4.37% | |
| Bartholomew | 73,427 | 14027 | 4.3770 | |
| County, Indiana | | | | |
| | | | | |
| | | 2676 | 3.64% | |
| Benton County, | 8,242 | | | |
| Indiana | | | | |
| | | 128 | 1.55% | |
| Blackford County, | 11,814 | | | |
| Indiana | | | | |
| | | 41 | 0.35% | |
| Boone County, | 55,274 | | | |
| Indiana | | | | |
| | | 695 | 1.26% | |
| Brown County, | 14,446 | | | |
| Indiana | | | | |
| | | 60 | 0.42% | |
| Carroll County, | 18,977 | | | |
| Indiana | | | | |
| | | 388 | 2.04% | |
| Cass County, Indiana | 36,193 | | | |
| | | | | |
| | | | | Spanish 6.84%, Other |
| | | 2809 | 7.76% | 0.92% |
| Clark County, Indiana | 105,004 | | | |
| | | | | |
| Claus Carrier 11 | 25 240 | 2028 | 1.93% | |
| Clay County, Indiana | 25,219 | | | |
| | | | | |
| Cl | 20.747 | 64 | 0.25% | |
| Clinton County, Indiana | 30,717 | | | |
| | | | | |
| 6 6 15 | 40.004 | 2010 | 6.54% | Spanish 6.53% |
| Crawford County, Indiana | 10,034 | | | |
| | | | | |
| | | 22 | 0.22% | |

| | | T | | T |
|-----------------------------|---------|-------|---------|--|
| Daviess County, Indiana | 29,450 | | | |
| | | | | |
| | | 1090 | 3.70% | |
| Dearborn County, | 47,014 | 1030 | 5.70% | |
| Indiana | | | | |
| | | | | |
| | | 177 | 0.38% | |
| Decatur County, Indiana | 24,523 | | | |
| Illulalia | | | | |
| | | 145 | 0.59% | |
| DeKalb County, | 39,652 | 145 | 0.55% | |
| Indiana | | | | |
| | | | | |
| | | 267 | 0.67% | |
| Delaware County, Indiana | 111,355 | | | |
| Illulalia | | | | |
| | | 1207 | 1.000/ | |
| Dubois County, | 39,490 | 1207 | 1.08% | |
| Indiana | 35,450 | | | |
| | | | | |
| | | 1545 | 3.91% | |
| Elkhart County, | 183,971 | | | |
| Indiana | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | Spanish 6.22%, Other West Germanic 1.06%, |
| | | 15703 | 8.54% | German 0.23% |
| Fayette County, Indiana | 22,694 | | | |
| | | | | |
| | | 159 | 0.70% | |
| Floyd County, Indiana | 70,980 | 1,55 | 0.70% | |
| | | | | |
| | | | | |
| | | 1201 | 1.69% | |
| Fountain County, Indiana | 15,952 | | | |
| Illulalia | | | | |
| | | 155 | 0.97% | |
| Franklin County, | 21,652 | 133 | 0.57 // | |
| Indiana | 21/032 | | | |
| | | | | |
| | | 89 | 0.41% | |
| Fulton County, | 19,353 | | | |
| Indiana | | | | |
| | | 407 | 2.570 | |
| Gibson County, | 31,509 | 497 | 2.57% | |
| Indiana | 3,1303 | | | |
| | | | | |
| | | 291 | 0.92% | |
| Grant County, | 65,453 | | | |
| Indiana | | | | |
| | | | | |
| Groom Count | 21 126 | 829 | 1.27% | |
| Greene County, Indiana | 31,136 | | | |
| | | | | |
| | | 96 | 0.31% | |
| Hamilton County, | 268,765 | | | |
| Indiana | | | | |
| | | | | |
| | | 7313 | 2.72% | |
| Hancock County, Indiana | 66,715 | | | |
| | | | | |
| | | 470 | 0.70% | |
| Harrison County, | 36,915 | 470 | 3.70% | |
| Indiana | | | | |
| | | | | |
| | | 222 | 0.60% | |
| | | | | |

| Hendricks County, | 141,270 | | | <u> </u> |
|------------------------------|---------|-------|---------|---|
| Indiana | 141,270 | | | |
| | | | | |
| Henry County, | 46,872 | 2589 | 1.83% | |
| Indiana | 140,072 | | | |
| | | | | |
| Howard County, | 77,861 | 326 | 0.70% | |
| Indiana | | | | |
| | | 4 400 | 4.00% | |
| Huntington County, | 34,838 | 1403 | 1.80% | |
| Indiana | | | | |
| | | 296 | 0.85% | |
| Jackson County, | 40,236 | 250 | 0.8370 | |
| Indiana | | | | |
| | | 1379 | 3.43% | |
| Jasper County, | 31,384 | 1373 | 3.4370 | |
| Indiana | | | | |
| | | 299 | 0.95% | |
| Jay County, Indiana | 19,775 | | 5.55% | |
| | | | | |
| | | 282 | 1.43% | |
| Jefferson County, | 30,612 | 202 | 5% | |
| Indiana | | | | |
| | | 349 | 1.14% | |
| Jennings County, | 26,503 | | | |
| Indiana | | | | |
| | | 155 | 0.58% | |
| Johnson County, | 134,296 | | | |
| Indiana | | | | |
| | | 1840 | 1.37% | |
| Knox County, Indiana | 35,958 | | | |
| | | | | |
| | | 214 | 0.60% | |
| Kosciusko County, Indiana | 72,613 | | | |
| indiana. | | | | |
| | | 2561 | 3.53% | |
| LaGrange County, Indiana | 34,052 | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | Other West Germanic 9.40%* , German 3.32%, |
| | | 4899 | 14 2004 | Spanish 1.29%, Arabic |
| Lake County, Indiana | 461,205 | 4899 | 14.39% | 0.25% Misc. 0.38% |
| | | | | |
| | | | | |
| | | 22582 | 4.90% | Spanish 3.43%, Misc 1.47% |
| LaPorte County, Indiana | 104,738 | | | |
| | | | | |
| | | 2184 | 2.09% | |
| Lawrence County, Indiana | 43,355 | | | |
| | | | | |
| | | 463 | 1.07% | |
| Madison County, Indiana | 122,877 | | | |
| | | | | |
| | | 1488 | 1.21% | |
| | | | | |

| Marion County, Indiana | 849,971 | | | |
|-------------------------------|---------|-------|--------|--------------------------------|
| | | | | |
| | | 51464 | 6.05% | Spanish 4.4%, Misc 1.65 |
| Marshall County, | 43,947 | | | - |
| Indiana | | | | |
| | | 1004 | 4.100/ | |
| Martin County, | 9,665 | 1804 | 4.10% | |
| Indiana | 5,005 | | | |
| | | | | |
| | | 74 | 0.77% | |
| Miami County, Indiana | 34,329 | | | |
| Traiding 1 | | | | |
| | | 177 | 0.52% | |
| Monroe County, | 134,653 | | | |
| Indiana | | | | |
| | | | | |
| | 25.000 | 5565 | 4.13% | |
| Montgomery County, Indiana | 35,838 | | | |
| | | | | |
| | | | | |
| | | 757 | 2.11% | |
| Morgan County, | 65,321 | ,3, | 2.1172 | |
| Indiana | | | | |
| | | | | |
| | | 540 | 0.83% | |
| Newton County, Indiana | 13,386 | | | |
| | | | | |
| | | 133 | 0.99% | |
| Noble County, | 44,341 | | | |
| Indiana | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | Spanish 3.9 %, Other West |
| | | 2056 | 4.64% | |
| Ohio County, Indiana | 5,792 | | | |
| | | | | |
| | | 10 | 0.17% | |
| | 18,583 | | | |
| Indiana | | | | |
| | | | | |
| Owen County | 20.202 | 169 | 0.91% | |
| Owen County, Indiana | 20,203 | | | |
| | | | | |
| | | 177 | 0.88% | |
| Parke County, | 16,196 | | | |
| Indiana | | | | |
| | | 225 | 4.070 | |
| Perry County, Indiana | 18.342 | 206 | 1.27% | |
| . 2.1. y Country, mulaila | | | | |
| | | | | |
| | | 53 | 0.29% | |
| Pike County, Indiana | 12,008 | | | |
| | | | | |
| | | 21 | 0.17% | |
| Porter County, | 156,422 | 21 | 3.1770 | |
| Indiana | | | | |
| | | | | |
| | | 2751 | 1.76% | |
| Posey County, Indiana | 24,146 | | | |
| | | | | |
| | | 151 | 0.63% | |
| | | | I | ! |
| Pulaski County, | 12,445 | | | |
| Pulaski County, Indiana | 12,445 | | | |
| Pulaski County, Indiana | 12,445 | 61 | 0,49% | |

| Putnam County, | 35,952 | | | |
|--------------------------------|---------|------|-------|---|
| Indiana | | | | |
| | | 454 | 1.26% | |
| Randolph County, Indiana | 24,461 | | | |
| | | | | |
| Ripley County, | 26,784 | 374 | 1.53% | |
| Indiana | | | | |
| | | 267 | 1.00% | |
| Rush County, Indiana | 16,223 | | | |
| | | | | |
| 5.1.1.6 | 240.405 | 41 | 0.25% | |
| St. Joseph County, Indiana | 249,426 | | | |
| | | | | |
| | | 8200 | 3.29% | |
| Scott County, Indiana | 22,531 | | | |
| | | | | |
| Chadles C | 44 700 | 167 | 0.74% | |
| Shelby County, Indiana | 41,709 | | | |
| | | 847 | 2.03% | |
| Spencer County, | 19,705 | 847 | 2.03% | |
| Indiana | | | | |
| | | 301 | 1.53% | |
| Starke County, Indiana | 21,887 | | | |
| | | | | |
| Steuben County, | 32,422 | 219 | 1.00% | |
| Indiana | | | | |
| | | 458 | 1.41% | |
| Sullivan County, Indiana | 20,077 | | | |
| | | | | |
| Switzerland County, | 9,747 | 241 | 1.20% | |
| Indiana | 5,7 17 | | | |
| | | | | |
| | | 246 | 2.52% | |
| Tippecanoe County, Indiana | 167,053 | | | |
| | | | | |
| | | | | |
| | | 9882 | 5.92% | Spanish 2.31% Chinese 1.96 Other 1.65% |
| Tipton County, Indiana | 14,957 | | | |
| | | | | |
| Union County, | 6,989 | 161 | 1.08% | |
| Indiana | | | | |
| | | 16 | 0.23% | |
| Vanderburgh County, Indiana | 169,262 | | | |
| | | | | |
| | | | | |
| Vermillion County, | 15,128 | 2108 | 1.25% | |
| Indiana | | | | |
| | | 19 | 0.13% | |
| Vigo County, Indiana | 101,975 | | | |
| | | | | |
| | | 1745 | 1.71% | |

| Wabash County, Indiana | 30,661 | | | |
|-------------------------------|--------|------|-------|--|
| | | 316 | 1.03% | |
| Warren County, Indiana | 7,960 | | | |
| | | 0 | 0.00% | |
| Warrick County, Indiana | 56,793 | | | |
| | | 551 | 0.97% | |
| Washington County, Indiana | 26,410 | | | |
| | | | | |
| | | 85 | 0.32% | |
| Wayne County, Indiana | 64,153 | | | |
| | | 1307 | | |
| Wells County, Indiana | 25,922 | | | |
| | | 177 | 0.68% | |
| White County, Indiana | 22,997 | | | |
| | | 750 | 3.26% | |
| Whitley County, Indiana | 31,309 | | | |
| | | 137 | 0.44% | |

Top FAQs

- Where do I go to report a concern?
- Where can I check current traffic conditions?
- What district am I in and how can I contact it?
- What are the requirements for state certification as a Disadvantaged Business Enterprise (DBE)?
- How can I apply for a job at INDOT?
- Where can I obtain current Indiana roadway or other maps?

More FAQs

Armed Forces and Veteran Population: Gibson, IN

Year of Data: 2022

Data Source: U.S. Census Bureau, 2018-2022 American Community Survey 5-Year

Estimates

TABLE 1.4 ARMED FORCES AND VETERAN POPULATION



| Gib | |
|-----|---|
| | Number currently employed in Armed Forces |
| | Percentage of population 16 years and over in Armed Forces |
| 1, | Number of veterans |
| | Percetange of total population 18 years and over who are veterans |

« Previous page

Let's start a conversation. Contact us at **previnsights@iu.edu**



COUNTY
Gibson, IN



View Indiana Health Data

County Demographics

The health of a place results from past and present policies and practices. The land known as Gibson County, along with the entirety of the U.S., has been home for many thousands of years to hundreds of Indigenous nations. Native Land Digital "strives to create and foster conversations about the history of colonialism, Indigenous ways of knowing, and settler-Indigenous relations."

Gibson County, Indiana is Rural . In Gibson County, 74.7% of the population lives in a low population density area .

Show demographic data



County Snapshot

This county's snapshot covers:

Health Outcomes 👃




Health Factors 🔱



Health Outcomes tell us how long people live on average within a community, and how much physical and mental health people experience in a community while they are alive.

Gibson County is faring better than the average county in Indiana for Health Outcomes, and better than the average county in the nation.



Trends Available

| Health Outcomes | | | | | | |
|--|---|---------------|---------|---------------|--|--|
| Length of Life | | Gibson County | Indiana | United States | | |
| Premature Death | ~ | 7,400 | 9,300 | 8,000 | | |
| Quality of Life | | Gibson County | Indiana | United States | | |
| Poor or Fair Health | | 16% | 16% | 14% | | |
| Poor Physical Health Days | | 3.8 | 3.5 | 3.3 | | |
| Poor Mental Health Days | | 5.5 | 5.2 | 4.8 | | |
| Low Birthweight | | 8% | 8% | 8% | | |
| Additional Health Outcomes (not included in summary) | | Gibson County | Indiana | United States | | |
| Life Expectancy | | 76.9 | 75.6 | 77.6 | | |
| Premature Age-Adjusted Mortality | | 390 | 450 | 390 | | |
| Child Mortality | | 50 | 60 | 50 | | |
| Infant Mortality | | | 7 | 6 | | |
| Frequent Physical Distress | | 12% | 11% | 10% | | |
| Frequent Mental Distress | | 17% | 17% | 15% | | |
| Diabetes Prevalence | | 10% | 11% | 10% | | |


HIV Prevalence 58 217 382

Note: Blank values reflect unreliable or missing data.

Gibson County Health Factors

Many things influence how well and how long we live. Health Factors represent those things we can improve to live longer and healthier lives. They are indicators of the future health of our communities.

Gibson County is faring better than the average county in Indiana for Health Factors, and better than the average county in the nation.



Show areas to explore Show areas of strength Trends Available

| Health Factors | | | | | |
|------------------|--|---------------|---------|---------------|--|
| Health Behaviors | | Gibson County | Indiana | United States | |
| Adult Smoking | | 20% | 18% | 15% | |
| Adult Obesity | | 37% | 37% | 34% | |

| | | • | • | |
|---|---|---------------|---------|---------------|
| Food Environment Index | | 8.5 | 6.8 | 7.7 |
| Physical Inactivity | | 26% | 25% | 23% |
| Access to Exercise Opportunities | | 67% | 77% | 84% |
| Excessive Drinking | | 16% | 18% | 18% |
| Alcohol-Impaired Driving Deaths | ~ | 18% | 18% | 26% |
| Sexually Transmitted Infections | ~ | 328.0 | 510.7 | 495.5 |
| Teen Births | | 24 | 20 | 17 |
| Additional Health Behaviors (not included in summary) | | Gibson County | Indiana | United States |
| Food Insecurity | | 10% | 11% | 10% |
| Limited Access to Healthy Foods | | 2% | 9% | 6% |
| Drug Overdose Deaths | | 10 | 34 | 27 |
| Insufficient Sleep | | 32% | 36% | 33% |
| Clinical Care | | Gibson County | Indiana | United States |
| Uninsured | ~ | 7% | 9% | 10% |
| Primary Care Physicians | ~ | 2,530:1 | 1,520:1 | 1,330:1 |
| Dentists | ~ | 1,740:1 | 1,680:1 | 1,360:1 |
| Mental Health Providers | | 2,540:1 | 500:1 | 320:1 |
| Preventable Hospital Stays | ~ | 2,451 | 3,135 | 2,681 |
| Mammography Screening | ~ | 54% | 45% | 43% |
| Flu Vaccinations | ~ | 54% | 50% | 46% |
| Additional Clinical Care (not included in summary) | | Gibson County | Indiana | United States |
| Uninsured Adults | ~ | 8% | 10% | 12% |
| Uninsured Children | ~ | 5% | 6% | 5% |
| Other Primary Care Providers | | 1,220:1 | 770:1 | 760:1 |
| Social & Economic Factors | | Gibson County | Indiana | United States |
| High School Completion | | 91% | 90% | 89% |
| Some College | | 60% | 63% | 68% |
| Unemployment | ~ | 2.2% | 3.0% | 3.7% |
| | | | | |

| Children in Poverty | ~ | 12% | 15% | 16% |
|--|---|---------------|----------|---------------|
| Income Inequality | | 3.7 | 4.3 | 4.9 |
| Children in Single-Parent Households | | 18% | 24% | 25% |
| Social Associations | | 14.9 | 11.8 | 9.1 |
| Injury Deaths | | 85 | 90 | 80 |
| Additional Social & Economic Factors (not included in summary) | 1 | Gibson County | Indiana | United States |
| High School Graduation | | 92% | 88% | 86% |
| Disconnected Youth | | | 6% | 7% |
| Reading Scores | | 3.1 | 3.1 | 3.1 |
| Math Scores | | 3.1 | 3.2 | 3.0 |
| School Segregation | | 0.06 | 0.25 | 0.24 |
| School Funding Adequacy | | -\$2,644 | -\$1,415 | \$634 |
| Gender Pay Gap | | 0.73 | 0.77 | 0.81 |
| Median Household Income | | \$66,200 | \$66,800 | \$74,800 |
| Living Wage | | \$40.34 | \$44.16 | |
| Children Eligible for Free or Reduced Price Lunch | | 35% | 44% | 51% |
| Residential Segregation - Black/White | | 70 | 68 | 63 |
| Child Care Cost Burden | | 24% | 25% | 27% |
| Child Care Centers | | 5 | 4 | 7 |
| Homicides | | | 7 | 6 |
| Suicides | | 19 | 16 | 14 |
| Firearm Fatalities | | 16 | 16 | 13 |
| Motor Vehicle Crash Deaths | | 20 | 13 | 12 |
| Juvenile Arrests | | 13 | 13 | |
| Voter Turnout | | 63.8% | 61.5% | 67.9% |
| Census Participation | | 69.3% | | 65.2% |
| Physical Environment | | Gibson County | Indiana | United States |
| Air Pollution - Particulate Matter | ~ | 8.9 | 8.8 | 7.4 |
| Drinking Water Violations | | No | | |
| Severe Housing Problems | | 10% | 12% | 17% |
| Driving Alone to Work | | 84% | 79% | 72% |
| Long Commute - Driving Alone | | 29% | 32% | 36% |

| Additional Physical Environment (not included in summary) | | Gibson County | Indiana | United States |
|---|--|---------------|---------|---------------|
| Traffic Volume : | | 39 | 87 | 108 |
| Homeownership | | 76% | 70% | 65% |
| Severe Housing Cost Burden | | 8% | 11% | 14% |
| Broadband Access | | 86% | 87% | 88% |

Note: Blank values reflect unreliable or missing data.






2022 OVERALL FOOD INSECURITY & FOOD COST IN THE US

STATE FOOD INSECURITY RATE

FOOD INSECURE PEOPLE: 950,220



13.5 NATIONAL FOOD INSECURITY RATE

ESTIMATED PROGRAM ELIGIBILITY AMONG FOOD INSECURE PEOPLE



65% Above SNAP threshold

35% Below SNAP threshold of 130%


Average Meal Cost

State \$3.54 National \$3.99

Gibson County, Indiana

COUNTY FOOD INSECURITY RATE

FOOD INSECURE PEOPLE: 4,380



ESTIMATED PROGRAM ELIGIBILITY AMONG FOOD INSECURE PEOPLE



58% Above SNAP threshold

42% Below SNAP threshold of 130%

Average Meal Cost

County \$3.49

National \$3.99

Hunger exists in every corner of the United States, but as Feeding America's Map the Meal Gap study shows, food insecurity looks different from one county to the next. In addition to providing data about the prevalence of food insecurity at the local level, Map the Meal Gap estimates the share of food insecure individuals who are income-eligible for federal antihunger programs and provides local variations in food costs.

The study finds that many food insecure individuals do not qualify for federal nutrition programs and must rely on charitable food assistance, suggesting that complementary programs and strategies are necessary to reach food insecure individuals at different income levels. By providing information about hunger at the local level, Map the Meal Gap can help policymakers and service providers identify strategies to best reach those in need of assistance.



Smoking and Pregnancy



January 2022

Everyone deserves a fair and just opportunity to be as healthy as possible - free from the harm that commercial tobacco use can cause. Use of commercial tobacco products impacts even the youngest Hoosiers, as smoking during pregnancy can harm the health of both mothers and their children.

Smoking During Pregnancy in Indiana and the United States

- In 2020, 10.9% of Indiana residents smoked during pregnancy.
- Indiana's smoking during pregnancy rate has declined significantly in the last decade from 17.1% in 2010. Despite these declines, Indiana consistently has a higher smoking during pregnancy rate compared to the United States overall.
- Indiana's smoking during pregnancy rate is nearly double the U.S. smoking during pregnancy rate (6.0%*).

Risks of Smoking during Pregnancy

Smoking can impact every phase of reproduction. **When trying to become pregnant,** smoking can cause problems with fertility.

During pregnancy, smoking can increase the risk of several pregnancy complications, including:

- Low Birth Weight/Reduced growth
- Baby born too early/Premature Birth
- Ectopic Pregnancy
- Miscarriage
- Problems with the placenta

After pregnancy, exposure to secondhand smoke can increase the risk for additional complications for the baby including:

- Sudden Infant Death
- Health problems due to

Benefits of Quitting Smoking

- If someone is pregnant and uses tobacco, it is never too late to treat their nicotine dependence!
- Many pregnant people are tempted to cut down the number of cigarettes they smoke, but ending their dependence on tobacco is the best thing to do for their pregnancy.
- The benefits of treating nicotine dependence can be seen immediately. After just one day of not smoking, the baby will get more oxygen. Pregnant people will also have more energy and breathe more easily.
- Seeking nicotine dependence treatment before or during pregnancy reduces many risks including premature birth and low birth weight.

Fast Facts


In 2020, **10.9%** of Indiana residents smoked during pregnancy.

Indiana's smoking during pregnancy is nearly **double** the US smoking during pregnancy rate (6.0%).

There were over **8,500** babies born to Hoosiers who smoked during pregnancy in 2020.

Indiana's smoking during pregnancy rate has declined significantly in the last decade, decreasing from 17.1% in 2010 to 10.9% in 2020.

Percentage of live births to Indiana residents who smoked during pregnancy,



Indiana Tobacco Quitline Services for Pregnancy

The Indiana Tobacco Quitline (1-800-QUIT-NOW) offers free, evidence-based cessation treatment to help those that use tobacco. Those that are pregnant receive even greater level of behavioral support – 10 calls instead of four. The treatment plan is tailored to meet their needs, and the Quitline offers additional postpartum sessions to prevent relapse.

Percentage of live births to mothers who smoked during pregnancy, Indiana Counties, 2020

| County | % | County | % | County | % | County | % |
|-------------|----------|------------|----------|------------|----------|-------------|----------|
| Adams | 5.7 (L) | Franklin | 13.9 | Lawrence | 22.7 (H) | Rush | 22.1 (H) |
| Allen | 8.5 (L) | Fulton | 24.3 (H) | Madison | 19.3 (H) | Scott | 18.7 (H) |
| Bartholomew | 14.8 (H) | Gibson | 11.5 | Marion | 7.8 (L) | Shelby | 15.2 |
| Benton | 13.4 (U) | Grant | 28.2 (H) | Marshall | 11.3 | Spencer | 9.3 |
| Blackford | 26.4 (H) | Greene | 12.1 | Martin | 11.7 (U) | St. Joseph | 7.7 (L) |
| Boone | 6.2 (L) | Hamilton | 1.2 (L) | Miami | 19.6 (H) | Starke | 21.5 (H) |
| Brown | 10.3 (U) | Hancock | 7.1 | Monroe | 12.2 | Steuben | 16.8 |
| Carroll | 11.9 | Harrison | 12.5 | Montgomery | 21.9 (H) | Sullivan | 17.8 |
| Cass | 15.2 | Hendricks | 4.4 (L) | Morgan | 16.6 (H) | Switzerland | 25.4 (H) |
| Clark | 9.0 | Henry | 23.3 (H) | Newton | 17 | Tippecanoe | 8.5 (L) |
| Clay | 20.6 (H) | Howard | 16.2 (H) | Noble | 12.5 | Tipton | 10.1 (U) |
| Clinton | 17.5 (H) | Huntington | 17.3 (H) | Ohio | 15.1 (U) | Union | 14.9 (U) |
| Crawford | 32.3 (H) | Jackson | 17.5 (H) | Orange | 23.3 (H) | Vanderburgh | 10.4 |
| Daviess | 9.4 | Jasper | 16.9 (H) | Owen | 18.6 (H) | Vermillion | 24.4 (H) |
| Dearborn | 14.1 | Jay | 16.4 | Parke | 11.7 | Vigo | 21.8 (H) |
| Decatur | 17.0 | Jefferson | 26.1 (H) | Perry | 23.4 (H) | Wabash | 22.5 (H) |
| DeKalb | 15.5 | Jennings | 28.9 (H) | Pike | 12.2 (U) | Warren | 12.8 (U) |
| Delaware | 18.1 (H) | Johnson | 10.1 | Porter | 7.3 (L) | Warrick | 5.8 (L) |
| Dubois | 9.2 | Knox | 18.7 (H) | Posey | 10.4 | Washington | 12.1 |
| Elkhart | 8.9 (L) | Kosciusko | 12.9 | Pulaski | 21.7 (H) | Wayne | 17.6 (H) |
| Fayette | 20.9 (H) | LaGrange | 5.4 (L) | Putnam | 17.3 (H) | Wells | 15.4 |
| Floyd | 9.8 | Lake | 5.9 (L) | Randolph | 18.1 (H) | White | 13.7 |
| Fountain | 19.4 (H) | LaPorte | 16.3 (H) | Ripley | 14.5 | Whitley | 12.8 |

The percentage of Indiana residents who smoked during pregnancy has historically been considerably higher than the national average.⁴ Smoking during pregnancy rates in several Indiana counties, however, exceed both statewide and national rates.

- In 2020, county rates ranged from 1.2% of pregnant people smoked during pregnancy (Hamilton County) to 32.3% (Crawford County).
- Of Indiana's 92 counties, 38 had a smoking during pregnancy rate significantly higher than the statewide rate.

Mental Health: Gibson, IN

Year of Data: 2021

Data Source: Behavioral Risk Factor Surveillance System, 2021, as reported in the 2024

County Health Rankings

TABLE 8.1 MENTAL HEALTH



| | Gibson | Indiana |
|---|--------|---------|
| Average number of mentally unhealthy days (in the past 30 days) | 5.5 | 5.2 |

^{*}The BRFSS made changes to the methodology used to create county-level estimates. Comparing these data to previous years may be inappropriate.

« Previous page

Let's start a conversation. Contact us at previnsights@iu.edu

Indiana Drug Overdose Dashboard

An important part of drug overdose prevention efforts is understanding the trends and regional and demographic differences that may exist. Access to data from a variety of sources is key to supporting both state and local overdose response and prevention activities.

The Indiana Drug Overdose Dashboard presents information on drug overdose injuries, opioid prescriptions, and prevention efforts in Indiana. Use the topics in the header to view different types of data related to overdoses at the county and state levels. Each topic includes instructions to 'Modify Your View' and view the data from different perspectives. This dashboard represents the most up-to-date data that the Department of Health has available and is updated shortly after new data is made available.

For additional information on data, definitions, and methods, please review the <u>Drug Overdose Dashboard Data Notes</u> (/health/overdose-prevention/files/Overdose-Dashboard-Data-Notes.pdf).

Indiana Drug Overdose Dashboard Deaths

Select Year Select Drug Type

County Response

Opioid Prescriptions

Hospital Discharges

Deaths

Incalculable


2023

Year

Quarte Month

This dashboard displays contextual information on deaths involving drug overdoses. Information includes counts and rates, county-specific patient demographics, and trends over time by county of residence, as of 5/2/2024. Please Note: All 2023 data are provisional, and exclude out-of-state deaths of Indiana residents.

Modify Your View: Select year and drug type in the header to refresh the map and indicators below. Select a county on the map to filter dashboard to that county.



Indiana Drug Overdose Dashboard

An important part of drug overdose prevention efforts is understanding the trends and regional and demographic differences that may exist. Access to data from a variety of sources is key to supporting both state and local overdose response and prevention activities.

The Indiana Drug Overdose Dashboard presents information on drug overdose injuries, opioid prescriptions, and prevention efforts in Indiana. Use the topics in the header to view different types of data related to overdoses at the county and state levels. Each topic includes instructions to 'Modify Your View' and view the data from different perspectives. This dashboard represents the most up-to-date data that the Department of Health has available and is updated shortly after new data is made available.

For additional information on data, definitions, and methods, please review the <u>Drug Overdose Dashboard Data Notes</u> (/health/overdose-prevention/files/Overdose-Dashboard-Data-Notes.pdf).

Indiana Drug Overdose Dashboard Deaths

Select Year Select Drug Type

County Response

Opioid Prescriptions

Hospital Discharges

Deaths

Incalculable


2023

Year

Quarte Month

This dashboard displays contextual information on deaths involving drug overdoses. Information includes counts and rates, county-specific patient demographics, and trends over time by county of residence, as of 5/2/2024. Please Note: All 2023 data are provisional, and exclude out-of-state deaths of Indiana residents.

Modify Your View: Select year and drug type in the header to refresh the map and indicators below. Select a county on the map to filter dashboard to that county.



Indiana Drug Overdose Dashboard

An important part of drug overdose prevention efforts is understanding the trends and regional and demographic differences that may exist. Access to data from a variety of sources is key to supporting both state and local overdose response and prevention activities.

The Indiana Drug Overdose Dashboard presents information on drug overdose injuries, opioid prescriptions, and prevention efforts in Indiana. Use the topics in the header to view different types of data related to overdoses at the county and state levels. Each topic includes instructions to 'Modify Your View' and view the data from different perspectives. This dashboard represents the most up-to-date data that the Department of Health has available and is updated shortly after new data is made available.

For additional information on data, definitions, and methods, please review the <u>Drug Overdose Dashboard Data Notes</u> (/health/overdose-prevention/files/Overdose-Dashboard-Data-Notes.pdf).

Indiana Drug Overdose Dashboard Deaths

| Select Year | Select Drug Type |
|-------------|------------------|
| 2023 🔻 | Any Drug |

County Response


Opioid Prescriptions

Hospital Discharges

Deaths

This dashboard displays contextual information on deaths involving drug overdoses. Information includes counts and rates, county-specific patient demographics, and trends over time by county of residence, as of 5/2/2024. Please Note: All 2023 data are provisional, and exclude out-of-state deaths of Indiana residents.

Modify Your View: Select year and drug type in the header to refresh the map and indicators below. Select a county on the map to filter dashboard to that county.



| | _ | - +- |
|--|---|------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Indiana Drug Overdose Dashboard

An important part of drug overdose prevention efforts is understanding the trends and regional and demographic differences that may exist. Access to data from a variety of sources is key to supporting both state and local overdose response and prevention activities.

The Indiana Drug Overdose Dashboard presents information on drug overdose injuries, opioid prescriptions, and prevention efforts in Indiana. Use the topics in the header to view different types of data related to overdoses at the county and state levels. Each topic includes instructions to 'Modify Your View' and view the data from different perspectives. This dashboard represents the most up-to-date data that the Department of Health has available and is updated shortly after new data is made available.

For additional information on data, definitions, and methods, please review the <u>Drug Overdose Dashboard Data Notes</u> (/health/overdose-prevention/files/Overdose-Dashboard-Data-Notes.pdf).

Indiana Drug Overdose Dashboard Deaths

| Select Year | Select Drug Type |
|-------------|------------------|
| 2022 | Any Drug |
| | |

County Response


Opioid Prescriptions

Hospital Discharges

Deaths

This dashboard displays contextual information on deaths involving drug overdoses. Information includes counts and rates, county-specific patient demographics, and trends over time by county of residence, as of 5/2/2024. Please Note: All 2023 data are provisional, and exclude out-of-state deaths of Indiana residents.

Modify Your View: Select year and drug type in the header to refresh the map and indicators below. Select a county on the map to filter dashboard to that county.



Deaths from Intentional Self-Harm (Suicide): Gibson, IN

Year of Data: 2022

Data Source: Indiana State Department of Health, Division of Trauma and Injury. Overdose

and Suicide Fatality Reporting, 2022

Table 8.2 Deaths from Intentional Self-Harm (Suicide)



| | Gibson | Indiana |
|---|--------|---------|
| Number of deaths due to suicide in 2022 | 10 | 1,092 |
| Rate per 100,000 population* | 30.3 | 16.1 |

^{*}Note: Rates are provided for counts of 10 or more deaths. Rates based on counts less than 20 are considered unstable/unreliable and should be interpreted with caution.


« Previous page

Let's start a conversation. Contact us at previnsights@iu.edu

Heart Disease Death Rates*

| Stat | e: [IN] | ▼ | Dise | ease: Hea | art Disease | |
|-------|--------------------|----------|------|-----------|-------------|---|
| Race: | All Race/Ethnicity | | • | Gender: | All Gender | • |

Indiana: Heart Disease Death Rates
Select/Hover Over a County to See the Rates




| Indiana | | | | | |
|--|--|--|--|--|--|
| Heart Disease Death Rate per 100,000* | | | | | |
| 246 - 337 | | | | | |
| 338 - 361 | | | | | |
| 362 - 391 | | | | | |
| 392 - 471 | | | | | |
| Insufficient Data | | | | | |

| Data Table Death rates per 100,000, Ages 35+ Select a County to See it on the Map Above | | | | |
|--|-----|--|--|--|
| | | | | |
| Adams | 299 | | | |
| ☐ Allen | 316 | | | |
| ☐ Bartholomew | 330 | | | |
| ☐ Benton | 368 | | | |
| ☐ Blackford | 375 | | | |
| ☐ Boone | 326 | | | |
| Brown | 322 | | | |
| ☐ Carroll | 283 | | | |
| ☐ Cass | 335 | | | |
| ☐ Clark | 402 | | | |
| ☐ Clay | 445 | | | |
| ☐ Clinton | 310 | | | |
| ☐ Crawford | 384 | | | |
| ☐ Daviess | 389 | | | |
| ☐ DeKalb | 331 | | | |
| ☐ Dearborn | 343 | | | |

| ☐ Decatur | 344 |
|--------------|-----|
| ☐ Delaware | 416 |
| Dubois | 363 |
| ☐ Elkhart | 349 |
| Fayette | 417 |
| Floyd | 361 |
| Fountain | 434 |
| Franklin | 330 |
| Fulton | 362 |
| Gibson | 377 |
| Grant | 352 |
| Greene | 392 |
| Hamilton | 246 |
| Hancock | 293 |
| Harrison | 353 |
| Hendricks | 303 |
| Henry | 345 |
| Howard | 442 |
| Huntington | 328 |
| ☐ Jackson | 380 |
| Jasper | 395 |
| Jay | 362 |
| ☐ Jefferson | 375 |
| Jennings | 354 |
| Johnson | 360 |
| Knox | 415 |
| Kosciusko | 346 |
| LaGrange | 344 |
| LaPorte | 410 |
| Lake | 403 |
| Lawrence | 373 |
| Madison | 354 |
| Marion | 348 |
| ☐ Marshall | 377 |
| ☐ Martin | 380 |
| Miami | 386 |
| Monroe | 316 |
| ☐ Montgomery | 446 |
| Morgan | 378 |
| Newton | 414 |
| Noble | 346 |
| Ohio | 323 |
| ☐ Orange | 397 |
| Owen | 395 |
| ☐ Parke | 386 |
| ☐ Perry | 369 |
| Dile | 260 |

| ☐ FIKE | 300 |
|---------------|-----|
| Porter | 332 |
| □ Posey | 347 |
| ☐ Pulaski | 421 |
| ☐ Putnam | 361 |
| Randolph | 376 |
| Ripley | 352 |
| Rush | 350 |
| ☐ Scott | 463 |
| Shelby | 328 |
| Spencer | 392 |
| ☐ St. Joseph | 351 |
| Starke | 449 |
| Steuben | 332 |
| Sullivan | 445 |
| Switzerland | 365 |
| ☐ Tippecanoe | 301 |
| ☐ Tipton | 338 |
| ☐ Union | 367 |
| □ Vanderburgh | 376 |
| ☐ Vermillion | 471 |
| □ Vigo | 467 |
| □ Wabash | 337 |
| □ Warren | 387 |
| ☐ Warrick | 355 |
| ☐ Washington | 432 |
| ☐ Wayne | 445 |
| Wells | 324 |
| ☐ White | 358 |
| ☐ Whitley | 309 |





Territories: Guam Puerto Rico Virgin Islands

United States by State

Heart Disease Death Rate per 100,000*

___ 181 - 287

288 - 311

312 - 377

378 - 571

___ Insufficient Data

National Rate: 325.7

| Data Table | | | | |
|---|-------------------|--|--|--|
| Heart Disease Death Rates per 100,000, Ages 35+ | | | | |
| State ▼ | Total ▼ | | | |
| □ AK | 272 | | | |
| □ AL | 452 | | | |
| □ AR | 438 | | | |
| □ AS | Insufficient Data | | | |
| □ AZ | 282 | | | |
| □ CA | 277 | | | |
| СО | 253 | | | |
| □ СТ | 271 | | | |
| □ DE | 307 | | | |
| ☐ FL | 280 | | | |
| □ GA | 357 | | | |
| □ GU | 571 | | | |
| □ HI | 239 | | | |
| | 343 | | | |
| | 303 | | | |
| | 325 | | | |
| | 357 | | | |
| □ KS | 329 | | | |
| □ KY | 398 | | | |
| □ LA | 428 | | | |
| □ MA | 251 | | | |
| □ MD | 318 | | | |
| ☐ ME | 294 | | | |
| □ MI | 393 | | | |
| MN | 231 | | | |
| □ MO | 378 | | | |
| □ MP | 291 | | | |
| ☐ MS | 468 | | | |
| ☐ MT | 320 | | | |
| □ NC | 311 | | | |
| □ ND | 288 | | | |
| □ NE | 290 | | | |
| □NH | 287 | | | |
| □ NJ | 312 | | | |
| □NM | 302 | | | |
| □ NV | 393 | | | |
| □NY | 332 | | | |
| ОН | 381 | | | |
| ОК | 478 | | | |

| │ | 267 |
|------|-----|
| □ PA | 342 |
| □ PR | 199 |
| □ RI | 303 |
| □ SC | 337 |
| □ SD | 301 |
| □TN | 411 |
| □ТХ | 335 |
| UT | 300 |
| □VA | 302 |
| □VI | 181 |
| □VT | 321 |
| □ WA | 270 |
| □WI | 318 |
| □ WV | 398 |
| □WY | 303 |

*Note: <u>Rates are age standardized and spatially smoothed</u> 3 year averages, 2019-2021, ages 35+



Download Data

Source: <u>National Center for Chronic Disease Prevention and Health Promotion, Division for Heart Disease</u> and <u>Stroke Prevention</u>



Surveillance



≡ Menu ▼


What's New

? About

SHOW FILTERS

Diagnosed Diabetes -Total, Adults Aged 18+ Years, Age-Adjusted Percentage, Indiana

Total



<u>Vertical dotted line indicates Major changes to the survey methods in 2011</u> Horizontal dotted line indicates "No Data", "Suppressed Data" or both.




| | V | | Total | | | | |
|----|------------------------------|------------|---------|-----|---|----|-------|
| | Year — | Percentage | 95% LL | | | 9! | 5% UL |
| 2 | 2020 | 10.5 | 9.8 | | | | 11.2 |
| á | 2021 | 10.8 | 10.1 | | | | 11.4 |
| Sh | owing 21 to 22 of 22 entries | | Previou | s 1 | 2 | 3 | Next |

Stroke Death Rates*

| Stat | e: IN | — | Dise | ease: | Stro | ke | _ | |
|-------|----------|-------------|------|-------|------|------------|---|---|
| Race: | All Race | e/Ethnicity | • | Gend | der: | All Gender | | • |

Indiana: Stroke Death Rates
Select/Hover Over a County to See the Rates




| Indiana |
|-----------------------------------|
| Stroke Death Rate per 100,000* |
| <u>58 - 75</u> |
| 76 - 83 |
| 84 - 89 |
| <u> </u> |
| ☐ Insufficient Data |

| Total ▼ |
|---------|
| 84 |
| 89 |
| 80 |
| 80 |
| 100 |
| 67 |
| 72 |
| 61 |
| 74 |
| 77 |
| 77 |
| 86 |
| 92 |
| 87 |
| 88 |
| 84 |
| |

| ☐ Decatur | 88 |
|--------------|-----|
| Delaware | 99 |
| Dubois | 90 |
| ☐ Elkhart | 91 |
| ☐ Fayette | 93 |
| □ Floyd | 74 |
| Fountain | 81 |
| Franklin | 94 |
| Fulton | 89 |
| Gibson | 81 |
| Grant | 100 |
| Greene | 71 |
| ☐ Hamilton | 71 |
| Hancock | 82 |
| Harrison | 73 |
| Hendricks | 70 |
| Henry | 94 |
| Howard | 82 |
| ☐ Huntington | 99 |
| ☐ Jackson | 88 |
| ☐ Jasper | 72 |
| ☐ Jay | 87 |
| ☐ Jefferson | 84 |
| ☐ Jennings | 90 |
| Johnson | 80 |
| ☐ Knox | 98 |
| ☐ Kosciusko | 91 |
| LaGrange | 89 |
| LaPorte | 74 |
| Lake | 79 |
| Lawrence | 77 |
| Madison | 85 |
| Marion | 79 |
| ☐ Marshall | 89 |
| ☐ Martin | 83 |
| ☐ Miami | 85 |
| Monroe | 67 |
| Montgomery | 58 |
| Morgan | 80 |
| Newton | 81 |
| Noble | 87 |
| Ohio | 69 |
| Orange | 90 |
| Owen | 76 |
| Parke | 73 |
| Perry | 95 |
| Dilo | ၀၁ |

| rike | O۷ |
|---------------|-----|
| Porter | 67 |
| ☐ Posey | 83 |
| ☐ Pulaski | 77 |
| ☐ Putnam | 73 |
| Randolph | 96 |
| Ripley | 81 |
| Rush | 93 |
| ☐ Scott | 89 |
| ☐ Shelby | 81 |
| ☐ Spencer | 87 |
| ☐ St. Joseph | 90 |
| ☐ Starke | 76 |
| ☐ Steuben | 75 |
| Sullivan | 72 |
| ☐ Switzerland | 72 |
| ☐ Tippecanoe | 63 |
| ☐ Tipton | 80 |
| □ Union | 101 |
| □ Vanderburgh | 84 |
| ☐ Vermillion | 106 |
| □ Vigo | 92 |
| ☐ Wabash | 102 |
| ☐ Warren | 85 |
| ☐ Warrick | 84 |
| ☐ Washington | 81 |
| ☐ Wayne | 89 |
| □ Wells | 92 |
| ☐ White | 65 |
| ☐ Whitley | 87 |
| | |



Stroke
Death Rate per 100,000*

45 - 63

64 - 75

76 - 84

85 - 119

Insufficient Data

National Rate: 75.7

| Data Table | | - | | |
|--|-------------------|---|--|--|
| Stroke Death Rates per 100,000, Ages 35+ | | | | |
| State ▼ | Total ▼ | | | |
| □ AK | 72 | | | |
| □ AL | 104 | | | |
| □ AR | 87 | | | |
| AS | Insufficient Data | | | |
| □ AZ | 64 | | | |
| □ CA | 77 | | | |
| СО | 68 | | | |
| СТ | 55 | | | |
| □ DE | 100 | | | |
| □ FL | 84 | | | |
| □ GA | 86 | | | |
| □ GU | 119 | | | |
| □ HI | 77 | | | |
| | 63 | | | |
| | 70 | | | |
| | 81 | | | |
| | 81 | | | |
| □ KS | 71 | | | |
| □ KY | 84 | | | |
| LA | 92 | | | |
| ☐ MA | 50 | | | |
| □ MD | 85 | | | |
| ☐ ME | 63 | | | |
| □ MI | 84 | | | |
| ☐ MN | 64 | | | |
| □ MO | 77 | | | |
| ☐ MP | 113 | | | |
| ☐ MS | 106 | | | |
| ☐ MT | 59 | | | |
| □ NC | 86 | | | |
| □ ND | 60 | | | |
| □ NE | 67 | | | |
| □NH | 57 | | | |
| □ NJ | 61 | | | |
| □ NM | 68 | | | |
| □NV | 77 | | | |
| □NY | 48 | | | |
| ОН | 88 | | | |
| ОК | 79 | | | |

| | 81 |
|------|----|
| □ PA | 71 |
| □ PR | 45 |
| □ RI | 53 |
| □ SC | 87 |
| □ SD | 67 |
| □TN | 85 |
| □ТХ | 80 |
| UT | 66 |
| □ VA | 78 |
| □ VI | 48 |
| □ VT | 58 |
| □ WA | 70 |
| □WI | 68 |
| □WV | 76 |
| □WY | 61 |

*Note: <u>Rates are age standardized and spatially smoothed</u> 3 year averages, 2019-2021, ages 35+



Download Data

Source: <u>National Center for Chronic Disease Prevention and Health Promotion, Division for Heart Disease</u> and <u>Stroke Prevention</u>

(https://www.cancer.gov/)



(https://www.cdc.gov)

 $\textcolor{red}{\bigstar \underline{(http://statecancerprofiles.cancer.gov/index.html)}} \geq \underline{lncidence}(\underline{http://statecancerprofiles.cancer.gov/data-topics/incidence.html)}} > \underline{Table}(\underline{http://statecancerprofiles.cancer.gov/data-topics/incidence.html}}) > \underline{Incidence}(\underline{http://statecancerprofiles.cancer.gov/data-topics/incidence.html}}) > \underline{Incidence}(\underline{http://statecancerprofiles.cancer.gov/data-topics/incidence.html}) > \underline{Incidence}(\underline{http://statecancerprofiles.gov/data-topics/incidence.html}) > \underline{Incidence}(\underline{http://statecancerprofiles.go$

Incidence Rates Table

STATE CANCER PROFILES

Incidence Rate Report for Indiana by County

All Cancer Sites (All Stages^), 2014-2018

All Races (includes Hispanic), Both Sexes, All Ages

| | | | Sorted by Rate | | | |
|--------------------------------|---|--|--|-------------------------|------------------|--|
| County | Met Healthy People Objective of ***? | Age-Adjusted Incidence Rate [±] cases per 100,000 (<u>95% Confidence Interval</u>) | CI*Rank⋔ (<u>95% Confidence Interval</u>) | Average Annual Count | Recent Trend | Recent 5-Year Trend [±] in Incidence Rates (<u>95% Confidence Interval</u>) |
| Indiana ⁶ | *** | 457.9 (455.7, 460.0) | N/A | 35,470 | <u>stable</u> → | -2.0 (-3.9, 0.0) |
| US (SEER+NPCR) 1 | *** | 448.6 (448.3, 448.9) | N/A | 1,703,249 | falling ↓ | -0.9 (-1.1, -0.7) |
| Morgan County ⁶ | *** | 532.7 (510.6, 555.6) | 1 (1, 14) | 467 | stable → | -4.0 (-8.2, 0.4) |
| Shelby County ⁶ | *** | 531.1 (503.8, 559.5) | 2 (1, 19) | 301 | stable → | -3.4 (-10.3, 3.9) |
| Knox County 6 | *** | 515.5 (486.0, 546.5) | 3 (1, 37) | 244 | stable → | 0.2 (-0.4, 0.9) |
| Jefferson County ⁶ | *** | 513.4 (482.0, 546.5) | 4 (1, 40) | 212 | stable → | 0.0 (-1.2, 1.2) |
| Fountain County ⁶ | *** | 509.6 (467.6, 554.7) | 5 (1, 61) | 117 | stable → | 0.2 (-0.6, 0.9) |
| Grant County ⁶ | *** | 506.3 (484.7, 528.6) | 6 (1, 31) | 451 | stable → | -0.5 (-1.0, 0.0) |
| Dearborn County ⁶ | *** | 505.2 (480.1, 531.3) | 7 (1, 40) | 325 | stable → | 0.4 (-0.6, 1.4) |
| Putnam County ⁶ | *** | 501.4 (472.2, 532.0) | 8 (1, 47) | 229 | stable → | -0.1 (-1.0, 0.8) |
| Jennings County ⁶ | *** | 499.4 (465.1, 535.6) | 9 (1, 58) | 168 | stable → | 0.5 (-0.7, 1.6) |
| Starke County ⁶ | *** | 497.5 (461.8, 535.3) | 10 (1, 63) | 154 | stable → | -0.5 (-1.2, 0.2) |
| Blackford County ⁶ | *** | 492.7 (445.7, 543.9) | 11 (1, 79) | 87 | stable → | -0.8 (-2.0, 0.4) |
| Hancock County ⁶ | *** | 490.4 (469.5, 512.0) | 12 (2, 46) | 436 | stable → | -0.3 (-1.0, 0.4) |
| Tipton County ⁶ | *** | 489.6 (446.4, 536.3) | 13 (1, 79) | 104 | stable → | 0.4 (-0.9, 1.7) |
| Howard County ⁶ | *** | 487.8 (468.8, 507.4) | 14 (3, 48) | 535 | stable → | -0.1 (-0.7, 0.6) |
| White County ⁶ | *** | 487.8 (453.5, 524.2) | 15 (1, 70) | 165 | stable → | -0.2 (-1.0, 0.7) |
| Madison County ⁶ | *** | 485.2 (469.9, 500.9) | 16 (6, 44) | 807 | stable → | -0.2 (-0.7, 0.2) |
| Union County ⁶ | *** | 483.7 (421.3, 553.5) | 17 (1, 90) | 47 | stable → | 0.8 (-0.7, 2.4) |
| Scott County ⁶ | *** | 483.5 (447.8, 521.5) | 18 (1, 75) | 143 | stable → | -1.2 (-2.5, 0.1) |
| Clay County ⁶ | *** | 483.1 (449.7, 518.4) | 19 (1, 70) | 164 | falling ↓ | -0.9 (-1.6, -0.2) |
| Rush County ⁶ | *** | 482.3 (441.2, 526.5) | 20 (1, 79) | 108 | stable → | -0.2 (-1.5, 1.2) |
| Owen County ⁶ | *** | 482.2 (445.8, 521.1) | 21 (1, 76) | 142 | stable → | -0.1 (-1.1, 0.9) |
| Floyd County ⁶ | *** | 481.3 (460.9, 502.4) | 22 (4, 54) | 445 | falling ↓ | -0.7 (-1.3, -0.1) |
| Wabash County ⁶ | *** | 481.2 (451.3, 512.7) | 23 (2, 68) | 212 | stable → | 0.8 (-0.1, 1.7) |
| Johnson County ⁶ | *** | 479.7 (464.8, 495.0) | 24 (7, 46) | 808 | stable → | -0.3 (-0.9, 0.2) |
| Benton County ⁶ | *** | 477.1 (420.1, 540.1) | 25 (1, 90) | 54 | stable → | -0.9 (-2.6, 0.9) |
| Warren County ⁶ | *** | 476.1 (421.3, 536.9) | 26 (1, 91) | 58 | stable → | -0.6 (-1.9, 0.7) |
| Vermillion County ⁶ | *** | 475.2 (433.5, 520.1) | 27 (1, 84) | 103 | stable → | -1.0 (-2.1, 0.1) |
| Decatur County ⁶ | *** | 471.5 (437.9, 507.1) | 28 (3, 80) | 154 | stable → | 0.5 (-0.1, 1.1) |
| Henry County ⁶ | *** | 471.4 (447.5, 496.4) | 29 (6, 71) | 306 | stable → | -0.4 (-0.8, 0.0) |
| Porter County ⁶ | *** | 470.8 (457.1, 484.9) | 30 (12, 54) | 953 | falling ↓ | -0.7 (-1.1, -0.2) |
| Lake County ⁶ | *** | 470.8 (462.8, 478.9) | 31 (18, 48) | 2,789 | falling ↓ | -0.6 (-0.9, -0.2) |
| Marion County ⁶ | *** | 470.5 (464.3, 476.9) | 32 (18, 45) | 4,523 | stable → | -2.2 (-5.3, 1.0) |
| Delaware County ⁶ | *** | 469.3 (452.8, 486.4) | 33 (11, 59) | 648 | stable → | -0.5 (-1.1, 0.0) |
| Clark County ⁶ | *** | 469.0 (452.6, 486.0) | 34 (12, 59) | 643 | falling ↓ | -0.9 (-1.5, -0.3) |
| Vigo County ⁶ | *** | 468.4 (451.1, 486.2) | 35 (11, 62) | 586 | falling ↓ | -1.3 (-1.8, -0.8) |
| Carroll County ⁶ | *** | 468.1 (430.9, 507.8) | 36 (2, 84) | 127 | stable → | -0.7 (-1.9, 0.6) |
| Jay County ⁶ | *** | 467.7 (430.2, 507.7) | 37 (2, 83) | 122 | stable → | -0.8 (-1.6, 0.1) |
| LaPorte County ⁶ | *** | 465.3 (449.0, 482.0) | 38 (14, 65) | 658 | stable → | -0.3 (-0.7, 0.1) |
| Lawrence County ⁶ | *** | 465.2 (440.8, 490.6) | 39 (7, 75) | 294 | stable → | 0.4 (-0.3, 1.0) |
| Orange County ⁶ | *** | 464.0 (426.9, 503.6) | 40 (3, 86) | 124 | stable → | 0.0 (-1.3, 1.3) |

| , | | | | | | |
|---------------------------------|-------|----------------------|-------------|------------|--------------------|-------------------|
| Kosciusko County ⁶ | *** | 462.5 (442.8, 482.9) | 41 (13, 70) | 435 | stable → | 0.2 (-0.5, 0.9) |
| Jackson County ⁶ | *** | 461.1 (435.1, 488.4) | 42 (8, 78) | 243 | stable → | -0.9 (-1.9, 0.1) |
| DeKalb County ⁶ | *** | 461.1 (434.7, 488.7) | 43 (8, 80) | 241 | stable → | -0.4 (-1.5, 0.7) |
| Hendricks County ⁶ | *** | 458.1 (443.6, 472.9) | 44 (20, 68) | 792 | falling 🗸 | -4.4 (-7.1, -1.7) |
| Jasper County ⁶ | *** | 455.2 (425.8, 486.1) | 45 (8, 85) | 189 | stable → | -0.7 (-1.5, 0.2) |
| Bartholomew County ⁶ | *** | 453.8 (434.7, 473.6) | 46 (17, 77) | 437 | stable → | -0.4 (-0.9, 0.2) |
| Huntington County ⁶ | *** | 453.3 (425.5, 482.6) | 47 (11, 84) | 209 | stable → | -0.3 (-1.2, 0.7) |
| Washington County ⁶ | *** | 452.6 (420.8, 486.3) | 48 (8, 85) | 160 | stable → | -0.7 (-1.9, 0.5) |
| Pulaski County ⁶ | *** | 451.4 (405.9, 501.0) | 49 (2, 92) | 77 | stable → | -0.9 (-2.0, 0.1) |
| Crawford County 6 | *** | 451.2 (401.8, 505.5) | 50 (1, 92) | 67 | stable → | -0.7 (-2.2, 0.7) |
| Boone County ⁶ | *** | 450.6 (428.1, 474.1) | 51 (18, 81) | 313 | stable → | -0.2 (-1.0, 0.6) |
| Clinton County 6 | *** | 450.5 (420.5, 482.1) | 52 (10, 88) | 177 | stable → | -0.5 (-1.3, 0.3) |
| Vanderburgh County ⁶ | *** | 449.5 (436.8, 462.6) | 53 (30, 72) | 1,002 | stable → | -0.1 (-1.0, 0.8) |
| Wayne County ⁶ | *** | 448.0 (427.8, 468.9) | 54 (21, 81) | 397 | stable → | -0.8 (-1.6, 0.0) |
| Harrison County ⁶ | *** | 446.3 (419.6, 474.3) | 55 (15, 86) | 224 | falling ↓ | -1.0 (-1.9, -0.1) |
| Pike County ⁶ | *** | 444.6 (400.1, 493.1) | 56 (3, 92) | 79 | stable → | 0.5 (-1.2, 2.2) |
| Ripley County ⁶ | *** | 444.3 (413.1, 477.5) | 57 (12, 89) | 159 | stable → | -0.5 (-1.8, 0.7) |
| Whitley County ⁶ | *** | 442.5 (414.0, 472.5) | 58 (16, 87) | 193 | stable → | -0.2 (-1.2, 0.7) |
| Hamilton County ⁶ | *** | 441.6 (430.9, 452.5) | 59 (42, 76) | 1,371 | stable → | -0.3 (-1.0, 0.4) |
| Brown County ⁶ | *** | 439.4 (399.9, 482.3) | 60 (7, 92) | 107 | stable → | -0.8 (-2.5, 0.9) |
| Allen County 6 | *** | 439.4 (430.1, 448.9) | 61 (46, 77) | 1,787 | stable → | 0.0 (-0.9, 0.8) |
| Franklin County ⁶ | *** | 438.3 (404.2, 474.8) | 62 (12, 91) | 131 | stable → | -0.4 (-1.9, 1.1) |
| Noble County ⁶ | *** | 438.1 (412.9, 464.5) | 63 (22, 88) | 241 | stable → | -0.3 (-1.1, 0.5) |
| Gibson County ⁶ | *** | 437.4 (409.1, 467.2) | 64 (18, 90) | 188 | stable → | 0.3 (-0.6, 1.2) |
| Fayette County 6 | *** | 437.3 (404.6, 472.2) | 65 (14, 91) | 141 | falling ↓ | -0.9 (-1.7, -0.2) |
| St. Joseph County ⁶ | *** | 436.8 (426.2, 447.6) | 66 (44, 79) | 1,367 | falling ↓ | -1.3 (-1.8, -0.9) |
| Elkhart County ⁶ | *** | 434.0 (421.7, 446.7) | 67 (46, 82) | 968 | falling ↓ | -0.4 (-0.7, -0.1) |
| Wells County ⁶ | *** | 433.5 (402.7, 466.0) | 68 (18, 91) | 159 | falling ↓ | -0.9 (-1.5, -0.2) |
| Daviess County 6 | *** | 433.4 (403.3, 465.2) | 69 (19, 91) | 162 | stable → | -0.1 (-1.2, 1.1) |
| Martin County ⁶ | *** | 432.8 (384.5, 486.2) | 70 (5, 92) | 63 | stable → | -1.2 (-2.6, 0.3) |
| Randolph County 6 | *** | 432.7 (401.5, 465.9) | 71 (19, 91) | 152 | falling ↓ | -1.1 (-2.2, -0.1) |
| Sullivan County ⁶ | *** | 432.0 (396.6, 470.0) | 72 (16, 92) | 115 | stable → | -1.4 (-2.7, 0.0) |
| Warrick County ⁶ | *** | 428.7 (407.9, 450.5) | 73 (36, 88) | 335 | stable → | -0.2 (-1.1, 0.8) |
| Dubois County ⁶ | *** | 428.6 (403.4, 455.1) | 74 (27, 90) | 229 | stable → | -6.7 (-14.9, 2.2) |
| Montgomery County 6 | *** | 427.6 (401.4, 455.2) | 75 (30, 90) | 210 | falling ↓ | -1.0 (-1.7, -0.3) |
| Adams County ⁶ | *** | 426.6 (397.2, 457.8) | 76 (22, 92) | 165 | stable → | -0.2 (-1.3, 1.0) |
| Tippecanoe County 6 | *** | 425.1 (410.8, 439.6) | 77 (51, 87) | 707 | falling ↓ | -1.3 (-1.8, -0.8) |
| Greene County 6 | *** | 424.1 (396.7, 453.0) | 78 (28, 92) | 190 | stable → | -0.3 (-1.3, 0.8) |
| Monroe County 6 | *** | 421.9 (406.3, 437.9) | 79 (52, 89) | 581 | falling ↓ | -1.3 (-1.9, -0.8) |
| Posey County ⁶ | *** | 418.7 (387.2, 452.4) | 80 (28, 92) | 142 | stable → | -0.2 (-1.5, 1.1) |
| Fulton County 6 | *** | 416.4 (381.8, 453.5) | 81 (27, 92) | 114 | falling ↓ | -1.8 (-2.7, -0.8) |
| Newton County ⁶ | *** | 415.3 (374.3, 460.0) | 82 (16, 92) | 81 | falling ↓ | -1.9 (-2.8, -0.9) |
| Perry County ⁶ | *** | 411.4 (376.0, 449.5) | 83 (31, 92) | 106 | stable → | -0.7 (-1.9, 0.5) |
| Miami County 6 | *** | 410.2 (383.9, 438.1) | 84 (44, 92) | 188 | falling ↓ | -1.7 (-2.4, -0.9) |
| Cass County 6 | *** | 403.2 (377.8, 429.9) | 85 (54, 92) | 198 | falling ↓ | -1.7 (-2.5, -0.8) |
| Marshall County 6 | *** | 400.1 (376.9, 424.4) | 86 (62, 92) | 236 | falling ↓ | -1.4 (-2.2, -0.6) |
| Spencer County 6 | *** | 398.8 (365.3, 434.7) | | 113 | stable → | -1.4 (-2.2, -0.6) |
| LaGrange County 6 | *** | | 87 (45, 92) | | | |
| Steuben County ⁶ | *** | 398.6 (370.4, 428.2) | 88 (53, 92) | 155 187 | stable → | -0.6 (-1.5, 0.4) |
| Ohio County ⁶ | *** | 398.2 (371.9, 426.1) | 89 (56, 92) | | falling ↓ stable → | -1.3 (-2.2, -0.4) |
| Switzerland County 6 | *** | 392.7 (334.3, 459.7) | 90 (12, 92) | 36 53 | | -1.8 (-3.7, 0.2) |
| | *** | 387.3 (340.9, 438.7) | 91 (27, 92) | | falling ↓ | -2.1 (-3.5, -0.8) |
| Parke County ⁶ | 1.2.2 | 386.3 (349.8, 425.8) | 92 (53, 92) | 88 | stable → | -0.5 (-1.9, 0.9) |

State Cancer Registries (http://statecancerprofiles.cancer.govhttps://nccd.cdc.gov/dcpc Programs/index.aspx#/3) may provide more current or more local data.

Trend

Rising when 95% confidence interval of average annual percent change is above 0.

Stable when 95% confidence interval of average annual percent change includes 0.

Falling when 95% confidence interval of average annual percent change is below 0.

n Results presented with the CI*Rank statistics help show the usefulness of ranks. For example, ranks for relatively rare diseases or less populated areas may be essentially meaningless because of their large variability, but ranks for more common diseases in densely populated regions can be very useful. More information about methodology can be found on the CI*Rank website (http://statecancerprofiles.cancer.gov/tirps://surveillance.cancer.gov/cirank/).

† Incidence rates (cases per 100,000 population per year) are age-adjusted to the 2000 US standard population (http://www.seer.cancer.gov/stdpopulations/stdpop.19ages.html) (19 age groups: <1, 1-4, 5-9, ..., 80-84, 85+). Rates are for invasive cancer only (except for bladder cancer which is invasive and in situ) or unless otherwise specified. Rates calculated using SEER*Stat. Population counts for denominators are based on Census populations as modified by NCI. The 1969-2018 US Population Data (http://statecancer.gov/https://seer.cancer.gov/popdata/) File is used for SEER and NPCR incidence rates.

‡ Incidence data come from different sources. Due to different years of data availability, most of the trends are AAPCs based on APCs but some are APCs calculated in SEER*Stat. Please refer to the source for each area for additional information.

Rates and trends are computed using different standards for malignancy. For more information see malignant.html (http://statecancerprofiles.cancer.gov/malignant.html).

^ All Stages refers to any stage in the Surveillance, Epidemiology, and End Results (SEER) <u>summary stage (http://statecancerprofiles.cancer.gov/https://seer.cancer.gov/tools/ssm/</u>).
*** No Healthy People 2020 Objective for this cancer.

<u>Healthy People 2020 (http://statecancerprofiles.cancer.govhttps://www.healthypeople.gov/)</u> Objectives provided by the <u>Centers for Disease Control and Prevention (http://statecancerprofiles.cancer.govhttps://www.cdc.gov/)</u>.

¹ Source: National Program of Cancer Registries (http://statecancerprofiles.cancer.gov/https://www.cdc.gov/cancer/npcr/index.htm) and Surveillance, Epidemiology, and End Results (http://seer.cancer.gov) SEER*Stat Database (2001-2018) - United States Department of Health and Human Services, Centers for Disease Control and Prevention and National Cancer Institute. Based on the 2020 submission.

⁶ Source: National Program of Cancer Registries (http://statecancerprofiles.cancer.gov/ttps://www.cdc.gov/cancer/npcr/index.htm) SEER*Stat Database (2001-2018) - United States Department of Health and Human Services, Centers for Disease Control and Prevention (based on the 2020 submission).

8 Source: Incidence data provided by the <u>SEER Program. (http://seer.cancer.gov)</u> AAPCs are calculated by the <u>Joinpoint Regression Program</u> (http://statecancerprofiles.cancer.gov/https://surveillance.cancer.gov/joinpoint/), and are based on APCs. Data are age-adjusted to the <u>2000 US standard population</u> (http://www.seer.cancer.gov/stdpopulations/single_age.html) (19 age groups: <1, 1-4, 5-9, ..., 80-84,85+). Rates are for invasive cancer only (except for bladder cancer which is invasive and in situ) or unless otherwise specified. Population counts for denominators are based on Census populations as modified by NCI. The <u>1969-2018 US Population Data</u> (http://seer.cancer.gov/popdata/). File is used with SEER November 2020 data.

Interpret Rankings (http://statecancerprofiles.cancer.gov/interpretrankings.html) provides insight into interpreting cancer incidence statistics. When the population size for a denominator is small, the rates may be unstable. A rate is unstable when a small change in the numerator (e.g., only one or two additional cases) has a dramatic effect on the calculated rate.

Data for United States does not include Puerto Rico.

When displaying county information, the CI*Rank for the state is not shown because it's not comparable. To see the state CI*Rank please view the statistics at the US By State level.

Return to Top

 $\underline{\text{U.S. Department of Health and Human Services.(https://www.hhs.gov/)}} \mid \underline{\text{National Institutes of Health.(https://www.nih.gov/)}} \mid \underline{\text{National Cancer Institute.(https://www.cancer.gov/)}} \mid \underline{\text{USA.gov.(https://www.nih.gov/)}} \mid \underline{\text{National Cancer Institute.(https://www.cancer.gov/)}} \mid \underline{\text{National Cancer Institute.(https://www.nih.gov/)}} \mid \underline{\text{National Cancer Institute.(https://www.cancer.gov/)}} \mid \underline{\text{Nationa$

NIH... Turning Discovery Into Health®



(https://www.cdc.gov)

 $\textcolor{red}{\bigstar \underline{(http://statecancerprofiles.cancer.gov/index.html)}} \geq \underline{Incidence\,(http://statecancerprofiles.cancer.gov/data-topics/incidence.html)}} > \underline{Table}$

Incidence Rates Table

STATE CANCER PROFILES

Incidence Rate Report for Indiana by County

Breast (All Stages[^]), 2014-2018

All Races (includes Hispanic), Female, All Ages

| Sorted by Rate | | | | | | | |
|--|---|--|--|-------------------------|--------------|--|--|
| County | Met Healthy People Objective of ***? | Age-Adjusted Incidence Rate [±] cases per 100,000 (<u>95% Confidence Interval</u>) | CI*Rank⋔ (<u>95% Confidence Interval</u>) | Average Annual Count | Recent Trend | Recent 5-Year Trend in Incidence Rates (95% Confidence Interval) | |
| Indiana ⁶ | *** | 124.5 (122.9, 126.1) | N/A | 5,032 | rising ↑ | 0.6 (0.4, 0.8) | |
| US (SEER+NPCR) 1 | *** | 126.8 (126.6, 127.0) | N/A | 249,261 | rising ↑ | 0.3 (0.2, 0.5) | |
| Hamilton County ⁶ | *** | 153.9 (145.6, 162.6) | 1 (1, 11) | 263 | rising ↑ | 1.3 (0.4, 2.1) | |
| Hancock County ⁶ | *** | 153.0 (136.9, 170.5) | 2 (1, 31) | 70 | rising ↑ | 2.0 (0.7, 3.4) | |
| Fountain County ⁶ | *** | 145.9 (114.9, 183.4) | 3 (1, 78) | 17 | stable → | 1.3 (-1.0, 3.7) | |
| Knox County 6 | *** | 145.9 (124.9, 169.8) | 4 (1, 61) | 37 | stable → | 1.2 (-0.5, 2.9) | |
| Hendricks County ⁶ | *** | 143.4 (132.5, 154.9) | 5 (1, 32) | 133 | stable → | 0.5 (-0.6, 1.6) | |
| Dearborn County ⁶ | *** | 142.8 (124.4, 163.2) | 6 (1, 58) | 47 | stable → | 1.9 (-0.1, 3.9) | |
| Shelby County ⁶ | *** | 141.6 (122.2, 163.5) | 7 (1, 62) | 41 | rising ↑ | 2.4 (0.4, 4.3) | |
| Tipton County ⁶ | *** | 141.3 (109.4, 180.4) | 8 (1, 82) | 15 | stable → | 3.4 (-0.1, 7.0) | |
| Kosciusko County ⁶ | *** | 137.7 (122.7, 154.1) | 9 (1, 56) | 66 | rising ↑ | 2.5 (0.4, 4.7) | |
| Howard County ⁶ | *** | 137.6 (123.8, 152.7) | 10 (1, 54) | 80 | stable → | 0.3 (-1.6, 2.2) | |
| Morgan County ⁶ | *** | 136.6 (121.2, 153.5) | 11 (1, 61) | 61 | stable → | 0.0 (-1.9, 2.0) | |
| Madison County ⁶ | *** | 135.1 (123.6, 147.4) | 12 (2, 52) | 113 | rising ↑ | 1.3 (0.2, 2.4) | |
| Rush County ⁶ | *** | 134.6 (105.7, 169.7) | 13 (1, 86) | 16 | stable → | 1.5 (-1.1, 4.1) | |
| Johnson County ⁶ | *** | 133.6 (122.9, 145.1) | 14 (3, 52) | 119 | stable → | 1.0 (-0.2, 2.3) | |
| Floyd County ⁶ | *** | 132.9 (118.5, 148.6) | 15 (1, 65) | 66 | stable → | 0.4 (-1.3, 2.1) | |
| Montgomery County ⁶ | *** | 132.2 (111.9, 155.5) | 16 (1, 74) | 33 | stable → | 0.7 (-1.5, 2.9) | |
| Orange County 6 | *** | 130.8 (103.3, 163.8) | 17 (1, 85) | 17 | stable → | 2.0 (-0.9, 5.1) | |
| Porter County 6 | *** | 130.3 (120.5, 140.8) | 18 (4, 58) | 139 | stable → | 0.4 (-0.6, 1.3) | |
| Marion County ⁶ | *** | 129.0 (124.5, 133.5) | 19 (11, 44) | 675 | stable → | 0.3 (-0.4, 1.1) | |
| Franklin County 6 | *** | 128.7 (103.7, 158.4) | 20 (1, 85) | 20 | stable → | 0.9 (-1.5, 3.4) | |
| Warrick County 6 | *** | 128.6 (113.2, 145.7) | 21 (3, 72) | 54 | stable → | 0.4 (-1.6, 2.5) | |
| Whitley County ⁶ | *** | 128.4 (107.5, 152.4) | 22 (1, 78) | 29 | stable → | -0.5 (-2.7, 1.7) | |
| Boone County ⁶ | *** | 128.3 (112.3, 146.0) | 23 (2, 73) | 48 | stable → | -0.5 (-2.7, 1.7) | |
| Henry County 6 | *** | 127.0 (109.3, 147.0) | 24 (2, 79) | 41 | stable → | 1.1 (-1.0, 3.2) | |
| Spencer County 6 | *** | 126.7 (100.6, 158.0) | 25 (1, 87) | 18 | stable → | 1.1 (-1.7, 3.9) | |
| St. Joseph County ⁶ | *** | 126.6 (118.7, 134.9) | 26 (9, 57) | 207 | stable → | 0.1 (-0.9, 1.0) | |
| Daviess County 6 | *** | 126.0 (103.7, 154.7) | 27 (1, 85) | 24 | stable → | 1.6 (-1.3, 4.5) | |
| Putnam County 6 | *** | 125.3 (105.0, 148.7) | | 29 | stable → | | |
| Bartholomew County 6 | *** | 125.3 (103.0, 148.7) | 28 (2, 82) 29 (4, 71) | 62 | stable → | -0.8 (-2.4, 0.9) 0.8 (-0.8, 2.4) | |
| Clark County 6 | *** | | | | | | |
| Warren County 6 | *** | 124.6 (113.2, 136.9) | 30 (7, 68) | 93 | stable → | 0.1 (-1.0, 1.1) | |
| | *** | 124.6 (86.8, 175.2) | 31 (1, 91) | 8 | stable → | -2.3 (-6.0, 1.4) | |
| Lake County ⁶ White County ⁶ | *** | 124.0 (118.3, 129.8) | 32 (16, 57) | 390 | stable → | 0.5 (-0.3, 1.3) | |
| | *** | 123.5 (100.0, 151.4) | 33 (1, 86) | 21 | stable → | 1.9 (-0.6, 4.4) | |
| Elkhart County ⁶ | *** | 123.3 (114.2, 132.9) | 34 (10, 66) | 143 | stable → | 1.0 (-0.2, 2.2) | |
| Allen County 6 | | 122.8 (116.0, 129.9) | 35 (16, 61) | 261 | stable → | -0.2 (-1.2, 0.7) | |
| Grant County ⁶ | *** | 122.5 (107.7, 138.9) | 36 (5, 78) | 56 | stable → | 0.7 (-0.9, 2.4) | |
| Huntington County 6 | *** | 122.4 (102.5, 145.1) | 37 (1, 82) | 29 | stable → | 0.7 (-1.7, 3.0) | |
| Wabash County ⁶ | *** | 122.3 (100.8, 147.3) | 38 (1, 85) | 26 | stable → | 0.7 (-1.4, 2.9) | |
| Vanderburgh County ⁶ | *** | 122.1 (112.8, 132.0) | 39 (13, 68) | 141 | stable → | 0.0 (-1.4, 1.5) | |
| Noble County ⁶ | *** | 121.8 (103.8, 142.2) | 40 (3, 80) | 35 | stable → | 0.5 (-1.8, 2.9) | |

| 2/10/22, 10:00 / ((V) | | | Clate Garloer Fromes Fine | Diagnos natos lab | | |
|---------------------------------|-----|----------------------|---------------------------|-------------------|-----------|-------------------|
| Harrison County ⁶ | *** | 121.5 (102.4, 143.4) | 41 (3, 82) | 31 | stable → | 0.3 (-1.5, 2.2) |
| Blackford County ⁶ | *** | 121.5 (88.9, 163.1) | 42 (1, 90) | 10 | stable → | -0.3 (-4.5, 4.1) |
| Tippecanoe County ⁶ | *** | 120.9 (110.6, 132.0) | 43 (12, 71) | 106 | stable → | 0.1 (-0.8, 1.0) |
| Gibson County ⁶ | *** | 120.1 (99.5, 144.0) | 44 (2, 85) | 26 | stable → | 0.3 (-2.1, 2.8) |
| Owen County ⁶ | *** | 119.9 (94.8, 150.2) | 45 (1, 89) | 18 | stable → | 1.5 (-1.1, 4.3) |
| Posey County ⁶ | *** | 119.6 (96.2, 147.3) | 46 (1, 89) | 20 | stable → | -0.3 (-2.6, 2.0) |
| Vigo County ⁶ | *** | 119.4 (107.3, 132.5) | 47 (8, 74) | 78 | stable → | -0.7 (-1.7, 0.3) |
| Jefferson County 6 | *** | 118.5 (98.4, 141.8) | 48 (3, 87) | 26 | stable → | -1.6 (-3.7, 0.6) |
| Dubois County ⁶ | *** | 118.2 (99.4, 139.7) | 49 (4, 87) | 31 | stable → | 0.4 (-1.9, 2.8) |
| LaGrange County ⁶ | *** | 117.8 (96.9, 141.9) | 50 (2, 87) | 23 | stable → | -0.8 (-2.9, 1.3) |
| Greene County ⁶ | *** | 116.6 (97.0, 139.5) | 51 (3, 87) | 27 | stable → | 1.8 (-1.0, 4.7) |
| Adams County ⁶ | *** | 116.2 (94.6, 141.3) | 52 (2, 89) | 22 | stable → | 0.6 (-1.0, 2.2) |
| Union County ⁶ | *** | 115.8 (77.7, 168.8) | 53 (1, 91) | 6 | * | * |
| Clay County ⁶ | *** | 115.4 (93.3, 141.5) | 54 (4, 89) | 20 | stable → | -0.6 (-3.3, 2.1) |
| Lawrence County ⁶ | *** | 115.3 (98.5, 134.5) | 55 (7, 85) | 37 | rising ↑ | 1.7 (0.3, 3.1) |
| Monroe County ⁶ | *** | 115.3 (104.0, 127.5) | 56 (14, 80) | 82 | stable → | -0.9 (-2.0, 0.3) |
| Wayne County ⁶ | *** | 114.1 (99.9, 129.8) | 57 (10, 84) | 52 | stable → | 0.4 (-1.8, 2.6) |
| Sullivan County ⁶ | *** | 113.5 (88.0, 144.7) | 58 (1, 91) | 15 | stable → | -2.5 (-5.2, 0.2) |
| Jennings County ⁶ | *** | 113.4 (92.0, 138.7) | 59 (4, 89) | 21 | stable → | 1.1 (-1.6, 3.8) |
| Jackson County ⁶ | *** | 113.2 (95.3, 133.7) | 60 (6, 87) | 30 | stable → | -0.7 (-2.7, 1.4) |
| Wells County ⁶ | *** | 113.0 (91.4, 138.5) | 61 (3, 89) | 22 | stable → | -0.7 (-2.7, 1.5) |
| Switzerland County ⁶ | *** | 111.8 (77.1, 157.6) | 62 (1, 91) | 7 | stable → | 2.3 (-2.1, 6.9) |
| LaPorte County ⁶ | *** | 111.5 (100.1, 124.0) | 63 (22, 82) | 78 | stable → | -0.8 (-2.4, 0.9) |
| Jasper County ⁶ | *** | 110.9 (91.2, 133.9) | 64 (6, 89) | 24 | stable → | 0.3 (-2.6, 3.2) |
| DeKalb County ⁶ | *** | 110.7 (93.4, 130.4) | 65 (9, 88) | 31 | stable → | -0.6 (-3.0, 1.9) |
| Jay County ⁶ | *** | 110.5 (85.6, 140.8) | 66 (2, 91) | 14 | stable → | -0.9 (-3.9, 2.3) |
| Fayette County ⁶ | *** | 110.0 (87.4, 137.1) | 67 (3, 91) | 18 | stable → | -0.5 (-3.0, 2.1) |
| Carroll County ⁶ | *** | 109.5 (85.2, 139.2) | 68 (3, 91) | 15 | stable → | -0.4 (-2.8, 2.1) |
| Washington County ⁶ | *** | 109.0 (87.9, 133.9) | 69 (6, 90) | 20 | stable → | 1.0 (-2.5, 4.7) |
| Fulton County ⁶ | *** | 106.5 (81.9, 136.5) | 70 (5, 91) | 14 | stable → | -1.5 (-4.2, 1.3) |
| Delaware County ⁶ | *** | 104.1 (93.4, 115.8) | 71 (38, 87) | 75 | stable → | -1.1 (-3.1, 1.1) |
| Ripley County ⁶ | *** | 103.5 (83.3, 127.4) | 72 (11, 91) | 19 | stable → | 1.0 (-1.6, 3.6) |
| Randolph County ⁶ | *** | 102.6 (81.5, 127.9) | 73 (7, 91) | 18 | stable → | -1.6 (-3.8, 0.7) |
| Crawford County ⁶ | *** | 102.5 (70.9, 144.8) | 74 (1, 91) | 7 | stable → | -0.4 (-5.1, 4.5) |
| Benton County ⁶ | *** | 101.7 (68.0, 147.8) | 75 (1, 91) | 6 | stable → | 2.0 (-3.2, 7.6) |
| Decatur County ⁶ | *** | 101.2 (80.7, 125.6) | 76 (13, 91) | 18 | stable → | 1.3 (-1.1, 3.8) |
| Pulaski County ⁶ | *** | 99.8 (71.6, 136.6) | 77 (3, 91) | 9 | stable → | -0.4 (-4.2, 3.6) |
| Parke County ⁶ | *** | 98.7 (73.8, 129.9) | 78 (8, 91) | 11 | stable → | 0.4 (-3.1, 3.9) |
| Vermillion County ⁶ | *** | 98.3 (73.2, 130.2) | 79 (6, 91) | 11 | stable → | -2.9 (-6.0, 0.3) |
| Cass County ⁶ | *** | 97.5 (80.1, 117.8) | 80 (27, 91) | 24 | stable → | -1.7 (-3.9, 0.6) |
| Perry County ⁶ | *** | 96.7 (72.8, 126.5) | 81 (10, 91) | 12 | stable → | 0.9 (-2.2, 4.1) |
| Marshall County ⁶ | *** | 95.3 (80.3, 112.6) | 82 (43, 91) | 30 | stable → | -1.6 (-3.4, 0.2) |
| Clinton County ⁶ | *** | 93.3 (74.8, 115.1) | 83 (30, 91) | 19 | stable → | -0.6 (-2.9, 1.8) |
| Brown County ⁶ | *** | 92.8 (69.4, 123.2) | 84 (12, 91) | 12 | stable → | -2.0 (-4.7, 0.8) |
| Starke County ⁶ | *** | 92.7 (71.9, 118.3) | 85 (23, 91) | 14 | falling ↓ | -3.0 (-5.5, -0.4) |
| Miami County ⁶ | *** | 89.6 (72.7, 109.7) | 86 (45, 91) | 21 | falling ↓ | -3.4 (-5.5, -1.2) |
| Pike County ⁶ | *** | 87.4 (61.1, 122.4) | 87 (15, 91) | 8 | stable → | -2.1 (-6.4, 2.5) |
| Newton County ⁶ | *** | 87.3 (62.2, 120.2) | 88 (15, 91) | 9 | stable → | -2.7 (-6.6, 1.4) |
| Scott County ⁶ | *** | 86.7 (66.6, 111.4) | 89 (43, 91) | 13 | falling ↓ | -3.4 (-6.3, -0.4) |
| Steuben County ⁶ | *** | 85.0 (67.6, 105.8) | 90 (53, 91) | 19 | stable → | -2.2 (-4.6, 0.1) |
| Martin County 6 | *** | 78.1 (50.2, 117.1) | 91 (15, 91) | 6 | stable → | -2.1 (-6.2, 2.1) |
| Ohio County ⁶ | *** | * | * | 3 or fewer | * | |

State Cancer Registries (http://statecancerprofiles.cancer.govhttps://nccd.cdc.gov/dcpc Programs/index.aspx#/3) may provide more current or more local data.

Trond

Rising when 95% confidence interval of average annual percent change is above 0.

Stable when 95% confidence interval of average annual percent change includes 0.

Falling when 95% confidence interval of average annual percent change is below 0.

n Results presented with the CI*Rank statistics help show the usefulness of ranks. For example, ranks for relatively rare diseases or less populated areas may be essentially meaningless because of their large variability, but ranks for more common diseases in densely populated regions can be very useful. More information about methodology can be found on the CI*Rank website (http://statecancerprofiles.cancer.gov/tirps://surveillance.cancer.gov/cirank/).

† Incidence rates (cases per 100,000 population per year) are age-adjusted to the 2000 US standard population (http://www.seer.cancer.gov/stdpopulations/stdpop.19ages.html) (19 age groups: <1, 1-4, 5-9, ..., 80-84, 85+). Rates are for invasive cancer only (except for bladder cancer which is invasive and in situ) or unless otherwise specified. Rates calculated using SEER*Stat. Population counts for denominators are based on Census populations as modified by NCI. The 1969-2018 US Population Data (http://statecancer.gov/https://seer.cancer.gov/popdata/) File is used for SEER and NPCR incidence rates.

‡ Incidence data come from different sources. Due to different years of data availability, most of the trends are AAPCs based on APCs but some are APCs calculated in SEER*Stat. Please refer to the source for each area for additional information.

Rates and trends are computed using different standards for malignancy. For more information see malignant.html (http://statecancerprofiles.cancer.gov/malignant.html).

^ All Stages refers to any stage in the Surveillance, Epidemiology, and End Results (SEER) <u>summary stage (http://statecancerprofiles.cancer.gov/https://seer.cancer.gov/tools/ssm/</u>).
*** No Healthy People 2020 Objective for this cancer.

<u>Healthy People 2020 (http://statecancerprofiles.cancer.govhttps://www.healthypeople.gov/)</u> Objectives provided by the <u>Centers for Disease Control and Prevention (http://statecancerprofiles.cancer.govhttps://www.cdc.gov/)</u>.

- * Data has been <u>suppressed (http://statecancerprofiles.cancer.gov/suppressed.html)</u> to ensure confidentiality and stability of rate estimates. Counts are suppressed if fewer than 16 records were reported in a specific area-sex-race category. If an average count of 3 is shown, the total number of cases for the time period is 16 or more which exceeds suppression threshold (but is rounded to 3).
- ¹ Source: National Program of Cancer Registries (http://statecancerprofiles.cancer.gov/https://www.cdc.gov/cancer/npcr/index.htm) and Surveillance, Epidemiology, and End Results (http://seer.cancer.gov) SEER*Stat Database (2001-2018) United States Department of Health and Human Services, Centers for Disease Control and Prevention and National Cancer Institute. Based on the 2020 submission.
- ⁶ Source: National Program of Cancer Registries (http://statecancerprofiles.cancer.gov/ttps://www.cdc.gov/cancer/npcr/index.htm) SEER*Stat Database (2001-2018) United States Department of Health and Human Services, Centers for Disease Control and Prevention (based on the 2020 submission).
- 8 Source: Incidence data provided by the <u>SEER Program. (http://seer.cancer.gov/</u> AAPCs are calculated by the <u>Joinpoint Regression Program</u> (http://statecancer.gov/https://surveillance.cancer.gov/joinpoint/, and are based on APCs. Data are age-adjusted to the <u>2000 US standard population</u> (http://www.seer.cancer.gov/stdpopulations/single_age.html/ (19 age groups: <1, 1-4, 5-9, ..., 80-84,85+). Rates are for invasive cancer only (except for bladder cancer which is invasive and in situ) or unless otherwise specified. Population counts for denominators are based on Census populations as modified by NCI. The 1969-2018 US Population Data (http://seer.cancer.gov/populata/) File is used with SEER November 2020 data.

Interpret Rankings (http://statecancerprofiles.cancer.gov/interpretrankings.html) provides insight into interpreting cancer incidence statistics. When the population size for a denominator is small, the rates may be unstable. A rate is unstable when a small change in the numerator (e.g., only one or two additional cases) has a dramatic effect on the calculated rate.

Data for United States does not include Puerto Rico.

When displaying county information, the CI*Rank for the state is not shown because it's not comparable. To see the state CI*Rank please view the statistics at the US By State level.

Return to Top

U.S. Department of Health and Human Services (https://www.hhs.gov/). | National Institutes of Health (https://www.nih.gov/). | National Cancer Institute (https://www.cancer.gov/). | USA.gov (http://www.nih.gov/).

NIH... Turning Discovery Into Health®



(https://www.cdc.gov)

 $\textcolor{red}{\bigstar \underline{(http://statecancerprofiles.cancer.gov/index.html)}} \geq \underline{lncidence}(\underline{http://statecancerprofiles.cancer.gov/data-topics/incidence.html)}} > \underline{Table}(\underline{http://statecancerprofiles.cancer.gov/data-topics/incidence.html}}) > \underline{Incidence}(\underline{http://statecancerprofiles.cancer.gov/data-topics/incidence.html}}) > \underline{Incidence}(\underline{http://statecancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.cancerprofiles.$

Incidence Rates Table

STATE CANCER PROFILES

Incidence Rate Report for Indiana by County

Colon & Rectum (All Stages^), 2014-2018

All Races (includes Hispanic), Both Sexes, All Ages

Sorted by Rate

| | | | Sorted by Rate | | | |
|---|--|--|---------------------------------------|-------------------------|------------------|---|
| County | Met Healthy People Objective of 39.9? | Age-Adjusted Incidence Rate [±] cases per 100,000 (<u>95% Confidence Interval</u>) | CI*Rank⊕ (95% Confidence Interval) | Average Annual Count | Recent Trend | Recent 5-Year Trend [±] in Incidence Rates (95% Confidence Interval) |
| Indiana ⁶ | No | 41.7 (41.1, 42.4) | N/A | 3,207 | falling ↓ | -2.8 (-4.9, -0.7) |
| US (SEER+NPCR) 1 | Yes | 38.0 (37.9, 38.1) | N/A | 143,200 | falling ↓ | -1.8 (-2.3, -1.2) |
| Ohio County ⁶ | No | 64.1 (42.6, 94.7) | 1 (1, 89) | 6 | stable → | -0.6 (-4.7, 3.7) |
| Jefferson County ⁶ | No | 61.3 (50.8, 73.5) | 2 (1, 39) | 25 | stable → | 0.1 (-3.1, 3.5) |
| Benton County 6 | No | 60.8 (41.7, 86.2) | 3 (1, 87) | 7 | stable → | 0.6 (-3.4, 4.6) |
| Starke County ⁶ | No | 60.3 (48.5, 74.5) | 4 (1, 54) | 19 | stable → | -1.0 (-3.8, 1.8) |
| Jay County ⁶ | No | 58.0 (45.2, 73.4) | 5 (1, 74) | 15 | stable → | -1.1 (-3.8, 1.7) |
| Fountain County ⁶ | No | 55.2 (42.0, 71.7) | 6 (1, 83) | 12 | stable → | -0.6 (-3.7, 2.5) |
| Knox County ⁶ | No | 55.1 (45.8, 65.9) | 7 (1, 63) | 26 | falling ↓ | -2.4 (-4.5, -0.3) |
| Sullivan County ⁶ | No | 54.3 (42.1, 69.3) | 8 (1, 78) | 14 | stable → | -1.7 (-4.0, 0.7) |
| Grant County ⁶ | No | 53.2 (46.3, 60.8) | 9 (2, 55) | 47 | stable → | -0.4 (-1.9, 1.1) |
| Gibson County ⁶ | No | 52.7 (43.1, 63.9) | 10 (1, 71) | 22 | falling ↓ | -2.8 (-5.3, -0.2) |
| Blackford County 6 | No | 52.1 (38.0, 70.5) | 11 (1, 89) | 9 | stable → | -2.2 (-5.1, 0.7) |
| Warren County ⁶ | No | 52.0 (35.1, 75.5) | 12 (1, 91) | 6 | stable → | -0.6 (-4.2, 3.1) |
| Carroll County 6 | No | 51.2 (39.4, 65.8) | 13 (1, 85) | 14 | stable → | -1.2 (-3.8, 1.5) |
| Wabash County 6 | No | 51.1 (41.9, 62.0) | 14 (1, 77) | 23 | stable → | -0.6 (-2.2, 1.0) |
| Favette County 6 | No | 51.1 (40.3, 64.1) | 15 (1, 84) | 16 | stable → | -0.9 (-3.7, 1.9) |
| Owen County ⁶ | No | 50.8 (39.5, 64.7) | 16 (1, 85) | 15 | stable → | 0.9 (-2.0, 4.0) |
| Scott County 6 | No | 50.8 (39.6, 64.3) | 17 (1, 84) | 15 | falling ↓ | -4.8 (-7.8, -1.8) |
| Putnam County 6 | No | 50.0 (40.9, 60.5) | 18 (2, 79) | 22 | stable → | 0.1 (-2.7, 3.1) |
| Shelby County 6 | No | 49.8 (41.7, 59.1) | 19 (2, 75) | 28 | stable → | -0.3 (-2.1, 1.5) |
| Pulaski County 6 | No | 49.7 (35.5, 68.2) | 20 (1, 90) | 9 | stable → | -2.1 (-6.0, 1.9) |
| Huntington County 6 | No | | | 23 | falling ↓ | |
| Martin County 6 | | 49.7 (40.7, 60.2) | 21 (1, 78) | 7 | stable → | -3.1 (-5.5, -0.6) |
| DeKalb County 6 | No | 49.6 (33.8, 70.8) | 22 (1, 91) | 25 | falling ↓ | 9.4 (-4.8, 25.7) |
| | No | 49.4 (41.0, 59.2) | 23 (2, 80) | | | -2.2 (-4.0, -0.5) |
| Crawford County ⁶ Rush County ⁶ | No | 49.0 (33.8, 69.3) | 24 (1, 91) | 7 | stable → | 4.5 (-1.6, 11.0) |
| | No | 47.8 (35.4, 63.4) | 25 (1, 90) | 11 | stable → | -0.3 (-3.1, 2.6) |
| Jennings County 6 | No | 47.7 (37.7, 59.8) | 26 (1, 86) | 16 | stable → | 0.0 (-2.4, 2.5) |
| Lake County ⁶ | No | 47.7 (45.2, 50.3) | 27 (13, 47) | 284 | falling ↓ | -1.9 (-2.4, -1.4) |
| Morgan County ⁶ | No | 47.3 (40.8, 54.6) | 28 (5, 72) | 40 | stable → | -0.9 (-2.9, 1.2) |
| Decatur County 6 | No | 46.8 (36.8, 58.9) | 29 (2, 87) | 16 | stable → | 1.0 (-1.2, 3.2) |
| Harrison County 6 | No | 46.1 (37.9, 55.7) | 30 (3, 86) | 23 | falling ↓ | -3.0 (-5.9, -0.1) |
| White County 6 | No | 46.0 (35.7, 58.4) | 31 (2, 89) | 15 | stable → | -2.1 (-4.6, 0.5) |
| Clinton County 6 | No | 45.9 (36.7, 56.8) | 32 (3, 87) | 18 | stable → | -1.0 (-2.9, 1.0) |
| Kosciusko County ⁶ | No | 45.5 (39.5, 52.2) | 33 (7, 78) | 43 | falling ↓ | -1.4 (-2.7, -0.1) |
| Posey County ⁶ | No | 45.3 (35.5, 57.1) | 34 (3, 89) | 16 | falling ↓ | -2.7 (-5.0, -0.3) |
| Jackson County ⁶ | No | 45.2 (37.4, 54.2) | 35 (5, 86) | 24 | stable → | -1.7 (-4.1, 0.8) |
| Whitley County ⁶ | No | 45.1 (36.2, 55.7) | 36 (3, 89) | 19 | stable → | -1.6 (-3.9, 0.7) |
| Steuben County ⁶ | No | 44.9 (36.3, 55.0) | 37 (4, 88) | 21 | stable → | -2.2 (-4.8, 0.4) |
| Daviess County ⁶ | No | 44.9 (35.8, 55.7) | 38 (3, 88) | 17 | stable → | -2.3 (-4.7, 0.0) |
| LaPorte County ⁶ | No | 44.6 (39.7, 50.1) | 39 (12, 76) | 63 | falling ↓ | -2.0 (-2.8, -1.2) |
| Miami County ⁶ | No | 44.5 (36.1, 54.4) | 40 (4, 87) | 20 | stable → | -1.0 (-3.1, 1.2) |

| Howard County ⁶ | No | 44.3 (38.7, 50.5) | 41 (10, 80) | 48 | falling ↓ | -2.1 (-3.8, -0.3) |
|---|-----|-------------------|-------------|------------|------------------|---------------------|
| Tippecanoe County ⁶ | No | 44.2 (39.7, 49.2) | 42 (14, 76) | 72 | stable → | -0.7 (-2.1, 0.7) |
| Clark County ⁶ | No | 44.2 (39.2, 49.6) | 43 (13, 79) | 60 | falling ↓ | -2.4 (-4.1, -0.6) |
| Lawrence County ⁶ | No | 44.1 (36.9, 52.4) | 44 (7, 86) | 28 | stable → | -1.9 (-3.7, 0.0) |
| Vigo County ⁶ | No | 44.1 (38.9, 49.8) | 45 (11, 80) | 55 | falling ↓ | -2.1 (-3.7, -0.4) |
| Jasper County ⁶ | No | 43.9 (35.1, 54.5) | 46 (4, 90) | 18 | stable → | -0.8 (-3.0, 1.5) |
| Fulton County ⁶ | No | 43.7 (33.0, 57.1) | 47 (3, 90) | 12 | stable → | -2.0 (-5.1, 1.1) |
| Wells County 6 | No | 43.5 (34.3, 54.6) | 48 (4, 90) | 16 | stable → | -11.4 (-24.5, 3.8) |
| Ripley County ⁶ | No | 43.4 (34.0, 54.8) | 49 (5, 90) | 15 | falling ↓ | -2.8 (-4.7, -0.8) |
| Randolph County ⁶ | No | 43.3 (33.9, 54.8) | 50 (3, 90) | 15 | stable → | -2.7 (-5.3, 0.0) |
| Floyd County ⁶ | No | 43.0 (37.0, 49.7) | 51 (11, 84) | 40 | stable → | -2.1 (-4.5, 0.3) |
| Dubois County ⁶ | No | 42.9 (35.4, 51.8) | 52 (8, 89) | 23 | stable → | -0.9 (-3.0, 1.3) |
| Porter County ⁶ | No | 42.9 (38.8, 47.2) | 53 (19, 78) | 87 | falling ↓ | -2.7 (-3.9, -1.4) |
| Wayne County ⁶ | No | 42.6 (36.5, 49.5) | 54 (14, 87) | 37 | falling ↓ | -2.2 (-4.1, -0.3) |
| Hancock County ⁶ | No | 42.1 (36.0, 48.9) | 55 (13, 86) | 36 | falling ↓ | -2.5 (-4.5, -0.5) |
| Greene County 6 | No | 42.0 (33.8, 51.9) | 56 (6, 90) | 19 | stable → | -1.7 (-4.6, 1.3) |
| Clay County ⁶ | No | 41.8 (32.3, 53.4) | 57 (6, 91) | 14 | falling ↓ | -2.8 (-5.2, -0.4) |
| Brown County ⁶ | No | 41.7 (29.8, 57.5) | 58 (2, 91) | 10 | stable → | 0.9 (-3.3, 5.2) |
| Vermillion County 6 | No | 41.4 (30.2, 56.0) | 59 (3, 91) | 10 | falling ↓ | -6.4 (-11.3, -1.1) |
| Cass County ⁶ | No | 41.3 (33.5, 50.6) | 60 (9, 90) | 20 | falling ↓ | -3.2 (-5.6, -0.7) |
| Henry County ⁶ | No | 40.8 (34.1, 48.6) | 61 (13, 88) | 27 | falling ↓ | -3.3 (-5.4, -1.2) |
| Orange County ⁶ | No | 40.8 (30.3, 53.9) | 62 (4, 91) | 11 | falling ↓ | -13.1 (-20.1, -5.4) |
| Franklin County 6 | No | 40.5 (30.5, 52.8) | 63 (6, 91) | 12 | stable → | 3.4 (-5.0, 12.6) |
| Madison County ⁶ | No | 40.4 (36.1, 45.1) | 64 (25, 85) | 68 | falling ↓ | -1.7 (-3.2, -0.2) |
| Elkhart County ⁶ | No | 40.4 (36.7, 44.4) | 65 (29, 83) | 90 | falling ↓ | -1.8 (-2.9, -0.8) |
| Dearborn County 6 | No | 40.3 (33.5, 48.2) | 66 (10, 89) | 26 | falling ↓ | -3.7 (-5.0, -2.3) |
| Vanderburgh County 6 | Yes | 39.1 (35.4, 43.2) | 67 (33, 84) | 87 | falling ↓ | -2.1 (-3.5, -0.8) |
| Boone County 6 | Yes | 38.9 (32.5, 46.2) | 68 (17, 90) | 27 | falling ↓ | -2.5 (-4.5, -0.5) |
| Hendricks County 6 | Yes | 38.6 (34.4, 43.2) | 69 (33, 87) | 64 | falling ↓ | -3.3 (-4.8, -1.7) |
| Marion County 6 | Yes | 38.5 (36.7, 40.4) | 70 (50, 81) | 365 | falling ↓ | -2.7 (-3.4, -2.1) |
| Allen County 6 | Yes | 37.9 (35.2, 40.7) | 71 (46, 85) | 152 | falling ↓ | -3.2 (-3.8, -2.5) |
| Adams County 6 | Yes | 37.8 (29.7, 47.5) | 72 (14, 91) | 16 | falling ↓ | -3.0 (-5.7, -0.2) |
| Johnson County 6 | Yes | 37.7 (33.6, 42.2) | 72 (14, 71) | 63 | stable → | -1.4 (-2.7, 0.0) |
| | | | | | | 1 1 |
| Perry County 6 | Yes | 37.5 (27.4, 50.4) | 74 (7, 91) | 10 | stable → | -3.1 (-6.2, 0.1) |
| St. Joseph County ⁶ Marshall County ⁶ | Yes | 37.2 (34.1, 40.4) | 75 (48, 87) | 116 | falling ↓ | -3.4 (-4.3, -2.5) |
| Delaware County 6 | Yes | 36.7 (30.0, 44.7) | 76 (21, 91) | 22 | falling ↓ | -3.9 (-5.2, -2.5) |
| | Yes | 36.5 (32.0, 41.4) | 77 (38, 90) | 51 | falling ↓ | -3.4 (-4.7, -2.1) |
| Washington County 6 | Yes | 36.3 (27.5, 47.0) | 78 (15, 91) | 12 | falling ↓ | -3.5 (-6.2, -0.7) |
| Newton County 6 | Yes | 36.2 (24.6, 51.9) | 79 (5, 91) | 7 | falling ↓ | -4.3 (-7.1, -1.4) |
| Noble County 6 | Yes | 36.0 (29.1, 44.0) | 80 (27, 91) | 20 | falling ↓ | -4.1 (-5.8, -2.5) |
| Monroe County 6 | Yes | 35.8 (31.3, 40.8) | 81 (42, 90) | 48 | falling ↓ | -1.9 (-3.3, -0.5) |
| Pike County ⁶ | Yes | 35.2 (24.1, 50.5) | 82 (6, 91) | 7 | stable → | -2.3 (-6.0, 1.7) |
| Warrick County 6 | Yes | 35.1 (29.2, 41.9) | 83 (34, 91) | 26 | falling ↓ | -4.0 (-5.7, -2.3) |
| Bartholomew County 6 | Yes | 35.1 (29.9, 41.0) | 84 (39, 91) | 34 | stable → | -2.6 (-5.1, 0.0) |
| Montgomery County 6 | Yes | 34.0 (26.9, 42.6) | 85 (26, 91) | 16 | falling ↓ | -4.7 (-6.7, -2.6) |
| Tipton County 6 | Yes | 33.9 (24.1, 47.1) | 86 (12, 91) | 8 | stable → | -2.9 (-6.5, 0.8) |
| LaGrange County ⁶ | Yes | 33.7 (25.9, 43.2) | 87 (25, 91) | 13 | falling ↓ | -3.8 (-6.0, -1.5) |
| Spencer County ⁶ | Yes | 33.2 (24.1, 45.0) | 88 (16, 91) | 9 | falling ↓ | -4.6 (-7.7, -1.3) |
| Hamilton County ⁶ | Yes | 30.4 (27.7, 33.4) | 89 (77, 91) | 94 | falling ↓ | -2.7 (-3.8, -1.5) |
| Switzerland County ⁶ | Yes | 28.9 (17.7, 45.2) | 90 (17, 91) | 4 | stable → | -4.2 (-8.9, 0.9) |
| Parke County ⁶ | Yes | 28.5 (19.5, 40.7) | 91 (35, 91) | 7 | falling ↓ | -15.8 (-24.9, -5.6) |
| Union County ⁶ | *** | * | * | 3 or fewer | * | * |

State Cancer Registries (http://statecancerprofiles.cancer.govhttps://nccd.cdc.gov/dcpc Programs/index.aspx#/3) may provide more current or more local data.

Trend

Rising when 95% confidence interval of average annual percent change is above 0.

Stable when 95% confidence interval of average annual percent change includes 0.

Falling when 95% confidence interval of average annual percent change is below 0.

n Results presented with the CI*Rank statistics help show the usefulness of ranks. For example, ranks for relatively rare diseases or less populated areas may be essentially meaningless because of their large variability, but ranks for more common diseases in densely populated regions can be very useful. More information about methodology can be found on the CI*Rank website (http://statecancerprofiles.cancer.gov/tirps://surveillance.cancer.gov/cirank/).

† Incidence rates (cases per 100,000 population per year) are age-adjusted to the 2000 US standard population (http://www.seer.cancer.gov/stdpopulations/stdpop.19ages.html) (19 age groups: <1, 1-4, 5-9, ..., 80-84, 85+). Rates are for invasive cancer only (except for bladder cancer which is invasive and in situ) or unless otherwise specified. Rates calculated using SEER*Stat. Population counts for denominators are based on Census populations as modified by NCI. The 1969-2018 US Population Data (http://statecancer.gov/https://seer.cancer.gov/popdata/). File is used for SEER and NPCR incidence rates.

‡ Incidence data come from different sources. Due to different years of data availability, most of the trends are AAPCs based on APCs but some are APCs calculated in SEER*Stat. Please refer to the source for each area for additional information.

Rates and trends are computed using different standards for malignancy. For more information see malignant.html (http://statecancerprofiles.cancer.gov/malignant.html).

- ^ All Stages refers to any stage in the Surveillance, Epidemiology, and End Results (SEER) <u>summary stage (http://statecancerprofiles.cancer.gov/https://seer.cancer.gov/ttools/ssm//).</u>
 Http://statecancerprofiles.cancer.gov/https://www.healthypeople.gov/). Objectives provided by the Centers for Disease Control and Prevention
 https://www.cdc.gov/).
- * Data has been <u>suppressed (http://statecancerprofiles.cancer.gov/suppressed.html)</u> to ensure confidentiality and stability of rate estimates. Counts are suppressed if fewer than 16 records were reported in a specific area-sex-race category. If an average count of 3 is shown, the total number of cases for the time period is 16 or more which exceeds suppression threshold (but is rounded to 3).
- ¹ Source: National Program of Cancer Registries (http://statecancerprofiles.cancer.gov/https://www.cdc.gov/cancer/npcr/index.htm) and Surveillance, Epidemiology, and End Results (http://seer.cancer.gov) SEER*Stat Database (2001-2018) United States Department of Health and Human Services, Centers for Disease Control and Prevention and National Cancer Institute, Based on the 2020 submission.
- ⁶ Source: National Program of Cancer Registries (http://statecancerprofiles.cancer.gov/ttps://www.cdc.gov/cancer/npcr/index.htm) SEER*Stat Database (2001-2018) United States Department of Health and Human Services, Centers for Disease Control and Prevention (based on the 2020 submission).
- 8 Source: Incidence data provided by the <u>SEER Program. (http://seer.cancer.gov)</u> AAPCs are calculated by the <u>Joinpoint Regression Program (http://statecancerprofiles.cancer.gov/https://surveillance.cancer.gov/joinpoint/)</u> and are based on APCs. Data are age-adjusted to the <u>2000 US standard population (http://www.seer.cancer.gov/stdpopulations/single_age.html)</u> (19 age groups: <1, 1-4, 5-9, ..., 80-84,85+). Rates are for invasive cancer only (except for bladder cancer which is invasive and in situ) or unless otherwise specified. Population counts for denominators are based on Census populations as modified by NCI. The <u>1969-2018 US Population Data (http://seer.cancer.gov/popdata/)</u> File is used with SEER November 2020 data.

Interpret Rankings (http://statecancerprofiles.cancer.gov/interpretrankings.html) provides insight into interpreting cancer incidence statistics. When the population size for a denominator is small, the rates may be unstable. A rate is unstable when a small change in the numerator (e.g., only one or two additional cases) has a dramatic effect on the calculated rate.

Data for United States does not include Puerto Rico.

When displaying county information, the CI*Rank for the state is not shown because it's not comparable. To see the state CI*Rank please view the statistics at the US By State level.

Return to Top

<u>U.S. Department of Health and Human Services (https://www.hhs.gov/)</u> | <u>National Institutes of Health (https://www.nih.gov/)</u> | <u>National Cancer Institute (https://www.cancer.gov/)</u> | <u>USA.gov (http://www.nih.gov/)</u> | <u>National Cancer Institute (https://www.cancer.gov/)</u> | <u>USA.gov (http://www.nih.gov/)</u> | <u>National Cancer Institute (https://www.cancer.gov/)</u> | <u>VSA.gov (https://www.nih.gov/)</u> | <u>VSA.gov (https://www.nih.gov</u>



(https://www.cdc.gov)

 $\stackrel{\bigstar}{\text{(http://statecancerprofiles.cancer.gov/index.html)}} > \underbrace{\text{Incidence (http://statecancerprofiles.cancer.gov/data-topics/incidence.html)}} > Table$

Incidence Rates Table

STATE CANCER PROFILES

Incidence Rate Report for Indiana by County

Lung & Bronchus (All Stages^), 2014-2018

All Races (includes Hispanic), Both Sexes, All Ages

| | | | Sorted by Rate | | | |
|--------------------------------|--------------------------------------|--|---------------------------------------|-------------------------|------------------|---|
| County | Met Healthy People Objective of ***? | Age-Adjusted Incidence Rate [±] cases per 100,000 (<u>95% Confidence Interval</u>) | CI*Rankm (95% Confidence Interval) | Average Annual Count | Recent Trend | Recent 5-Year Trend [±] in Incidence Rates (95% Confidence Interval) |
| Indiana ⁶ | *** | 69.9 (69.1, 70.7) | N/A | 5,556 | falling ↓ | -4.8 (-7.6, -2.0) |
| US (SEER+NPCR) 1 | *** | 57.3 (57.1, 57.4) | N/A | 222,811 | falling ↓ | -2.6 (-3.4, -1.8) |
| Starke County ⁶ | *** | 99.5 (84.6, 116.5) | 1 (1, 36) | 33 | stable → | 0.0 (-1.8, 1.9) |
| Blackford County ⁶ | *** | 93.9 (75.0, 116.9) | 2 (1, 78) | 18 | stable → | -0.6 (-3.3, 2.2) |
| Putnam County ⁶ | *** | 90.9 (78.9, 104.2) | 3 (1, 44) | 43 | stable → | -1.4 (-3.2, 0.6) |
| Washington County ⁶ | *** | 90.8 (77.4, 106.1) | 4 (1, 54) | 34 | stable → | 0.2 (-1.9, 2.4) |
| Clay County ⁶ | *** | 90.6 (76.9, 106.1) | 5 (1, 58) | 32 | stable → | 0.2 (-1.6, 2.0) |
| Jefferson County ⁶ | *** | 90.2 (77.7, 104.4) | 6 (1, 50) | 39 | stable → | -1.0 (-3.3, 1.4) |
| Scott County ⁶ | *** | 88.4 (73.9, 105.2) | 7 (1, 65) | 27 | falling ↓ | -2.6 (-4.7, -0.4) |
| Harrison County ⁶ | *** | 88.0 (76.8, 100.5) | 8 (1, 51) | 46 | stable → | 0.2 (-1.4, 1.9) |
| Vermillion County ⁶ | *** | 86.9 (70.5, 106.6) | 9 (1, 81) | 20 | stable → | 0.1 (-2.5, 2.7) |
| Jennings County ⁶ | *** | 84.8 (71.4, 100.2) | 10 (1, 72) | 30 | stable → | -0.7 (-3.0, 1.6) |
| Shelby County ⁶ | *** | 84.3 (73.9, 95.9) | 11 (1, 58) | 49 | stable → | 0.1 (-1.4, 1.7) |
| Rush County ⁶ | *** | 84.0 (67.9, 103.1) | 12 (1, 84) | 20 | stable → | -1.6 (-3.9, 0.8) |
| Grant County ⁶ | *** | 83.6 (75.3, 92.6) | 13 (2, 52) | 79 | stable → | -0.1 (-1.5, 1.3) |
| Clark County ⁶ | *** | 83.3 (76.6, 90.6) | 14 (3, 44) | 117 | falling ↓ | -1.7 (-3.1, -0.2) |
| Morgan County ⁶ | *** | 83.0 (74.7, 92.2) | 15 (2, 54) | 75 | falling ↓ | -1.2 (-2.2, -0.1) |
| DeKalb County ⁶ | *** | 82.0 (71.4, 93.8) | 16 (1, 69) | 45 | stable → | 1.6 (-0.1, 3.2) |
| Owen County ⁶ | *** | 81.7 (67.8, 98.0) | 17 (1, 81) | 26 | stable → | -1.7 (-3.7, 0.3) |
| Floyd County ⁶ | *** | 80.5 (72.4, 89.4) | 18 (3, 62) | 75 | falling ↓ | -1.7 (-2.7, -0.6) |
| Dearborn County ⁶ | *** | 80.2 (70.6, 90.9) | 19 (2, 72) | 53 | stable → | -1.4 (-3.0, 0.3) |
| Whitley County ⁶ | *** | 79.7 (68.3, 92.7) | 20 (1, 78) | 36 | stable → | 0.8 (-1.3, 2.9) |
| Delaware County ⁶ | *** | 79.6 (73.1, 86.5) | 21 (5, 56) | 115 | stable → | -0.5 (-2.0, 0.9) |
| Henry County ⁶ | *** | 78.7 (69.4, 89.0) | 22 (2, 72) | 54 | stable → | -0.7 (-1.9, 0.6) |
| Noble County ⁶ | *** | 78.5 (68.2, 90.0) | 23 (2, 77) | 45 | stable → | 0.4 (-1.0, 1.8) |
| Madison County ⁶ | *** | 78.0 (72.1, 84.2) | 24 (8, 59) | 135 | stable → | -1.1 (-2.2, 0.1) |
| Benton County ⁶ | *** | 77.7 (56.4, 105.2) | 25 (1, 91) | 9 | falling ↓ | -2.7 (-5.1, -0.3) |
| Cass County ⁶ | *** | 77.7 (67.1, 89.7) | 26 (3, 81) | 40 | stable → | 0.0 (-2.0, 2.0) |
| Vigo County ⁶ | *** | 77.4 (70.6, 84.6) | 27 (7, 65) | 100 | falling ↓ | -1.7 (-2.7, -0.7) |
| Fayette County ⁶ | *** | 77.3 (64.4, 92.3) | 28 (2, 85) | 26 | falling ↓ | -1.7 (-3.2, -0.1) |
| Pike County ⁶ | *** | 76.2 (59.5, 96.8) | 29 (1, 90) | 15 | stable → | -0.9 (-3.5, 1.7) |
| Knox County ⁶ | *** | 76.1 (65.4, 88.2) | 30 (3, 85) | 38 | stable → | 0.8 (-1.0, 2.6) |
| LaPorte County ⁶ | *** | 75.8 (69.5, 82.5) | 31 (10, 67) | 112 | stable → | -0.7 (-1.7, 0.4) |
| Crawford County ⁶ | *** | 75.3 (57.5, 98.0) | 32 (1, 91) | 13 | stable → | -2.7 (-5.5, 0.2) |
| Greene County ⁶ | *** | 74.8 (63.8, 87.4) | 33 (4, 85) | 34 | stable → | -0.5 (-2.5, 1.5) |
| Marion County ⁶ | *** | 74.6 (72.1, 77.2) | 34 (23, 52) | 709 | falling ↓ | -2.0 (-2.6, -1.4) |
| Martin County ⁶ | *** | 74.0 (55.7, 97.3) | 35 (1, 91) | 11 | stable → | 1.0 (-2.0, 4.1) |
| Brown County ⁶ | *** | 73.6 (58.6, 92.1) | 36 (1, 90) | 19 | stable → | -0.1 (-2.2, 2.1) |
| Tipton County ⁶ | *** | 73.1 (57.5, 92.0) | 37 (1, 90) | 16 | stable → | 0.1 (-2.4, 2.7) |
| Wayne County ⁶ | *** | 72.4 (64.7, 80.8) | 38 (11, 81) | 67 | falling ↓ | -2.4 (-3.7, -1.2) |
| Howard County ⁶ | *** | 72.2 (65.4, 79.7) | 39 (13, 79) | 85 | stable → | -1.3 (-2.6, 0.1) |
| Montgomery County ⁶ | *** | 72.1 (62.0, 83.4) | 40 (7, 87) | 38 | stable → | -1.4 (-3.5, 0.8) |
| y County | | , 2.1 (02.0, 00.7) | 70 (7,07) | 30 | Jeanic / | 1.7 (0.0, 0.0) |

| 2/16/22, 10.33 AW | | | State Caricer Profiles > Inc | derice rates rabi | C | |
|--|--|--|--|--|---|---|
| Kosciusko County ⁶ | *** | 72.0 (64.6, 80.1) | 41 (11, 82) | 71 | stable → | -0.4 (-1.4, 0.5) |
| Newton County ⁶ | *** | 72.0 (56.4, 91.2) | 42 (1, 91) | 15 | falling ↓ | -2.3 (-3.7, -1.0) |
| Sullivan County ⁶ | *** | 71.8 (58.3, 87.9) | 43 (3, 90) | 20 | falling ↓ | -28.1 (-44.1, -7.5) |
| Perry County ⁶ | *** | 71.7 (57.6, 88.5) | 44 (2, 90) | 19 | stable → | -1.0 (-4.1, 2.1) |
| Jackson County ⁶ | *** | 71.6 (61.8, 82.5) | 45 (8, 86) | 40 | stable → | -1.1 (-3.1, 1.0) |
| Jay County ⁶ | *** | 71.1 (57.3, 87.5) | 46 (3, 90) | 19 | stable → | -2.8 (-5.4, 0.0) |
| Warren County ⁶ | *** | 70.7 (51.4, 96.1) | 47 (1, 92) | 9 | stable → | -2.9 (-6.0, 0.2) |
| Vanderburgh County ⁶ | *** | 70.6 (65.8, 75.8) | 48 (23, 76) | 163 | falling 🗸 | -1.6 (-2.9, -0.3) |
| Johnson County ⁶ | *** | 70.5 (64.9, 76.5) | 49 (22, 79) | 120 | falling 🗸 | -1.5 (-2.9, -0.1) |
| ountain County ⁶ | *** | 70.3 (56.3, 87.3) | 50 (3, 91) | 18 | stable → | -1.8 (-4.2, 0.6) |
| Fulton County ⁶ | *** | 70.2 (57.0, 85.8) | 51 (4, 90) | 21 | stable → | -2.3 (-4.6, 0.1) |
| Clinton County ⁶ | *** | 70.1 (58.9, 83.0) | 52 (5, 89) | 28 | stable → | -0.7 (-3.0, 1.6) |
| Randolph County ⁶ | *** | 69.7 (58.2, 83.3) | 53 (6, 89) | 26 | stable → | -1.7 (-3.9, 0.5) |
| Parke County ⁶ | *** | 69.7 (55.3, 87.0) | 54 (2, 91) | 17 | stable → | -1.7 (-4.6, 1.2) |
| Orange County ⁶ | *** | 69.1 (55.9, 84.7) | 55 (4, 90) | 20 | stable → | -1.1 (-3.9, 1.9) |
| Carroll County ⁶ | *** | 69.1 (55.7, 85.1) | 56 (4, 91) | 19 | stable → | -0.8 (-2.9, 1.4) |
| awrence County ⁶ | *** | 68.9 (60.2, 78.7) | 57 (13, 88) | 47 | stable → | -1.1 (-2.9, 0.7) |
| Wells County ⁶ | *** | 68.8 (57.2, 82.2) | 58 (7, 90) | 26 | stable → | 0.8 (-1.5, 3.1) |
| Jasper County ⁶ | *** | 68.4 (57.7, 80.7) | 59 (10, 90) | 30 | falling ↓ | -1.8 (-3.5, -0.1) |
| White County ⁶ | *** | 68.4 (56.5, 82.2) | 60 (7, 90) | 25 | falling ↓ | -2.1 (-3.7, -0.5) |
| Bartholomew County ⁶ | *** | 68.3 (61.2, 76.0) | 61 (21, 86) | 69 | stable → | -0.9 (-1.8, 0.1) |
| Porter County 6 | *** | 68.1 (63.0, 73.5) | 62 (27, 81) | 140 | falling ↓ | -1.1 (-2.0, -0.2) |
| Miami County ⁶ | *** | 67.6 (57.4, 79.3) | 63 (12, 89) | 32 | falling ↓ | -2.5 (-4.1, -0.9) |
| Ohio County ⁶ | *** | 67.3 (46.1, 97.4) | 64 (1, 92) | 7 | stable → | -2.2 (-5.9, 1.8) |
| Pulaski County ⁶ | *** | 66.8 (50.3, 87.5) | 65 (2, 92) | 12 | stable → | 0.0 (-2.8, 2.9) |
| Gibson County ⁶ | *** | 66.8 (56.3, 78.7) | 66 (10, 90) | 30 | stable → | -0.1 (-2.5, 2.4) |
| St. Joseph County ⁶ | *** | 66.7 (62.6, 70.9) | 67 (38, 81) | 213 | falling ↓ | -1.1 (-1.9, -0.3) |
| Elkhart County ⁶ | *** | 66.2 (61.5, 71.2) | 68 (37, 84) | 151 | stable → | -0.7 (-1.8, 0.4) |
| Franklin County ⁶ | *** | 66.2 (53.6, 81.0) | 69 (7, 91) | 20 | stable → | -1.6 (-3.9, 0.7) |
| Huntington County ⁶ | *** | 66.1 (56.1, 77.5) | 70 (15, 90) | 32 | stable → | -0.2 (-2.2, 1.8) |
| _ake County ⁶ | *** | 65.8 (62.9, 68.8) | | | atable X | -5.2 (-11.5, 1.5) |
| Allen County ⁶ | | 03.0 (02.7, 00.0) | 71 (45, 80) | 399 | stable → | -3.2 (-11.3, 1.3) |
| and a country | *** | 65.2 (61.7, 68.9) | 71 (45, 80) 72 (43, 83) | 399 269 | stable → | -3.9 (-7.9, 0.2) |
| | *** | | | | | |
| Warrick County ⁶ | | 65.2 (61.7, 68.9) | 72 (43, 83) | 269 | stable → | -3.9 (-7.9, 0.2) |
| Warrick County ⁶ Hancock County ⁶ | *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) | 72 (43, 83) 73 (25, 90) | 269 53 | stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) |
| Warrick County ⁶ Hancock County ⁶ Hendricks County ⁶ Marshall County ⁶ | *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) | 72 (43, 83) 73 (25, 90) 74 (28, 89) | 269 53 59 | stable → stable → falling ↓ | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) |
| Warrick County ⁶ Hancock County ⁶ Hendricks County ⁶ Marshall County ⁶ | *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) | 269 53 59 109 | stable → stable → falling ↓ falling ↓ | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) |
| Warrick County ⁶ Hancock County ⁶ Hendricks County ⁶ Warshall County ⁶ Spencer County ⁶ | *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) | 269 53 59 109 39 | stable → stable → falling ↓ falling ↓ stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) |
| Warrick County ⁶ Hancock County ⁶ Hendricks County ⁶ Warshall County ⁶ Spencer County ⁶ Decatur County ⁶ | *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) | 269 53 59 109 39 | stable → stable → falling ↓ falling ↓ stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) |
| Warrick County ⁶ Hancock County ⁶ Hendricks County ⁶ | *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) | 269 53 59 109 39 19 22 | stable → stable → falling ↓ falling ↓ stable → stable → falling ↓ | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) |
| Marrick County 6 Hancock County 6 Hendricks County 6 Marshall County 6 Spencer County 6 Decatur County 6 Steuben County 6 LaGrange County 6 | *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) 62.7 (53.1, 73.8) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) 79 (23, 91) | 269 53 59 109 39 19 22 31 | stable → stable → falling ↓ falling ↓ stable → stable → falling ↓ stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) -0.1 (-2.6, 2.5) |
| Marrick County 6 Hancock County 6 Hendricks County 6 Marshall County 6 Spencer County 6 Decatur County 6 Steuben County 6 LaGrange County 6 Mabash County 6 | *** *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) 62.7 (53.1, 73.8) 62.7 (52.1, 74.9) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) 79 (23, 91) 80 (17, 91) | 269 53 59 109 39 19 22 31 25 | stable → stable → falling ↓ falling ↓ stable → stable → falling ↓ stable → stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) -0.1 (-2.6, 2.5) 0.0 (-2.8, 2.9) |
| Warrick County 6 Hancock County 6 Hendricks County 6 Marshall County 6 Spencer County 6 Decatur County 6 Steuben County 6 LaGrange County 6 Wabash County 6 | *** *** *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) 62.7 (53.1, 73.8) 62.7 (52.1, 74.9) 62.6 (52.6, 74.3) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) 79 (23, 91) 80 (17, 91) 81 (20, 91) | 269 53 59 109 39 19 22 31 25 | stable → stable → falling ↓ falling ↓ stable → stable → stable → stable → stable → stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) -0.1 (-2.6, 2.5) 0.0 (-2.8, 2.9) 0.5 (-1.5, 2.6) |
| Warrick County 6 Hancock County 6 Hendricks County 6 Marshall County 6 Decatur County 6 Dec | *** *** *** *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) 62.7 (53.1, 73.8) 62.7 (52.1, 74.9) 62.6 (52.6, 74.3) 61.9 (44.9, 83.9) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) 79 (23, 91) 80 (17, 91) 81 (20, 91) 82 (3, 92) | 269 53 59 109 39 19 22 31 25 29 | stable → stable → falling ↓ falling ↓ stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) -0.1 (-2.6, 2.5) 0.0 (-2.8, 2.9) 0.5 (-1.5, 2.6) -3.8 (-6.9, -0.6) |
| Marrick County 6 Hancock County 6 Hendricks County 6 Marshall County 6 Epencer County 6 Decatur County 6 Eteuben County 6 Wabash County 6 Ewitzerland County 6 Ripley County 6 | *** *** *** *** *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) 62.7 (53.1, 73.8) 62.7 (52.1, 74.9) 62.6 (52.6, 74.3) 61.9 (44.9, 83.9) 60.3 (49.6, 72.9) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) 79 (23, 91) 80 (17, 91) 81 (20, 91) 82 (3, 92) 83 (23, 92) | 269 53 59 109 39 19 22 31 25 29 9 23 | stable → stable → falling ↓ falling ↓ stable → stable → falling ↓ stable → falling ↓ stable → stable → falling ↓ | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) -0.1 (-2.6, 2.5) 0.0 (-2.8, 2.9) 0.5 (-1.5, 2.6) -3.8 (-6.9, -0.6) -3.4 (-5.0, -1.8) |
| Marrick County 6 Hancock County 6 Hendricks County 6 Marshall County 6 Decatur County 6 Dec | *** *** *** *** *** *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) 62.7 (53.1, 73.8) 62.7 (52.1, 74.9) 62.6 (52.6, 74.3) 61.9 (44.9, 83.9) 60.3 (49.6, 72.9) 59.6 (49.0, 71.8) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) 79 (23, 91) 80 (17, 91) 81 (20, 91) 82 (3, 92) 83 (23, 92) 84 (25, 91) | 269 53 59 109 39 19 22 31 25 29 9 23 23 | stable → stable → falling ↓ falling ↓ stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) -0.1 (-2.6, 2.5) 0.0 (-2.8, 2.9) 0.5 (-1.5, 2.6) -3.8 (-6.9, -0.6) -3.4 (-5.0, -1.8) 0.2 (-1.7, 2.0) |
| Warrick County 6 Hancock County 6 Hendricks County 6 Marshall County 6 Decatur County 6 Dec | *** *** *** *** *** *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) 62.7 (53.1, 73.8) 62.7 (52.1, 74.9) 62.6 (52.6, 74.3) 61.9 (44.9, 83.9) 60.3 (49.6, 72.9) 59.6 (49.0, 71.8) 59.4 (48.9, 71.4) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) 79 (23, 91) 80 (17, 91) 81 (20, 91) 82 (3, 92) 83 (23, 92) 84 (25, 91) 85 (30, 91) 86 (21, 92) | 269 53 59 109 39 19 22 31 25 29 9 23 23 23 | stable → stable → falling ↓ falling ↓ stable → stable → falling ↓ stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) -0.1 (-2.6, 2.5) 0.0 (-2.8, 2.9) 0.5 (-1.5, 2.6) -3.8 (-6.9, -0.6) -3.4 (-5.0, -1.8) 0.2 (-1.7, 2.0) -0.6 (-3.1, 1.9) -2.9 (-5.2, -0.5) |
| Marrick County 6 Hancock County 6 Hendricks County 6 Marshall County 6 Decatur County 6 Dec | *** *** *** *** *** *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) 62.7 (53.1, 73.8) 62.7 (52.1, 74.9) 62.6 (52.6, 74.3) 61.9 (44.9, 83.9) 60.3 (49.6, 72.9) 59.6 (49.0, 71.8) 59.4 (48.9, 71.4) 58.8 (48.0, 71.7) 58.8 (53.6, 64.4) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) 79 (23, 91) 80 (17, 91) 81 (20, 91) 82 (3, 92) 83 (23, 92) 84 (25, 91) 85 (30, 91) 86 (21, 92) 87 (58, 90) | 269 53 59 109 39 19 22 31 25 29 9 23 23 23 21 | stable → stable → falling ↓ falling ↓ stable → falling ↓ falling ↓ stable → falling ↓ stable → stable → stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) -0.1 (-2.6, 2.5) 0.0 (-2.8, 2.9) 0.5 (-1.5, 2.6) -3.8 (-6.9, -0.6) -3.4 (-5.0, -1.8) 0.2 (-1.7, 2.0) -0.6 (-3.1, 1.9) -2.9 (-5.2, -0.5) -3.8 (-17.9, 12.8) |
| Marrick County 6 Hancock County 6 Hendricks County 6 Marshall County 6 Decatur County 6 Dec | *** *** *** *** *** *** *** *** *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) 62.7 (53.1, 73.8) 62.7 (52.1, 74.9) 62.6 (52.6, 74.3) 61.9 (44.9, 83.9) 60.3 (49.6, 72.9) 59.6 (49.0, 71.8) 59.4 (48.9, 71.4) 58.8 (48.0, 71.7) 58.8 (53.6, 64.4) 56.9 (51.3, 62.9) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) 79 (23, 91) 80 (17, 91) 81 (20, 91) 82 (3, 92) 83 (23, 92) 84 (25, 91) 85 (30, 91) 86 (21, 92) 87 (58, 90) 88 (62, 91) | 269 53 59 109 39 19 22 31 25 29 9 23 23 23 21 97 | stable → stable → falling ↓ falling ↓ stable → falling ↓ falling ↓ stable → falling ↓ stable → stable → stable → stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) -0.1 (-2.6, 2.5) 0.0 (-2.8, 2.9) 0.5 (-1.5, 2.6) -3.8 (-6.9, -0.6) -3.4 (-5.0, -1.8) 0.2 (-1.7, 2.0) -0.6 (-3.1, 1.9) -2.9 (-5.2, -0.5) -3.8 (-17.9, 12.8) -1.7 (-3.1, -0.4) |
| Marrick County 6 Hancock County 6 Hendricks County 6 Marshall County 6 Decatur County 6 Dec | *** *** *** *** *** *** *** *** *** *** *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) 62.7 (53.1, 73.8) 62.7 (52.1, 74.9) 62.6 (52.6, 74.3) 61.9 (44.9, 83.9) 60.3 (49.6, 72.9) 59.6 (49.0, 71.8) 59.4 (48.9, 71.4) 58.8 (48.0, 71.7) 58.8 (53.6, 64.4) 56.9 (51.3, 62.9) 53.4 (45.8, 61.9) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) 79 (23, 91) 80 (17, 91) 81 (20, 91) 82 (3, 92) 83 (23, 92) 84 (25, 91) 85 (30, 91) 86 (21, 92) 87 (58, 90) 88 (62, 91) 89 (58, 92) | 269 53 59 109 39 19 22 31 25 29 9 23 23 23 21 97 79 37 | stable → stable → falling ↓ falling ↓ stable → stable → falling ↓ stable → stable → stable → stable → falling ↓ falling ↓ stable → falling ↓ stable → stable → stable → stable → stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) -0.1 (-2.6, 2.5) 0.0 (-2.8, 2.9) 0.5 (-1.5, 2.6) -3.8 (-6.9, -0.6) -3.4 (-5.0, -1.8) 0.2 (-1.7, 2.0) -0.6 (-3.1, 1.9) -2.9 (-5.2, -0.5) -3.8 (-17.9, 12.8) -1.7 (-3.1, -0.4) -20.0 (-42.5, 11.3) |
| Warrick County ⁶ Hancock County ⁶ Hendricks County ⁶ Marshall County ⁶ Spencer County ⁶ Decatur County ⁶ Steuben County ⁶ | *** *** *** *** *** *** *** *** *** *** *** *** *** *** *** *** | 65.2 (61.7, 68.9) 65.1 (57.4, 73.7) 64.5 (57.2, 72.5) 64.5 (59.1, 70.3) 64.1 (55.3, 74.0) 62.9 (50.6, 77.7) 62.9 (51.5, 76.3) 62.7 (53.1, 73.8) 62.7 (52.1, 74.9) 62.6 (52.6, 74.3) 61.9 (44.9, 83.9) 60.3 (49.6, 72.9) 59.6 (49.0, 71.8) 59.4 (48.9, 71.4) 58.8 (48.0, 71.7) 58.8 (53.6, 64.4) 56.9 (51.3, 62.9) | 72 (43, 83) 73 (25, 90) 74 (28, 89) 75 (39, 87) 76 (24, 90) 77 (11, 91) 78 (14, 91) 79 (23, 91) 80 (17, 91) 81 (20, 91) 82 (3, 92) 83 (23, 92) 84 (25, 91) 85 (30, 91) 86 (21, 92) 87 (58, 90) 88 (62, 91) | 269 53 59 109 39 19 22 31 25 29 9 23 23 23 21 97 79 | stable → stable → falling ↓ falling ↓ stable → falling ↓ falling ↓ stable → falling ↓ stable → stable → stable → stable → | -3.9 (-7.9, 0.2) -1.4 (-3.0, 0.3) -2.6 (-4.0, -1.2) -2.0 (-2.9, -1.0) 0.2 (-1.4, 1.8) -1.5 (-4.4, 1.6) -2.0 (-3.7, -0.2) -0.1 (-2.6, 2.5) 0.0 (-2.8, 2.9) 0.5 (-1.5, 2.6) -3.8 (-6.9, -0.6) -3.4 (-5.0, -1.8) 0.2 (-1.7, 2.0) -0.6 (-3.1, 1.9) -2.9 (-5.2, -0.5) -3.8 (-17.9, 12.8) -1.7 (-3.1, -0.4) |

State Cancer Registries (http://statecancerprofiles.cancer.govhttps://nccd.cdc.gov/dcpc Programs/index.aspx#/3) may provide more current or more local data.

Trend

Rising when 95% confidence interval of average annual percent change is above 0.

Stable when 95% confidence interval of average annual percent change includes 0.

Falling when 95% confidence interval of average annual percent change is below 0.

n Results presented with the CI*Rank statistics help show the usefulness of ranks. For example, ranks for relatively rare diseases or less populated areas may be essentially meaningless because of their large variability, but ranks for more common diseases in densely populated regions can be very useful. More information about methodology can be found on the CI*Rank website (http://statecancerprofiles.cancer.gov/tirps://surveillance.cancer.gov/cirank/).

† Incidence rates (cases per 100,000 population per year) are age-adjusted to the 2000 US standard population (http://www.seer.cancer.gov/stdpopulations/stdpop.19ages.html) (19 age groups: <1, 1-4, 5-9, ..., 80-84, 85+). Rates are for invasive cancer only (except for bladder cancer which is invasive and in situ) or unless otherwise specified. Rates calculated using SEER*Stat. Population counts for denominators are based on Census populations as modified by NCI. The 1969-2018 US Population Data (http://statecancer.gov/https://seer.cancer.gov/popdata/) File is used for SEER and NPCR incidence rates.

‡ Incidence data come from different sources. Due to different years of data availability, most of the trends are AAPCs based on APCs but some are APCs calculated in SEER*Stat. Please refer to the source for each area for additional information.

Rates and trends are computed using different standards for malignancy. For more information see malignant.html (http://statecancerprofiles.cancer.gov/malignant.html).

^ All Stages refers to any stage in the Surveillance, Epidemiology, and End Results (SEER) <u>summary stage (http://statecancerprofiles.cancer.gov/https://seer.cancer.gov/tools/ssm/</u>).
*** No Healthy People 2020 Objective for this cancer.

<u>Healthy People 2020 (http://statecancerprofiles.cancer.govhttps://www.healthypeople.gov/)</u> Objectives provided by the <u>Centers for Disease Control and Prevention (http://statecancerprofiles.cancer.govhttps://www.cdc.gov/)</u>.

¹ Source: National Program of Cancer Registries (http://statecancerprofiles.cancer.gov/https://www.cdc.gov/cancer/npcr/index.htm) and Surveillance, Epidemiology, and End Results (http://seer.cancer.gov) SEER*Stat Database (2001-2018) - United States Department of Health and Human Services, Centers for Disease Control and Prevention and National Cancer Institute. Based on the 2020 submission.

⁶ Source: National Program of Cancer Registries (http://statecancerprofiles.cancer.gov/ttps://www.cdc.gov/cancer/npcr/index.htm) SEER*Stat Database (2001-2018) - United States Department of Health and Human Services, Centers for Disease Control and Prevention (based on the 2020 submission).

Source: Incidence data provided by the <u>SEER Program. (http://seer.cancer.gov/)</u> AAPCs are calculated by the <u>Joinpoint Regression Program</u> (http://statecancer.gov/teps://surveillance.cancer.gov/ioinpoint/), and are based on APCs. Data are age-adjusted to the <u>2000 US standard population</u> (http://www.seer.cancer.gov/stdpopulations/single_age.html) (19 age groups: <1, 1-4, 5-9, ..., 80-84,85+). Rates are for invasive cancer only (except for bladder cancer which is invasive and in situ) or unless otherwise specified. Population counts for denominators are based on Census populations as modified by NCI. The 1969-2018 US Population Data (http://seer.cancer.gov/popdata2). File is used with SEER November 2020 data.

Interpret Rankings (http://statecancerprofiles.cancer.gov/interpretrankings.html) provides insight into interpreting cancer incidence statistics. When the population size for a denominator is small, the rates may be unstable. A rate is unstable when a small change in the numerator (e.g., only one or two additional cases) has a dramatic effect on the calculated rate.

Data for United States does not include Puerto Rico.

When displaying county information, the CI*Rank for the state is not shown because it's not comparable. To see the state CI*Rank please view the statistics at the US By State level.

Return to Top

 $\underline{\text{U.S. Department of Health and Human Services.(https://www.hhs.gov/)}} \mid \underline{\text{National Institutes of Health.(https://www.nih.gov/)}} \mid \underline{\text{National Cancer Institute.(https://www.cancer.gov/)}} \mid \underline{\text{USA.gov.(https://www.nih.gov/)}} \mid \underline{\text{National Cancer Institute.(https://www.cancer.gov/)}} \mid \underline{\text{National Cancer Institute.(https://www.nih.gov/)}} \mid \underline{\text{National Cancer Institute.(https://www.cancer.gov/)}} \mid \underline{\text{Nationa$

NIH... Turning Discovery Into Health®



(https://www.cdc.gov)

 $\stackrel{\bigstar}{\text{(http://statecancerprofiles.cancer.gov/index.html)}} > \underbrace{\text{Incidence (http://statecancerprofiles.cancer.gov/data-topics/incidence.html)}} > Table$

Incidence Rates Table

STATE CANCER PROFILES

Incidence Rate Report for Indiana by County

Prostate (All Stages^), 2014-2018

All Races (includes Hispanic), Male, All Ages

| Sorted by Rate | | | | | | | |
|---------------------------------|---|--|--|-------------------------|------------------|---|--|
| County | Met Healthy People Objective of ***? | Age-Adjusted Incidence Rate [±] cases per 100,000 (<u>95% Confidence Interval</u>) | CI*Rank⊕ (<u>95% Confidence Interval</u>) | Average Annual Count | Recent Trend | Recent 5-Year Trend [±] in Incidence Rates (95% Confidence Interval) | |
| Indiana ⁶ | *** | 96.5 (95.1, 98.0) | N/A | 3,700 | <u>stable</u> → | 1.2 (-1.9, 4.4) | |
| US (SEER+NPCR) 1 | *** | 106.2 (106.0, 106.4) | N/A | 200,677 | stable → | 1.8 (-2.6, 6.3) | |
| Monroe County ⁶ | *** | 125.7 (113.6, 138.8) | 1 (1, 19) | 83 | rising ↑ | 5.8 (2.1, 9.6) | |
| Hamilton County ⁶ | *** | 124.9 (116.8, 133.5) | 2 (1, 13) | 191 | stable → | -0.5 (-2.1, 1.1) | |
| Warren County ⁶ | *** | 122.1 (86.0, 170.7) | 3 (1, 83) | 8 | stable → | 0.7 (-3.2, 4.8) | |
| Tipton County ⁶ | *** | 122.0 (94.7, 156.1) | 4 (1, 71) | 14 | stable → | -0.8 (-4.1, 2.7) | |
| Lake County ⁶ | *** | 117.0 (111.3, 122.9) | 5 (1, 19) | 338 | stable → | 5.3 (-2.6, 13.8) | |
| Morgan County ⁶ | *** | 116.2 (102.2, 131.8) | 6 (1, 42) | 53 | falling ↓ | -3.7 (-5.5, -1.9) | |
| Hendricks County ⁶ | *** | 115.6 (105.3, 126.7) | 7 (1, 32) | 99 | falling ↓ | -2.0 (-3.4, -0.5) | |
| Wabash County ⁶ | *** | 112.6 (93.3, 135.0) | 8 (1, 62) | 25 | stable → | -1.5 (-4.3, 1.3) | |
| Warrick County ⁶ | *** | 109.1 (95.0, 124.9) | 9 (1, 56) | 45 | stable → | 0.0 (-1.6, 1.6) | |
| Grant County ⁶ | *** | 108.8 (95.4, 123.7) | 10 (1, 53) | 49 | falling ↓ | -3.1 (-4.4, -1.7) | |
| Boone County ⁶ | *** | 108.5 (93.0, 125.8) | 11 (1, 61) | 38 | stable → | -0.6 (-3.0, 1.8) | |
| Marion County ⁶ | *** | 107.5 (103.1, 112.1) | 12 (7, 31) | 483 | stable → | 1.3 (-3.0, 5.7) | |
| Ripley County ⁶ | *** | 107.2 (86.8, 131.4) | 13 (1, 72) | 20 | stable → | -0.8 (-3.4, 1.8) | |
| Porter County ⁶ | *** | 107.2 (98.1, 117.0) | 14 (3, 47) | 110 | falling ↓ | -3.3 (-4.8, -1.7) | |
| Owen County ⁶ | *** | 106.5 (83.6, 134.6) | 15 (1, 80) | 16 | stable → | -1.5 (-4.4, 1.4) | |
| Hancock County ⁶ | *** | 104.3 (91.0, 119.1) | 16 (2, 63) | 47 | rising ↑ | 5.5 (1.0, 10.2) | |
| Clinton County ⁶ | *** | 104.0 (84.1, 127.3) | 17 (1, 75) | 20 | stable → | -1.9 (-3.8, 0.0) | |
| Dearborn County ⁶ | *** | 103.6 (88.5, 120.7) | 18 (2, 67) | 36 | falling ↓ | -1.8 (-3.6, -0.1) | |
| Lawrence County ⁶ | *** | 103.2 (88.2, 120.4) | 19 (1, 67) | 35 | stable → | 13.2 (-4.0, 33.5) | |
| Jefferson County ⁶ | *** | 103.1 (83.7, 125.9) | 20 (1, 77) | 21 | falling ↓ | -3.5 (-5.9, -1.0) | |
| Vanderburgh County ⁶ | *** | 102.8 (94.2, 112.1) | 21 (6, 52) | 111 | stable → | -0.5 (-1.7, 0.7) | |
| Fountain County ⁶ | *** | 102.5 (78.3, 132.9) | 22 (1, 83) | 12 | falling ↓ | -3.6 (-6.6, -0.5) | |
| Gibson County ⁶ | *** | 100.7 (82.2, 122.5) | 23 (1, 75) | 21 | stable → | 1.1 (-2.0, 4.2) | |
| Dubois County ⁶ | *** | 100.6 (84.0, 119.7) | 24 (2, 74) | 27 | stable → | -2.0 (-4.9, 1.1) | |
| Daviess County ⁶ | *** | 99.5 (80.1, 122.3) | 25 (1, 78) | 19 | stable → | -1.9 (-4.7, 1.0) | |
| LaPorte County ⁶ | *** | 99.4 (89.0, 110.7) | 26 (7, 61) | 71 | falling ↓ | -5.7 (-6.9, -4.6) | |
| Union County ⁶ | *** | 99.2 (63.2, 150.9) | 27 (1, 91) | 5 | stable → | -0.9 (-5.8, 4.2) | |
| Decatur County ⁶ | *** | 99.1 (78.1, 124.2) | 28 (1, 81) | 16 | falling ↓ | -3.8 (-7.1, -0.4) | |
| Putnam County ⁶ | *** | 98.9 (81.5, 119.1) | 29 (1, 76) | 23 | stable → | -1.8 (-5.1, 1.7) | |
| Posey County ⁶ | *** | 98.3 (78.1, 122.6) | 30 (1, 80) | 18 | stable → | 0.1 (-3.3, 3.5) | |
| Starke County ⁶ | *** | 98.1 (76.8, 124.1) | 31 (1, 81) | 15 | stable → | -2.7 (-5.7, 0.5) | |
| Johnson County ⁶ | *** | 98.1 (88.5, 108.4) | 32 (9, 62) | 81 | falling ↓ | -3.5 (-6.2, -0.8) | |
| Brown County ⁶ | *** | 98.0 (75.1, 127.9) | 33 (1, 82) | 13 | stable → | -2.0 (-5.6, 1.8) | |
| Allen County ⁶ | *** | 97.7 (91.4, 104.3) | 34 (14, 54) | 191 | stable → | -0.9 (-3.4, 1.7) | |
| Knox County ⁶ | *** | 96.9 (79.3, 117.4) | 35 (2, 78) | 22 | falling ↓ | -2.9 (-4.9, -0.8) | |
| White County ⁶ | *** | 96.2 (76.8, 119.7) | 36 (1, 82) | 18 | stable → | 18.8 (-16.1, 68.3) | |
| Randolph County ⁶ | *** | 95.0 (75.5, 118.5) | 37 (3, 81) | 17 | stable → | -2.0 (-4.9, 0.9) | |
| Kosciusko County ⁶ | *** | 94.8 (82.7, 108.3) | 38 (7, 71) | 46 | stable → | 8.0 (-1.4, 18.4) | |
| Delaware County ⁶ | *** | 94.4 (84.2, 105.4) | 39 (11, 68) | 65 | falling ↓ | -3.6 (-5.0, -2.2) | |
| Benton County ⁶ | *** | 93.6 (61.0, 139.2) | 40 (1, 92) | 5 | falling ↓ | -5.1 (-9.6, -0.3) | |

| 2/10/22, 10.00 / WI | | | Clate Garlock Fromes Filt | olderioe rates rabi | | |
|---------------------------------|-----|--------------------|---------------------------|---------------------|------------------|---------------------|
| Jasper County ⁶ | *** | 93.0 (75.5, 113.8) | 41 (2, 81) | 20 | stable → | 20.4 (-3.5, 50.3) |
| Wayne County ⁶ | *** | 92.6 (80.0, 106.9) | 42 (8, 75) | 40 | stable → | -1.9 (-4.1, 0.4) |
| Shelby County ⁶ | *** | 92.2 (77.1, 109.7) | 43 (6, 79) | 28 | falling 🔱 | -3.7 (-5.3, -2.1) |
| Howard County ⁶ | *** | 91.4 (80.2, 103.8) | 44 (11, 72) | 50 | falling 🔱 | -3.1 (-4.8, -1.3) |
| Carroll County ⁶ | *** | 91.1 (70.2, 117.1) | 45 (1, 85) | 13 | falling 🗸 | -4.8 (-7.1, -2.5) |
| Tippecanoe County ⁶ | *** | 91.1 (81.8, 101.0) | 46 (17, 70) | 74 | stable → | 3.1 (-4.4, 11.1) |
| Perry County ⁶ | *** | 90.5 (68.6, 117.8) | 47 (2, 86) | 12 | stable → | 1.3 (-3.0, 5.8) |
| Vigo County ⁶ | *** | 90.1 (79.3, 102.0) | 48 (14, 75) | 53 | falling 🗸 | -4.9 (-6.4, -3.4) |
| Ohio County ⁶ | *** | 89.9 (54.7, 143.9) | 49 (1, 92) | 4 | * | * |
| Pike County ⁶ | *** | 89.7 (64.2, 123.6) | 50 (1, 90) | 8 | stable → | 1.1 (-2.1, 4.3) |
| Orange County ⁶ | *** | 89.7 (67.7, 117.1) | 51 (1, 87) | 12 | stable → | -2.9 (-7.1, 1.4) |
| Bartholomew County ⁶ | *** | 89.6 (77.6, 102.9) | 52 (11, 78) | 42 | falling 🔱 | -2.5 (-4.1, -0.9) |
| Madison County ⁶ | *** | 89.0 (80.1, 98.8) | 53 (21, 72) | 75 | falling ↓ | -4.1 (-6.1, -1.9) |
| St. Joseph County ⁶ | *** | 88.7 (81.9, 95.9) | 54 (25, 69) | 136 | stable → | 5.1 (-3.7, 14.7) |
| Blackford County ⁶ | *** | 88.7 (63.0, 123.0) | 55 (1, 90) | 8 | falling ↓ | -4.2 (-7.1, -1.2) |
| Spencer County ⁶ | *** | 87.5 (67.3, 112.7) | 56 (3, 87) | 13 | stable → | -1.5 (-4.0, 1.0) |
| Vermillion County ⁶ | *** | 87.2 (63.8, 117.4) | 57 (1, 88) | 10 | falling ↓ | -6.0 (-8.1, -3.9) |
| Jackson County ⁶ | *** | 86.8 (71.0, 105.2) | 58 (9, 83) | 22 | falling ↓ | -4.4 (-6.9, -2.0) |
| Clay County ⁶ | *** | 86.5 (67.6, 109.4) | 59 (4, 86) | 15 | falling ↓ | -4.6 (-7.8, -1.3) |
| Newton County ⁶ | *** | 85.9 (62.2, 117.0) | 60 (2, 90) | 9 | stable → | -2.1 (-5.7, 1.6) |
| Wells County ⁶ | *** | 85.3 (67.2, 107.3) | 61 (6, 87) | 16 | falling ↓ | -3.3 (-6.2, -0.4) |
| Henry County ⁶ | *** | 85.1 (71.4, 100.9) | 62 (12, 82) | 28 | falling ↓ | -4.1 (-6.3, -1.8) |
| Adams County ⁶ | *** | 85.0 (66.9, 106.6) | 63 (6, 87) | 16 | falling ↓ | -3.7 (-6.8, -0.5) |
| Jennings County ⁶ | *** | 84.4 (65.3, 107.7) | 64 (5, 87) | 14 | falling ↓ | -3.9 (-6.8, -0.9) |
| Franklin County ⁶ | *** | 83.0 (63.9, 106.8) | 65 (6, 88) | 14 | stable → | -4.3 (-8.7, 0.3) |
| Rush County ⁶ | *** | 82.8 (60.0, 112.2) | 66 (2, 90) | 9 | stable → | -3.3 (-7.2, 0.7) |
| Marshall County ⁶ | *** | 78.5 (64.7, 94.6) | 67 (22, 87) | 24 | falling ↓ | -4.5 (-6.8, -2.2) |
| Pulaski County ⁶ | *** | 78.0 (54.6, 109.5) | 68 (3, 92) | 7 | falling ↓ | -6.2 (-9.2, -3.2) |
| DeKalb County ⁶ | *** | 77.5 (62.8, 94.8) | 69 (23, 88) | 21 | falling ↓ | -4.7 (-7.5, -1.8) |
| Steuben County ⁶ | *** | 77.0 (62.1, 94.8) | 70 (20, 88) | 20 | falling ↓ | -3.6 (-6.9, -0.2) |
| Montgomery County ⁶ | *** | 76.4 (61.5, 94.2) | 71 (23, 88) | 19 | falling ↓ | -4.4 (-6.9, -1.9) |
| Greene County ⁶ | *** | 74.9 (59.9, 93.1) | 72 (21, 89) | 18 | falling ↓ | -4.0 (-6.3, -1.6) |
| Noble County ⁶ | *** | 74.5 (60.2, 91.3) | 73 (28, 88) | 21 | falling ↓ | -3.1 (-5.7, -0.5) |
| Miami County ⁶ | *** | 74.5 (59.3, 92.7) | 74 (22, 89) | 17 | falling ↓ | -4.5 (-6.9, -2.0) |
| Martin County ⁶ | *** | 73.8 (49.0, 108.9) | 75 (4, 92) | 6 | stable → | -3.9 (-8.1, 0.6) |
| Elkhart County ⁶ | *** | 73.6 (66.4, 81.3) | 76 (53, 84) | 81 | falling ↓ | -6.3 (-8.5, -4.1) |
| Cass County ⁶ | *** | 73.3 (58.5, 90.9) | 77 (27, 89) | 18 | falling ↓ | -4.7 (-7.0, -2.3) |
| Parke County ⁶ | *** | 72.2 (52.5, 98.1) | 78 (15, 92) | 9 | stable → | -2.8 (-6.7, 1.4) |
| LaGrange County ⁶ | *** | 71.2 (54.9, 90.9) | 79 (24, 91) | 13 | stable → | -2.1 (-5.6, 1.6) |
| Jay County ⁶ | *** | 70.5 (51.2, 95.1) | 80 (14, 92) | 9 | falling ↓ | -3.2 (-5.8, -0.4) |
| Huntington County ⁶ | *** | 66.8 (52.1, 84.6) | 81 (39, 91) | 15 | falling ↓ | -4.9 (-7.4, -2.2) |
| Whitley County ⁶ | *** | 66.1 (51.6, 83.9) | 82 (43, 91) | 15 | falling ↓ | -7.0 (-10.6, -3.2) |
| Fayette County ⁶ | *** | 64.6 (48.0, 85.7) | 83 (37, 92) | 10 | falling ↓ | -3.8 (-6.2, -1.3) |
| Floyd County ⁶ | *** | 57.6 (47.6, 69.2) | 84 (70, 92) | 25 | stable → | -0.7 (-9.5, 8.9) |
| Fulton County ⁶ | *** | 56.1 (39.4, 78.2) | 85 (50, 92) | 8 | falling ↓ | -8.0 (-10.4, -5.5) |
| Sullivan County ⁶ | *** | 54.5 (38.4, 75.7) | 86 (53, 92) | 8 | falling ↓ | -6.8 (-9.1, -4.5) |
| Switzerland County ⁶ | *** | 53.9 (31.3, 87.5) | 87 (24, 92) | 4 | falling ↓ | -13.4 (-18.1, -8.4) |
| Washington County 6 | *** | 52.8 (38.5, 71.0) | 88 (62, 92) | 10 | falling ↓ | -8.7 (-11.0, -6.4) |
| Crawford County ⁶ | *** | 51.1 (31.7, 80.5) | 89 (50, 92) | 4 | falling ↓ | -6.8 (-10.8, -2.6) |
| Clark County 6 | *** | 49.4 (41.8, 58.1) | 90 (80, 92) | 32 | falling ↓ | -9.5 (-12.1, -6.7) |
| Scott County 6 | *** | 48.7 (33.7, 68.6) | 91 (64, 92) | 7 | falling ↓ | -8.7 (-12.9, -4.2) |
| | | | | | | \ ,/ |

State Cancer Registries (http://statecancerprofiles.cancer.govhttps://nccd.cdc.gov/dcpc Programs/index.aspx#/3) may provide more current or more local data.

Trend

Rising when 95% confidence interval of average annual percent change is above 0.

Stable when 95% confidence interval of average annual percent change includes 0.

Falling when 95% confidence interval of average annual percent change is below 0.

n Results presented with the CI*Rank statistics help show the usefulness of ranks. For example, ranks for relatively rare diseases or less populated areas may be essentially meaningless because of their large variability, but ranks for more common diseases in densely populated regions can be very useful. More information about methodology can be found on the CI*Rank website (http://statecancerprofiles.cancer.gov/tirps://surveillance.cancer.gov/cirank/).

† Incidence rates (cases per 100,000 population per year) are age-adjusted to the 2000 US standard population (http://www.seer.cancer.gov/stdpopulations/stdpop.19ages.html) (19 age groups: <1, 1-4, 5-9, ..., 80-84, 85+). Rates are for invasive cancer only (except for bladder cancer which is invasive and in situ) or unless otherwise specified. Rates calculated using SEER*Stat. Population counts for denominators are based on Census populations as modified by NCI. The 1969-2018 US Population Data (http://statecancer.gov/https://seer.cancer.gov/popdata/) File is used for SEER and NPCR incidence rates.

‡ Incidence data come from different sources. Due to different years of data availability, most of the trends are AAPCs based on APCs but some are APCs calculated in SEER*Stat. Please refer to the source for each area for additional information.

Rates and trends are computed using different standards for malignancy. For more information see malignant.html (http://statecancerprofiles.cancer.gov/malignant.html).

^ All Stages refers to any stage in the Surveillance, Epidemiology, and End Results (SEER) <u>summary stage (http://statecancerprofiles.cancer.gov/https://seer.cancer.gov/tools/ssm/</u>).
*** No Healthy People 2020 Objective for this cancer.

<u>Healthy People 2020 (http://statecancerprofiles.cancer.govhttps://www.healthypeople.gov/)</u> Objectives provided by the <u>Centers for Disease Control and Prevention (http://statecancerprofiles.cancer.govhttps://www.cdc.gov/)</u>.

- * Data has been <u>suppressed (http://statecancerprofiles.cancer.gov/suppressed.html)</u> to ensure confidentiality and stability of rate estimates. Counts are suppressed if fewer than 16 records were reported in a specific area-sex-race category. If an average count of 3 is shown, the total number of cases for the time period is 16 or more which exceeds suppression threshold (but is rounded to 3).
- ¹ Source: National Program of Cancer Registries (http://statecancerprofiles.cancer.gov/https://www.cdc.gov/cancer/npcr/index.htm) and Surveillance, Epidemiology, and End Results (http://seer.cancer.gov) SEER*Stat Database (2001-2018) United States Department of Health and Human Services, Centers for Disease Control and Prevention and National Cancer Institute. Based on the 2020 submission.
- ⁶ Source: National Program of Cancer Registries (http://statecancerprofiles.cancer.gov/ttps://www.cdc.gov/cancer/npcr/index.htm) SEER*Stat Database (2001-2018) United States Department of Health and Human Services, Centers for Disease Control and Prevention (based on the 2020 submission).
- Source: Incidence data provided by the <u>SEER Program. (http://seer.cancer.gov/</u>) AAPCs are calculated by the <u>Joinpoint Regression Program</u> (http://statecancer.gov/ttps:/

Interpret Rankings (http://statecancerprofiles.cancer.gov/interpretrankings.html) provides insight into interpreting cancer incidence statistics. When the population size for a denominator is small, the rates may be unstable. A rate is unstable when a small change in the numerator (e.g., only one or two additional cases) has a dramatic effect on the calculated rate.

Data for United States does not include Puerto Rico.

When displaying county information, the CI*Rank for the state is not shown because it's not comparable. To see the state CI*Rank please view the statistics at the US By State level.

Return to Top

U.S. Department of Health and Human Services (https://www.hhs.gov/), | National Institutes of Health (https://www.nih.gov/), | National Cancer Institute (https://www.cancer.gov/), | USA.gov (http://www.nih.gov/), | National Cancer Institute (https://www.cancer.gov/), | USA.gov (http://www.nih.gov/), | National Cancer Institute (https://www.cancer.gov/), | National Cancer Institute (https://www

NIH... Turning Discovery Into Health®



Surveillance





What's New


? About

SHOW FILTERS

Diagnosed Diabetes -

Total, Adults Aged 20+ Years, Age-Adjusted Percentage, Gibson County, Indiana

Total



Vertical dotted line indicates Major changes to the survey methods in 2011 Horizontal dotted line indicates "No Data", "Suppressed Data" or both.





| Vers | Total | | | | |
|------|-------------------|-----|--------|--|--|
| Year | Percentage 95% LL | | 95% UL | | |
| 2021 | 7.7 | 5.2 | 10.9 | | |
| 2020 | 7.9 | 5.0 | 11.4 | | |
| 2019 | 7.6 | 5.0 | 10.7 | | |

Deaconess Gibson Hospital - Discharges by Diagnosis, by Payor Group

Discharge Date - Date: Between 01/01/2023 and 12/31/2023

Patient Encounter - Is Greater Than Zero Charge: Yes

Source System: Hospital Billing - Epic Patient Type - Rollup: Inpatient

Entity: 58 - Deaconess Gibson Hospital

| | Total | 1 Medicare |
|--|------------|------------|
| Primary ICD10 Diagnosis | Discharges | Managed |
| R53.81 - Other malaise | 168 | 89 |
| Z47.1 - Aftercare following joint replacement surgery | 15 | 5 |
| I11.0 - Hypertensive heart disease with heart failure | 8 | 4 |
| N17.9 - Acute kidney failure unspecified | 8 | 1 |
| J18.9 - Pneumonia unspecified organism | 7 | 3 |
| J44.1 - Chronic obstructive pulmonary disease with (acute) exacerbation | 7 | 2 |
| K76.82 - Hepatic encephalopathy | 6 | 1 |
| J15.9 - Unspecified bacterial pneumonia | 5 | 2 |
| N39.0 - Urinary tract infection site not specified | 5 | 2 |
| U07.1 - COVID-19 | 5 | 2 |
| E10.10 - Type 1 diabetes mellitus with ketoacidosis without coma | 5 | - |
| A41.9 - Sepsis unspecified organism | 4 | 2 |
| J18.1 - Lobar pneumonia unspecified organism | 4 | 2 |
| A41.89 - Other specified sepsis | 3 | 1 |
| I13.0 - Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kid | 3 | 2 |
| J96.01 - Acute respiratory failure with hypoxia | 3 | 2 |
| I21.4 - Non-ST elevation (NSTEMI) myocardial infarction | 3 | - |
| K92.2 - Gastrointestinal hemorrhage unspecified | 3 | - |
| A41.51 - Sepsis due to Escherichia coli [E. coli] | 2 | 1 |
| E87.6 - Hypokalemia | 2 | 2 |
| I50.33 - Acute on chronic diastolic (congestive) heart failure | 2 | 1 |
| 163.89 - Other cerebral infarction | 2 | 1 |
| J96.21 - Acute and chronic respiratory failure with hypoxia | 2 | 1 |
| L76.32 - Postprocedural hematoma of skin and subcutaneous tissue following other procedure | 2 | 1 |
| E72.20 - Disorder of urea cycle metabolism unspecified | 2 | - |

| K72.91 - Hepatic failure unspecified with coma | 2 | - |
|---|---|---|
| A08.4 - Viral intestinal infection unspecified | 1 | 1 |
| A41.81 - Sepsis due to Enterococcus | 1 | 1 |
| C34.90 - Malignant neoplasm of unspecified part of unspecified bronchus or lung | 1 | 1 |
| E11.628 - Type 2 diabetes mellitus with other skin complications | 1 | 1 |
| G72.3 - Periodic paralysis | 1 | 1 |
| I16.0 - Hypertensive urgency | 1 | 1 |
| I16.1 - Hypertensive emergency | 1 | 1 |
| J80 - Acute respiratory distress syndrome | 1 | 1 |
| K56.600 - Partial intestinal obstruction unspecified as to cause | 1 | 1 |
| K61.1 - Rectal abscess | 1 | 1 |
| K91.870 - Postprocedural hematoma of a digestive system organ or structure following a digestive system proce | 1 | 1 |
| L02.411 - Cutaneous abscess of right axilla | 1 | 1 |
| S52.501A - Unspecified fracture of the lower end of right radius initial encounter for closed fracture | 1 | 1 |
| T79.6XXA - Traumatic ischemia of muscle initial encounter | 1 | 1 |
| A04.72 - Enterocolitis due to Clostridium difficile not specified as recurrent | 1 | - |
| A41.59 - Other Gram-negative sepsis | 1 | - |
| D64.9 - Anemia unspecified | 1 | - |
| E11.649 - Type 2 diabetes mellitus with hypoglycemia without coma | 1 | - |
| G47.33 - Obstructive sleep apnea (adult) (pediatric) | 1 | - |
| G83.9 - Paralytic syndrome unspecified | 1 | - |
| 148.92 - Unspecified atrial flutter | 1 | - |
| 167.89 - Other cerebrovascular disease | 1 | - |
| J96.02 - Acute respiratory failure with hypercapnia | 1 | - |
| K51.00 - Ulcerative (chronic) pancolitis without complications | 1 | - |
| K57.33 - Diverticulitis of large intestine without perforation or abscess with bleeding | 1 | - |
| K71.6 - Toxic liver disease with hepatitis not elsewhere classified | 1 | - |
| K80.00 - Calculus of gallbladder with acute cholecystitis without obstruction | 1 | - |
| M86.8X7 - Other osteomyelitis ankle and foot | 1 | - |
| N30.91 - Cystitis unspecified with hematuria | 1 | - |
| N32.1 - Vesicointestinal fistula | 1 | - |
| R53.83 - Other fatigue | 1 | - |
| R56.9 - Unspecified convulsions | 1 | - |
| T83.511A - Infection and inflammatory reaction due to indwelling urethral catheter initial encounter | 1 | - |
| | | |

| E11.10 - Type 2 diabetes mellitus with ketoacidosis without coma | 1 | - |
|--|---|---|
| F10.139 - Alcohol abuse with withdrawal unspecified | 1 | - |
| J09.X1 - Influenza due to identified novel influenza A virus with pneumonia | 1 | - |
| J93.9 - Pneumothorax unspecified | 1 | - |
| K70.10 - Alcoholic hepatitis without ascites | 1 | - |
| K85.10 - Biliary acute pancreatitis without necrosis or infection | 1 | - |
| L03.116 - Cellulitis of left lower limb | 1 | - |
| T87.44 - Infection of amputation stump left lower extremity | 1 | - |
| K56.609 - Unspecified intestinal obstruction unspecified as to partial versus complete obstruction | 1 | - |
| J18.8 - Other pneumonia unspecified organism | 1 | - |
| J36 - Peritonsillar abscess | 1 | - |
| L03.115 - Cellulitis of right lower limb | 1 | - |
| N10 - Acute pyelonephritis | 1 | - |
| T39.1X1A - Poisoning by 4-Aminophenol derivatives accidental (unintentional) initial encounter | 1 | - |
| T40.2X4A - Poisoning by other opioids undetermined initial encounter | 1 | - |
| F10.239 - Alcohol dependence with withdrawal unspecified | 1 | - |
| K56.690 - Other partial intestinal obstruction | 1 | - |
| | | |

| 1A Medicare | 2 Indiana | 2B Illinois | 3 Managed | | | |
|-------------|-----------|-------------|-----------|------------|---------|----------|
| Traditional | Medicaid | Medicaid | Care | 6 Self Pay | 7 Other | <u>_</u> |
| 66 | - | - | 13 | - | - | 0.922619 |
| 8 | - | - | 2 | - | - | 0.866667 |
| 1 | 1 | 1 | 1 | - | - | 0.875 |
| 6 | - | - | - | 1 | - | 0.875 |
| 2 | - | - | 2 | - | - | 0.714286 |
| 2 | 2 | - | 1 | - | - | 0.857143 |
| 4 | 1 | - | - | - | - | 1 |
| 3 | - | - | - | - | - | 1 |
| 3 | - | - | - | - | - | 1 |
| 3 | - | - | - | - | - | 1 |
| 1 | 2 | - | 2 | - | - | 0.6 |
| - | 2 | - | - | - | - | |
| 1 | 1 | - | - | - | - | |
| 2 | - | - | - | - | - | |
| - | 1 | - | - | - | - | |
| - | - | - | 1 | - | - | |
| 2 | - | 1 | - | - | - | |
| 2 | - | - | 1 | - | - | |
| 1 | - | - | - | - | _ | |
| - | _ | _ | - | _ | _ | |
| 1 | _ | _ | - | _ | _ | |
| 1 | _ | _ | - | _ | _ | |
| 1 | _ | _ | - | _ | _ | |
| - | _ | _ | 1 | _ | _ | |
| 2 | _ | _ | - | _ | _ | |
| _ | | | | | | |

| _ | | | | | |
|---|---|---|---|---|---|
| 2 | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | _ |
| _ | _ | _ | _ | _ | _ |
| _ | _ | _ | _ | _ | _ |
| _ | _ | _ | _ | _ | _ |
| _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ |
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | _ |
| 1 | - | - | _ | - | _ |
| 1 | _ | _ | _ | _ | _ |
| 1 | _ | _ | _ | _ | _ |
| 1 | _ | _ | _ | _ | |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | - | - | - |
| 1 | - | - | _ | - | _ |
| 1 | - | _ | _ | _ | _ |
| - | | | | | |

| - | 1 | - | - | - | - |
|---|---|---|---|---|---|
| - | 1 | - | - | - | - |
| - | 1 | - | - | - | - |
| - | 1 | - | - | - | - |
| - | 1 | - | - | - | - |
| - | 1 | - | - | - | - |
| - | 1 | - | - | - | - |
| - | 1 | - | - | - | - |
| - | - | 1 | - | - | - |
| - | - | - | 1 | - | - |
| - | - | - | 1 | - | - |
| - | - | - | 1 | - | - |
| - | - | - | 1 | - | - |
| - | - | - | 1 | - | - |
| - | - | - | 1 | - | _ |
| - | - | - | - | 1 | _ |
| - | - | - | - | - | 1 |
| | | | | | |

Appendix B

Focus Group Materials

Gibson County Focus Group Attendance - 4/18/2024

Jennifer Brown – YMCA of Southwest Indiana

Kay Johnson - SW Indiana Workforce Board

Carla Jochim – Auxiliary & Foundation

Diane Hornby – Gibson County Health Department

Juli Shade – Gibson County Health Department

Kala Pepper – Deaconess Gibson Hospital

Trina Kolb – Addiction Solutions

Susan Straub - Deaconess Gibson Hospital

Dave Schults – The Isaiah 1:17 Project

Ronda Colbert - GCCDA Senior Center

Kristina Hannel - ASC

Zara Strickland - Deaconess Gibson Hospital

Lori Martin – Foundation

Amanda Dewig - Deaconess Gibson Hospital

Raegan Farig – University of Southern Indiana

Lyndsi Dunn - Deaconess Gibson Hospital

Heath Kohlmeier - Tulip Tree Family Health

Erin Nester – Tulip Tree Family Health

Donnie Moser – Deaconess Gibson Hospital

Kristine Georges - Tulip Tree Family Health

Angela Clayton – Deaconess Gibson Hospital

Marc Hayes - Deaconess Gibson Hospital

Lois Morgan – Deaconess Gibson Hospital

Natalie Teeters – Deaconess Gibson Hospital

Marion Jochim - ??

Kayla Hayes – North Gibson School Corporation

Patty Vanoven – Gibson County Chamber

Warren Fleetwood – County Commissioner

Gibson County Focus Group Comments & Priorities – 4/18/2024

Areas of highest priority are highlighted for each category.

| Community Values | C | om | mu | nity | Val | lues |
|------------------|---|----|----|------|-----|------|
|------------------|---|----|----|------|-----|------|

Caring

Welcoming/friendly

Diversity

Faith-based

Thriving

Community pride

Resilience

Hardworking

Strengths

Wide variety of local specialists and specialty care – cardiology, podiatry, pediatrics, psychology, etc.

Free exercise classes at libraries

Parks and walking trails

YMCA opening soon

Senior Center

Deaconess Gibson Hospital and clinics

Southwest Behavioral Health

Collaboration between organizations

Pool and parks

Public Health Department

EMTs and other first responders

Library programs for kids

Insurance through many medium and large employers

Tulip Tree Family Health

Many community outreach programs – Family Needs; Isaiah 1:17 Project, etc.

Active and engaged government

Youth sports programs including scholarships for children that can't afford to play

Toyota and other businesses – jobs, programmatic funding

Oakland City University and Vincennes University

Free school breakfasts

Food banks

School Corporations

Purdue Extension

Low unemployment

Youth First - mental health in schools

Camp Carson

Veteran support

Two sober living facilities

Great civic, philanthropic groups and volunteers

Access to groceries; walkable grocery stores – in Princeton only

Growing faith-based groups

Caring Communities – health coalition

Resource officers in schools

Backpack food program in schools

ARC of Southwest Indiana

Chamber of Commerce

Challenges

Need additional specialty services: neurology, women's health, dental (that accepts Medicaid), orthopedics, endocrinology

Childcare – any at all, but especially affordable, quality care; workforce impact

Underinsured populations

Sidewalk infrastructure

Coordination of EMS services

Lack of Peer Recovery Services

Collaboration among organizations; coordinate efforts more effectively

Home Health – need more and more that take insurance

Outdated resource manual

Substance Use/Abuse

Vaping – THC and tobacco

Cost of living

Financial literacy

Domestic violence/battery

Homelessness

Transportation

Food desert outside Princeton

Birth control access and options

Foster parents needed

No 24-hour pharmacy

Medicare complexity/confusion among population

Mental health/suicide – access to services, stigma, cost, insurance doesn't cover

Appendix C

Survey

2024 Gibson County Health Needs Assessment

Please complete the survey below. Thank you! 1) What is your zip code? 2) What is your age? 3) What is your gender? ○ Female ○ Male Transgender Non-binary/non-conforming Prefer not to respond What is your race or origin? White Black or African American Catino or Spanish origin American Indian or Alaska Native Asian ○ Native Hawaiian or Other Pacific Islander ○ Two or more races or origins Some other race or origin O Prefer not to respond How do the following issues impact the health of your county: Very Negative Some Positive Very Positive Some Negative No Impact **Impact Impact Impact Impact** \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc Availability of specialty health 5) care (for example cardiology, women's health, pediatrics, etc.) 6) Availability of childcare services 7) Cost of childcare services 8) Substance Use/Abuse 9) Vaping - nicotine/tobacco 10) Vaping - THC/marijuana 11) Cost of living 12) Homelessness 13) Cost of housing 14) Quality of housing 15) Availability of public transportation 16) Cost of public transportation 17) Mental Health of the population 18)

REDCap[®]

18/07/2024 6:35pm projectredcap.org

| | Availability of Mental Health services | 0 | 0 | 0 | 0 | \circ |
|-----|--|---------------|------------|-----------------------|---------------|--------------|
| 19) | Stigma associated with Mental Health | 0 | 0 | 0 | \circ | \circ |
| 20) | Cost of Mental Health services | 0 | 0 | 0 | 0 | 0 |
| | Do you see a need for the fol | llowing in yo | ur county: | | | |
| | - | No need | Some need | No opinion either way | Definite need | Extreme need |
| 21) | Quality, affordable childcare services | 0 | 0 | 0 | 0 | 0 |
| 22) | Better collaboration and coordination between existing organizations (such as civic, non-profit, service, and outreach programs) | 0 | 0 | 0 | 0 | 0 |
| 23) | Substance Use/Abuse treatment services | 0 | 0 | 0 | 0 | 0 |
| 24) | Substance Use/Abuse education | \bigcirc | \circ | \circ | \circ | \circ |
| 25) | Resources to quit tobacco/nicotine vaping | 0 | 0 | 0 | 0 | 0 |
| 26) | Education on tobacco/nicotine vaping | 0 | 0 | 0 | 0 | 0 |
| 27) | Resources to quit THC/marijuana vaping | 0 | 0 | 0 | 0 | 0 |
| 28) | Education on THC/marijuana vaping | 0 | 0 | 0 | 0 | \circ |
| 29) | Financial assistance for Cost of Living | 0 | 0 | 0 | 0 | 0 |
| 30) | Financial education, such as budgeting classes | 0 | 0 | 0 | 0 | 0 |
| 31) | Affordable, quality housing | \bigcirc | \bigcirc | \bigcirc | \bigcirc | \bigcirc |
| 32) | Resources for people experiencing homelessness | 0 | 0 | 0 | 0 | 0 |
| 33) | Housing for people experiencing homelessness | 0 | 0 | 0 | 0 | 0 |
| 34) | Additional public transportation options | 0 | 0 | 0 | 0 | 0 |
| 35) | Additional Mental Health | \bigcirc | \bigcirc | \bigcirc | \bigcirc | \bigcirc |
| 36) | services Education/training on Mental Health stigma | 0 | 0 | 0 | 0 | 0 |
| 37) | Affordable/low-cost Mental Health services | 0 | \circ | 0 | 0 | 0 |

18/07/2024 6:35pm projectredcap.org

38)

| Dag | ~~ | 2 |
|-----|----|---|
| rau | ıe | 2 |

| | Suicide prevention programs/education | 0 | 0 | 0 | 0 | 0 | |
|-----|---|------------------|------------|------------|------------|------------|---|
| 39) | Neurology services | \bigcirc | \bigcirc | \circ | \circ | \circ | |
| 40) | Women's health services | \bigcirc | \bigcirc | \bigcirc | \bigcirc | \bigcirc | |
| 41) | Dental health services | \circ | \bigcirc | \bigcirc | \circ | \bigcirc | |
| 42) | Orthopedic services | \bigcirc | \circ | \bigcirc | \circ | \bigcirc | |
| 43) | Endocrinology services | \circ | \bigcirc | \bigcirc | \circ | \bigcirc | |
| | | | | | | | |
| 44) | Are there any other specialty ser Gibson County? | vices needed in | | | | | |
| | | | | | | | _ |
| 45) | Do you have a Primary Care Prov | vider? | 0 | Yes No | | | |
| 46) | Please share any additional thou the health of Gibson County: | ghts/comments ab | oout | | | | |
| | | | | | | | |

₹EDCap°

Data Exports, Reports, and Stats

Number of results returned: 132 Total number of records queried: 132

All data (all records and fields)

What is your zip code? (zipcode)

| Total Count (N) | Missing* |
|-----------------------|-----------------|
| 131 | <u>1 (0,8%)</u> |


What is your age? (age)

| Total Count (N) | Missing* |
|-----------------------|-----------------|
| 128 | <u>4 (3,0%)</u> |

What is your gender? (gender)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 132 | 0 (0,0%) | 3 |


Counts/frequency: Female (102, 77,3%), Male (29, 22,0%), Transgender (1, 0,8%), Non-binary/non-conforming (0, 0,0%), Prefer not to respond (0, 0,0%)



What is your race or origin? (race)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 131 | <u>1 (0,8%)</u> | 5 |


Counts/frequency: White (120, 91,6%), Black or African American (5, 3,8%), Latino or Spanish origin (1, 0,8%), American Indian or Alaska Native (0, 0,0%), Asian (0, 0,0%), Native Hawaiian or Other Pacific Islander (0, 0,0%), Two or more races or origins (4, 3,1%), Some other race or origin (0, 0,0%), Prefer not to respond (1, 0,8%)



Availability of specialty health care (for example cardiology, women's health, pediatrics, etc.) (speciality)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 131 | <u>1 (0,8%)</u> | 5 |


Counts/frequency: Very Negative Impact (26, 19,8%), Some Negative Impact (44, 33,6%), No Impact (8, 6,1%), Some Positive Impact (25, 19,1%), Very Positive Impact (28, 21,4%)



Availability of childcare services (childcare)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 130 | <u>2 (1,5%)</u> | 5 |


Counts/frequency: Very Negative Impact (33, 25,4%), Some Negative Impact (42, 32,3%), No Impact (23, 17,7%), Some Positive Impact (13, 10,0%), Very Positive Impact (19, 14,6%)



Cost of childcare services (cost_childcare)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 130 | 2 (1,5%) | 5 |


Counts/frequency: Very Negative Impact (40, 30,8%), Some Negative Impact (48, 36,9%), No Impact (23, 17,7%), Some Positive Impact (7, 5,4%), Very Positive Impact (12, 9,2%)



Substance Use/Abuse (substance_use)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 128 | 4 (3,0%) | 5 |


Counts/frequency: Very Negative Impact (70, 54,7%), Some Negative Impact (31, 24,2%), No Impact (11, 8,6%), Some Positive Impact (10, 7,8%), Very Positive Impact (6, 4,7%)



Vaping - nicotine/tobacco (nicotine)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 131 | <u>1 (0,8%)</u> | 5 |


Counts/frequency: Very Negative Impact (61, 46,6%), Some Negative Impact (36, 27,5%), No Impact (19, 14,5%), Some Positive Impact (9, 6,9%), Very Positive Impact (6, 4,6%)



Vaping - THC/marijuana (thc)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 130 | <u>2 (1,5%)</u> | 5 |


Counts/frequency: Very Negative Impact (54, 41,5%), Some Negative Impact (38, 29,2%), No Impact (23, 17,7%), Some Positive Impact (9, 6,9%), Very Positive Impact (6, 4,6%)



Cost of living (living)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 132 | 0 (0,0%) | 5 |


Counts/frequency: Very Negative Impact (48, 36,4%), Some Negative Impact (47, 35,6%), No Impact (15, 11,4%), Some Positive Impact (12, 9,1%), Very Positive Impact (10, 7,6%)



Homelessness (homelessness)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 131 | <u>1 (0,8%)</u> | 5 |


Counts/frequency: Very Negative Impact (34, 26,0%), Some Negative Impact (55, 42,0%), No Impact (31, 23,7%), Some Positive Impact (5, 3,8%), Very Positive Impact (6, 4,6%)



Cost of housing (housing)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 129 | <u>3 (2,3%)</u> | 5 |


Counts/frequency: Very Negative Impact (49, 38,0%), Some Negative Impact (42, 32,6%), No Impact (15, 11,6%), Some Positive Impact (15, 11,6%), Very Positive Impact (8, 6,2%)



Quality of housing (quality)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 128 | 4 (3,0%) | 5 |


Counts/frequency: Very Negative Impact (36, 28,1%), Some Negative Impact (37, 28,9%), No Impact (23, 18,0%), Some Positive Impact (24, 18,8%), Very Positive Impact (8, 6,3%)



Availability of public transportation (transportation)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 131 | 1 (0,8%) | 5 |


Counts/frequency: Very Negative Impact (65, 49,6%), Some Negative Impact (33, 25,2%), No Impact (19, 14,5%), Some Positive Impact (7, 5,3%), Very Positive Impact (7, 5,3%)



Cost of public transportation (transportation_cost)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 126 | <u>6 (4,5%)</u> | 5 |


Counts/frequency: Very Negative Impact (46, 36,5%), Some Negative Impact (31, 24,6%), No Impact (33, 26,2%), Some Positive Impact (9, 7,1%), Very Positive Impact (7, 5,6%)



Mental Health of the population (mental_health)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 130 | 2 (1,5%) | 5 |


Counts/frequency: Very Negative Impact (41, 31,5%), Some Negative Impact (62, 47,7%), No Impact (10, 7,7%), Some Positive Impact (10, 7,7%), Very Positive Impact (7, 5,4%)



Availability of Mental Health services (access_mental_health)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 127 | <u>5 (3,8%)</u> | 5 |


Counts/frequency: Very Negative Impact (58, 45,7%), Some Negative Impact (33, 26,0%), No Impact (9, 7,1%), Some Positive Impact (19, 15,0%), Very Positive Impact (8, 6,3%)



Stigma associated with Mental Health (stigma)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 128 | <u>4 (3,0%)</u> | 5 |


Counts/frequency: Very Negative Impact (45, 35,2%), Some Negative Impact (44, 34,4%), No Impact (23, 18,0%), Some Positive Impact (9, 7,0%), Very Positive Impact (7, 5,5%)



Cost of Mental Health services (cost_mental_health)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 126 | <u>6 (4,5%)</u> | 5 |


Counts/frequency: Very Negative Impact (51, 40,5%), Some Negative Impact (39, 31,0%), No Impact (17, 13,5%), Some Positive Impact (11, 8,7%), Very Positive Impact (8, 6,3%)



Quality, affordable childcare services (affordable)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 129 | <u>3 (2,3%)</u> | 5 |


Counts/frequency: No need (1, 0,8%), Some need (9, 7,0%), No opinion either way (14, 10,9%), Definite need (51, 39,5%), Extreme need (54, 41,9%)



Better collaboration and coordination between existing organizations (such as civic, non-profit, service, and outreach programs) (collaboration)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 128 | <u>4 (3,0%)</u> | 4 |


Counts/frequency: No need (0, 0,0%), Some need (9, 7,0%), No opinion either way (23, 18,0%), Definite need (50, 39,1%), Extreme need (46, 35,9%)



Substance Use/Abuse treatment services (abuse_treatment)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 129 | <u>3 (2,3%)</u> | 5 |


Counts/frequency: No need (2, 1,6%), Some need (10, 7,8%), No opinion either way (5, 3,9%), Definite need (61, 47,3%), Extreme need (51, 39,5%)



Substance Use/Abuse education (abuse_education)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 129 | <u>3 (2,3%)</u> | 5 |


Counts/frequency: No need (1, 0,8%), Some need (10, 7,8%), No opinion either way (4, 3,1%), Definite need (68, 52,7%), Extreme need (46, 35,7%)



Resources to quit tobacco/nicotine vaping (nicotine_vaping)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 128 | 4 (3,0%) | 4 |


Counts/frequency: No need (0, 0,0%), Some need (11, 8,6%), No opinion either way (12, 9,4%), Definite need (74, 57,8%), Extreme need (31, 24,2%)



Education on tobacco/nicotine vaping (education_nicotine)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 128 | <u>4 (3,0%)</u> | 4 |


Counts/frequency: No need (0, 0,0%), Some need (13, 10,2%), No opinion either way (14, 10,9%), Definite need (69, 53,9%), Extreme need (32, 25,0%)



Resources to quit THC/marijuana vaping (thc_resource)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 129 | <u>3 (2,3%)</u> | 5 |


Counts/frequency: No need (2, 1,6%), Some need (12, 9,3%), No opinion either way (17, 13,2%), Definite need (69, 53,5%), Extreme need (29, 22,5%)



Education on THC/marijuana vaping (thc_education)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 129 | <u>3 (2,3%)</u> | 5 |


Counts/frequency: No need (2, 1,6%), Some need (11, 8,5%), No opinion either way (18, 14,0%), Definite need (64, 49,6%), Extreme need (34, 26,4%)



Financial assistance for Cost of Living (financial_assistance)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 128 | <u>4 (3,0%)</u> | 4 |


Counts/frequency: No need (0, 0,0%), Some need (12, 9,4%), No opinion either way (24, 18,8%), Definite need (49, 38,3%), Extreme need (43, 33,6%)



Financial education, such as budgeting classes (financial_education)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 127 | 5 (3,8%) | 5 |


Counts/frequency: No need (2, 1,6%), Some need (10, 7,9%), No opinion either way (11, 8,7%), Definite need (56, 44,1%), Extreme need (48, 37,8%)



Affordable, quality housing (quality_housing)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 129 | 3 (2,3%) | 4 |


Counts/frequency: No need (0, 0,0%), Some need (11, 8,5%), No opinion either way (11, 8,5%), Definite need (53, 41,1%), Extreme need (54, 41,9%)



Resources for people experiencing homelessness (homelessness_resources)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 128 | <u>4 (3,0%)</u> | 4 |


Counts/frequency: No need (0, 0,0%), Some need (13, 10,2%), No opinion either way (21, 16,4%), Definite need (45, 35,2%), Extreme need (49, 38,3%)



Housing for people experiencing homelessness (housing_homelessness)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 128 | 4 (3,0%) | 4 |


Counts/frequency: No need (0, 0,0%), Some need (16, 12,5%), No opinion either way (20, 15,6%), Definite need (44, 34,4%), Extreme need (48, 37,5%)



Additional public transportation options (public_transportation)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 129 | <u>3 (2,3%)</u> | 5 |


Counts/frequency: No need (1, 0,8%), Some need (9, 7,0%), No opinion either way (15, 11,6%), Definite need (47, 36,4%), Extreme need (57, 44,2%)



Additional Mental Health services (additional_mental_health)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 129 | <u>3 (2,3%)</u> | 4 |


Counts/frequency: No need (0, 0,0%), Some need (11, 8,5%), No opinion either way (9, 7,0%), Definite need (50, 38,8%), Extreme need (59, 45,7%)



Education/training on Mental Health stigma (mental_stigma)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 129 | <u>3 (2,3%)</u> | 4 |


Counts/frequency: No need (0, 0,0%), Some need (17, 13,2%), No opinion either way (14, 10,9%), Definite need (53, 41,1%), Extreme need (45, 34,9%)



Affordable/low-cost Mental Health services (low_cost_mental)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 129 | <u>3 (2,3%)</u> | 4 |


Counts/frequency: No need (0, 0,0%), Some need (8, 6,2%), No opinion either way (13, 10,1%), Definite need (52, 40,3%), Extreme need (56, 43,4%)



Suicide prevention programs/education (suicide_education)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 130 | 2 (1,5%) | 5 |


Counts/frequency: No need (1, 0,8%), Some need (9, 6,9%), No opinion either way (9, 6,9%), Definite need (56, 43,1%), Extreme need (55, 42,3%)



Neurology services (neurology)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 129 | 3 (2,3%) | 4 |

Counts/frequency: No need (0, 0,0%), Some need (13, 10,1%), No opinion either way (20, 15,5%), Definite need (57, 44,2%), Extreme need (39, 30,2%)



Women's health services (womens_health)

| Total Count (N) | Missing* | Unique |
|-----------------------|----------|--------|
| 130 | 2 (1,5%) | 5 |

Counts/frequency: No need (1, 0,8%), Some need (10, 7,7%), No opinion either way (9, 6,9%), Definite need (65, 50,0%), Extreme need (45, 34,6%)



Dental health services (dental_health)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 131 | <u>1 (0,8%)</u> | 5 |

Counts/frequency: No need (1, 0,8%), Some need (11, 8,4%), No opinion either way (20, 15,3%), Definite need (51, 38,9%), Extreme need (48, 36,6%)



Orthopedic services (orthopedic_service)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 130 | <u>2 (1,5%)</u> | 4 |

Counts/frequency: No need (0, 0,0%), Some need (11, 8,5%), No opinion either way (15, 11,5%), Definite need (61, 46,9%), Extreme need (43, 33,1%)



Endocrinology services (endocrinology_service)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 130 | <u>2 (1,5%)</u> | 4 |

Counts/frequency: No need (0, 0,0%), Some need (11, 8,5%), No opinion either way (20, 15,4%), Definite need (55, 42,3%), Extreme need (44, 33,8%)



Are there any other specialty services needed in Gibson County? (needed)

| Total Count (N) | Missing* |
|-----------------------|-------------------|
| 44 | <u>88 (66,7%)</u> |

Do you have a Primary Care Provider? (primary_care)

| Total Count (N) | Missing* | Unique |
|-----------------------|-----------------|--------|
| 131 | <u>1 (0,8%)</u> | 2 |

Counts/frequency: Yes (123, 93,9%), No (8, 6,1%)



Please share any additional thoughts/comments about the health of Gibson County: (open_comment)

| Total Count (N) | Missing* |
|-----------------------|------------|
| 41 | 91 (68,9%) |

Complete? (gibson_county_health_needs_assessment_complete)

| Total Count (N) | Missing* | Unique | | | |
|-----------------------|----------|--------|--|--|--|
| 132 | 0 (0,0%) | 1 | | | |

Counts/frequency: Incomplete (0, 0,0%), Unverified (0, 0,0%), Complete (132, 100,0%)



40 of 40

^{*} Note: Values listed as 'Missing' may include records with a Missing Data Code (if Missing Data Codes are defined).

How do the following issues/items impact the health of your community?

| | | | | | | Sum of each response times the weight | Weighted Total divided by # of responses to each topic |
|--|----------|----------|--------|----------|----------|--|---|
| | Very | Some | | Some | Very | | _ |
| Tanana . | Negative | Negative | | Positive | Positive | Mainbrod Total | Average |
| Issues | Impact | Impact | Impact | Impact | Impact | | Weighted Total |
| Substance Use/Abuse | 70 | 31 | 11 | 10 | 6 | 235 | 1.78 |
| Availability of public transportation | 65 | 33 | 19 | 7 | 7 | 251 | 1.90 |
| Vaping - nicotine/tobacco | 61 | 36 | 19 | 9 | 6 | 256 | 1.94 |
| Cost of Mental Health services | 51 | 39 | 17 | 11 | 8 | 264 | 2.00 |
| Vaping - THC/marijuana | 54 | 38 | 23 | 9 | 6 | 265 | 2.01 |
| Availability of Mental Health services | 58 | 33 | 9 | 19 | 8 | 267 | 2.02 |
| Mental Health of the population | 41 | 62 | 10 | 10 | 7 | 270 | 2.05 |
| Stigma associated with Mental Health | 45 | 44 | 23 | 9 | 7 | 273 | 2.07 |
| Cost of housing | 49 | 42 | 15 | 15 | 8 | 278 | 2.11 |
| Cost of public transportation | 46 | 31 | 33 | 9 | 7 | 278 | 2.11 |
| Cost of living | 48 | 47 | 15 | 12 | 10 | 285 | 2.16 |
| Homelessness | 34 | 55 | 31 | 5 | 6 | 287 | 2.17 |
| Cost of childcare services | 40 | 48 | 23 | 7 | 12 | 293 | 2.22 |
| Quality of housing | 36 | 37 | 23 | 24 | 8 | 315 | 2.39 |
| Availability of childcare services | 33 | 42 | 23 | 13 | 19 | 333 | 2.52 |
| Availability of specialty health care (for example | | | | | | | |
| cardiology, women's health, pediatrics, etc.) | 26 | 44 | 8 | 25 | 28 | 378 | 2.86 |

Average of

Do you see a need for the following in your community?

Sum of each response times responses to the weight

Average of **Weighted Total** divided by # of each topic

Topic Responses

| | | Some | No | | Definite | e 1 | Extreme | | Average |
|--|---------|------|------|------|----------|-----|---------|-----------------------|-----------------------|
| | No need | Need | Opir | nion | Need | ١ | Need | Weighted Total | Weighted Total |
| Affordable, quality housing | C |) : | 11 | 11 | | 58 | 54 | 557 | 4.22 |
| Substance Use/Abuse education | 1 | . : | 10 | 4 | | 68 | 48 | 545 | 4.13 |
| Suicide prevention programs/education | 1 | • | 9 | 9 | | 56 | 55 | 545 | 4.13 |
| Additional Mental Health services | C |) | 11 | 9 | | 50 | 59 | 544 | 4.12 |
| Affordable/low-cost Mental Health services | | | 8 | 13 | | 52 | 56 | 543 | 4.11 |
| Additional public transportation options | 1 | | 9 | 15 | | 47 | 57 | 537 | 4.07 |
| Substance Use/Abuse treatment services | 2 | . : | 10 | 5 | | 61 | 51 | 536 | 4.06 |
| Quality, affordable childcare services | 1 | • | 9 | 14 | | 51 | 54 | 535 | 4.05 |
| Women's health services | 1 | | 10 | 9 | | 65 | 45 | 533 | 4.04 |
| Dental health services | 1 | | 11 | 20 | | 51 | 48 | 527 | 3.99 |
| Orthopedic services | C |) | 11 | 15 | | 61 | 43 | 526 | 3.98 |
| Endocrinology services | C |) | 11 | 20 | | 55 | 44 | 522 | 3.95 |
| Financial education, such as budgeting classes | 2 | | 10 | 11 | | 56 | 48 | 519 | 3.93 |
| existing organizations (such as civic, non-profit, | C |) | 9 | 23 | | 50 | 46 | 517 | 3.92 |
| Resources for people experiencing homelessness | C |) | 13 | 21 | | 45 | 49 | 514 | 3.89 |
| Education/training on Mental Health stigma | C |) : | 17 | 14 | | 53 | 45 | 513 | 3.89 |
| Resources to quit tobacco/nicotine vaping | C |) | 11 | 12 | | 74 | 31 | 509 | 3.86 |
| Financial assistance for Cost of Living | C |) | 13 | 24 | | 49 | 43 | 509 | 3.86 |
| Neurology services | | | 13 | 20 | | 57 | 39 | 509 | 3.86 |
| Housing for people experiencing homelessness | C |) : | 16 | 20 | | 44 | 48 | 508 | 3.85 |
| Education on tobacco/nicotine vaping | C |) | 13 | 14 | | 69 | 32 | 504 | 3.82 |
| Education on THC/marijuana vaping | 2 | . : | 11 | 18 | | 64 | 34 | 504 | 3.82 |
| Resources to quit THC/marijuana vaping | 2 | | 12 | 17 | | 69 | 29 | 498 | 3.77 |

Comments:

Are there any other specialty services needed in Gibson County?

- 1. Transportation
- 2. Early Learning Intervention for Kids
- 3. A dentist and orthodontist that accepts Medicaid and Hoosier Healthwise which is children's Medicaid. A better option for counseling services, especially for children/teens that accepts children's Medicaid.
- 4. Ophthalmology for diabetic retinopathy.
- 5. Gibson county has a homeless population that could benefit from having a safe place to sleep. The homeless population sleeps in the park, baseball dug outs or anywhere else they can find. There isn't a soup kitchen here to get them at least one meal a day. Gibson county really needs public transportation options. There is a Medicaid cab that can take people to the Dr but they are not reliable. They might show up to pick you up to your appointment or they might not. This makes it very hard to get the care people need. With the lack of public transportation some people can only get grocery items at the store closest to them. For most people that is a Dollar General. The local grocery store and Walmart are across town. This in turn limits the grocery options people have for their families. Due to the lack of healthy food options this leads to other health problems. There are a few specialty physicians that come about once a month to the local hospital. The specialists that come to our area are Cardiology, ENT, Urology and GI. If you need any other specialties you have to go to Evansville or Vincennes, which makes transportation very difficult. There needs to be more resources for Mental Health. There are only 2 places for people to go locally. There is very Dental Practices that will take Medicaid. There are very limited resources for people experiencing a hard time. The food panty is very small and has a limited supply of food. They have minimal hours which can make it difficult for people to get there. There is a church that gives out free clothing but that is the only place for people that can't afford to buy clothes to go.
- 6. transportation
- 7. Domestic violence services, nutrition programs, utility help in winter
- 8. more mental health and help for meth addicts.
- 9. Affordable vision services would be greatly appreciated.
- 10. cancer treatment
- 11. Orthopedic Urgent Care, more selection of OBGYNs
- 12. Rheumatology
- 13. There are no services for people with severe autism/ADHD. Most are pushed by ARC to work for Toyota, but if the person is unable to do that work, there's nothing for them. All waiver services and disability reviews for applications are in surrounding counties. No Vocational rehab. No psychologist or testing for psychiatric illnesses available. No psychiatrist for Medicaid patients. One year wait for therapist/counselor and most don't take Medicaid/Medicare. There is no remediation education for adults or adults with disabilities, while 75% of the kids at our high school didn't pass the ISTEP, and the average SAT score is below average. There's been a population boom, yet there are only a handful of PCP's. They are full and don't take Medicaid/Medicare because they have patients with better insurance. NP's from Deaconess Health Center aren't taking people with disabilities/Medicaid/Medicare. There are currently no

dentists or opthalmologists that have openings for Medicaid/ Medicare patients. There are no dedicated ER physicians in our hospital, just locums. Our hospital uses a NP for hospital inpatients because there's no hospitalist. We have one surgeon for the entire county. The top floor of our hospital is mostly vacant except for the surgeon's office and a doctor's lounge. No orthodontist. No rheumatologist, and a 1 year wait in surrounding counties. No WOCN, OBGYN, pulmonary, vascular or cardiothoracic services. Stroke services are contracted out to Warrick county. No access to women's services, such as access pelvic floor rehab, IUD's, ablations, and birth control. No birth control for girls unless parents take them to PCP. No Sexual Education in school. One pediatrician for the county is not enough. There is a year wait for childcare vouchers and section 8. Health issues within the jail are dire and inmates have died. There is a consistent shortage of EMS workers. No homeless shelter or help for them. No place for battered women. No Housing Authority in Gibson county.

- 14. We need everything. It's a long drive both north and south to get services and many people don't have resources to leave the county.
- 15. Cardiology
- 16. Education and awareness for physical therapy in correlation with physical health and fitness are extremely important needs in Gibson County.
- 17. our community is growing more and more. we need more availability in our area. some people can't get to Evansville and Vincennes for their health care needs
- 18. Cancer Awareness of all types, not just just the pink shirts.
- 19. Dropping the high rent to no rent for the original EMS base is too late now lol
- 20. Translators
- 21. Shelters for homeless
- 22. BUSES!
- 23. child/adult training
- 24. adolescent mental health
- 25. merialn (?) mental health
- 26. dermatology
- 27. Diabetic services/education
- 28. women's health/peds/ortho
- 29. not local
- 30. home health
- 31. Trauma and pediatrics
- 32. pediatrics
- 33. very few resources for mental health issues, and dentists seem to be hard to come by
- 34. functional medicine
- 35. childcare
- 36. more programs for children

Additional Comments

Please share any additional thoughts/comments about the health of Gibson County:

- 1. I do not like that many women have to drive all the way to Evansville/Newburgh to see an OBGYN. These services should be available to our county, other than one OB with St. Vincent I'm Fort Branch.
- 2. EMS services including fire and rescue, a pipeline to local healthcare workforce development opportunities for front line healthcare, EMS & skilled position staffing.
- 3. I feel Toyota and its subsidiaries have been an invaluable asset in providing employment and health care insurance to the area. The foundational concern for young adults to middle age in the area is illicit substance abuse. It is concerning for the future.
- 4. Gibson county doesn't want to recognize the homelessness problem that they have. They don't want to recognize the lack of resources for people experiencing a hard time. There is a big population of people that are on Medicaid and have limited access to which Dr office they can be seen at. There is an even more limited options for dental. Gibson county desperately needs public transportation. There isn't a Lyft or Uber in Gibson Co. Please take all of this into consideration. Gibson Co population could have so much better health if they had the access they need.
- 5. rural area needs for low income services are substantia
- 6. Gibson County is still growing in terms of population and employment. However, the rising cost of living is outpacing the general increases in wages. Affordable health care is essential to the well-being of Gibson County and its citizens.
- 7. need for cancer treatment facilities
- 8. Manny people are not aware of affordable healthcare options that might be available for them.
- 9. I would love to see more services available for teens, such as drug prevention, mental health assistance, and suicide prevention.
- 10. Toyota has brought jobs, but raised the cost of housing. We are still a poor county with above average drug usage and an undereducated population
- 11. Gibson county is becoming more populated with Toyota increasing jobs, but the amount of HCP's and health services isn't enough to support the population. Toyota recently shifted 1600 families here, and while jobs are great for our community, our HCP's were overloaded prior to that. And Toyota is expanding again. It's difficult to find providers that accept Medicaid/ Medicare. I've lost 4 pcp's in 6 years. They all left the area. Medicaid is now sending disabled people to PCP's in Warrick or Vanderburgh co due to no availability in Gibson Co. That's not feasible for travel. My immediate family travels to Vanderburgh co, Warrick co, Marion co, Henderson KY and Louisville KY for services. We have food deserts. There are 4 grocery stores for the entire county. The new 138 unit affordable housing complex will have no walking access to health care, grocery, bank, hospital, FSSA office. All of the section 8 housing here is a 1 or 2 on the walking scale. Everything is on the other side of town, which requires crossing multiple highways that don't have sidewalks. There is no public transportation. The homeless population is largely ignored. People live in cars and use friends addresses to access services. No access for young girls to get birth control without parents taking them to a PCP. Women and girls from 15 yrs of age had access to birth control in the '90's with federal aid. Gibson county's healthcare is not meeting the needs of the community, especially the poor and disabled. The doctors don't live here, and they aren't staying here. Something is desperately wrong.
- 12. Very few services here.

- 13. Definite need to establish health care professional training programs partnered with county high schools. High school juniors and seniors could train as CNA, CMA, EMT-B as part of high school curriculum. This would drive employment, help solve staffing issues for health systems, and help address student loan debt. Win, win, win!
- 14. Mobility, self care, agility, fitness and wellness are all important factors in health and are essential to our community. More onsite programs should be readily accessible to the general public. Yes, we have a YMCA in the works, and that is wonderful but currently there are very limited resources for the above mentioned health programs. Thank you.
- 15. A lot of problems people have brought on themselves in my opinion due to lack of resources to quality mental health care. There has always been a stigma to mental health related issues. The real problem is our current mental health facilities are very short handed and it takes weeks, sometimes months to get in anywhere that isn't inpatient.
- 16. Often the events, etc do not show up until it is already over. i have no solution. Maybe I should spend more facebook and find some news. ha ha
- 17. center of excellence for mind, body, spirit would be amazing that accepts hip and medicaid as well as insurance
- 18. Healthcare needs to be more available for those without/under insured.
- 19. Your cancer fighting ability is so limited to three insane Federal limitations and your services do the best you can Ivermectin and Fynbenezoyle dewormers are taking fighting stage 4 cancerous tumors to successes far beyond expectations FYI And your cancer services are helpless to offer it because of the old nosey Fed
- 20. Without Tulip Tree, I would have no where to go for care. I'm thankful for them and how they care for me and my family.
- 21. No public transportation makes it impossible to live without a car, but many cannot afford one. Also, special populations are stigmatized. I don't know what I would do without Tulip Tree and the providers and staff.
- 22. There is great need in all aspects for the impoverished in Gibson County. There aren't many places to go for help, other than food banks and trustees. I wouldn't have medical care outside of hospital visits if I couldn't walk to Tulip Tree.
- 23. SWIRCA transports me for medical visits, but this county needs BUSES. Not everyone has a car or license, cars are a privilege. Also, there are some specialists I can see at the hospital in Princeton, but I have to go to Evansville for appointments every month. I was never more thankful than when Tulip Tree opened their office in town, making it easier for me to see my primary care and counselor.
- 24. Shelter for homeless, buses/transportation
- 25. Not enough providers that take Medicaid. Without Tulip Tree, I wouldn't have any care.
- 26. I enjoy working in Gibson County and would love to move here some day soon.
- 27. Not too far from Vanderburgh facilities if no additional ability or option
- 28. allergies are on the rise
- 29. limited transportation in this county, large divide between living conditions, No sidewalks
- 30. need more specialty care. Not able to get into specialists for months.
- 31. People need jobs, Parenting classes. \$ management classes.. Life skills taught in schools.
- 32. needs better mental health and case management services
- 33. I don't live here

- 34. Keep the local feeling, but bring in more specialty medical services that are much needed
- 35. sorely lacking in resources close by for those whom have no transport.
- 36. Stay with the small home town feeling. Not to turn into Evansville.
- 37. working in ER I see many mental health issues. We also have many ppl that can't get in to the dentist. There is no public transportation either.
- 38. childcare/summer camps are a definite need for all of Gibson Co.

Appendix D

Existing Facilities

Access Medical Clinic

Addiction Solutions Corporation

Deaconess Clinic - Ft. Branch

CVS Pharmacy

Deaconess Clinic - Gibson Ft. Branch

Deaconess Clinic - Gibson Hospital

Deaconess Clinic - Gibson Main Street

Deaconess Clinic - Oakland City

Deaconess Clinic - Princeton

Deaconess Clinic Pediatrics

Deaconess Clinic Urgent Care

Deaconess COMP Center

Deaconess Gibson Anti-Coagulation Services

Deaconess Gibson Cardiology

Deaconess Gibson Cardiopulmonary Services

Deaconess Gibson Comprehensive Pain Center

Deaconess Gibson ENT

Deaconess Gibson Gastroenterology

Deaconess Gibson Home Health Services

Deaconess Gibson Hospital Surgery / Wound Center

Deaconess Gibson Infusion Therapy Services

Deaconess Gibson Oncology/Hematology Services

Deaconess Gibson Podiatry Services

Deaconess Gibson Radiology Services

Deaconess Gibson Sleep Center

Deaconess Gibson Swing Bed Program

Deaconess Gibson Urology

Deaconess Heart Group

Fast Pace Health Urgent Care

Gibson County EMS

Gibson County Health Department

Good Samaritan Home & Rehabilitation Center

Haubstadt Family Dentistry

Hipp Dentistry

IGA Pharmacy

Ingler Family EyeCare

Kirkwood Family Dentistry

Lawlor Family Dentistry

New Image Family Fitness Center

Owensville Convalescent Center

Princeton Fitness

Progressive Rehab

ProRehab Physical & Occupational Therapy

Rachel S. Harvey, DDS

River Oaks Health Campus

South Gibson Medical Clinic

Southwestern Behavioral Healthcare

St. Vincent Medical Group

Stratton Family Dental

The Eye Center

The Waters of Princeton

Thomas M. Murray, DDS

Touchstone Therapy, LLC

Transcendent Healthcare

Tulip Tree Family Health Care

Walgreen's Pharmacy

Walmart Pharmacy

Williams Bros. Health Care Pharmacy